

"SPECTROSCOPIC & CHROMATOGRAPHIC METHOD DEVELOPMENT AND VALIDATION FOR THE ESTIMATION OF ANTIMICROBIAL AGENTS & THEIR COMBINATIONS IN SYNTHETIC MIXTURE AND ASSAY METHOD FOR THE PHARMACEUTICAL DOSAGE FORMS"

A

Thesis Submitted to the Atmiya University, For the Degree of

DOCTOR OF PHILOSOPHY

in
PHARMACEUTICAL SCIENCES

by PANDYA YOGI UMESHBHAI

Enrolment No- 190581004

Under the Guidance of

DR. SAMIXA PATEL

Department of Pharmaceutical Sciences

ATMIYA UNIVERSITY, YogidhamGurukul, Kalawad Road, Rajkot–360005, Gujarat (India) January, 2023

Declaration by Research Scholar Originality of Research Work

I declare that thesis entitled "SPECTROSCOPIC & CHROMATOGRAPHIC METHOD DEVELOPMENT AND VALIDATION FOR THE ESTIMATION OF ANTIMICROBIAL AGENTS & THEIR COMBINATIONS IN SYNTHETIC MIXTURE AND ASSAY METHOD FOR THE PHARMACEUTICAL DOSAGE FORMS" is my own work conducted under the supervision of Dr. Samixa Patel at Department of Pharmaceutical Sciences, Faculty of Pharmacy Paramedical Sciences, Atmiya University, Rajkot, Gujarat, India and approved by the Director of Research.

I further declare that to the best of my knowledge the thesis does not contain any part of any work which has been submitted for award of any degree either in this University or any other University without proper citation.

Date: 17/1/2023 Place: RAJKOT

Signature of the Research Scholar PANDYA YOGI UMESHBHAI

Certificate of Supervisor

This is to certify that work entitled "SPECTROSCOPIC & CHROMATOGRAPHIC METHOD DEVELOPMENT AND VALIDATION FOR THE ESTIMATION OF ANTIMICROBIAL AGENTS & THEIR COMBINATIONS IN SYNTHETIC MIXTURE AND ASSAY METHOD FOR THE PHARMACEUTICAL DOSAGE FORMS" is a piece of research work done by PANDYA YOGI UMESHBHAI under my supervision for the degree of Doctor of Philosophy in Department of Pharmaceutical Sciences, Faculty of Pharmacy Paramedical Sciences, Atmiya University, Rajkot, Gujarát, India

To the best of my knowledge and belief the research work and thesis

- I. Embodies the work of candidate himself / herself,
- II. Has duly been completed,
- III. Fulfils the requirement of ordinance related to Ph.D. degree of the University&
- IV. is up to the standard both in respect of content and language for being referred to the examiner.

Date: 17/1/2023 Place: RAJKOT

Signature of the Research Supervisor Dr. SAMIXA PATEL





Yogidham Gurukul, Kalawad Road, Rajkot - 360005, Gujarat (INDIA)

Certificate Pre Thesis Submission Presentation

This is to certify that Pandya Yogi U has made Pre Ph.D. presentation on the research work entitled Spectroscopic & Chromatographic Method Development and Validation for the Estimation of Antimicrobial Agents & their Combinations in Synthetic Mixture and Assay Method for the Pharmaceutical Dosage Forms in the Faculty of Paramedical Sciences, Atmiya University, Rajkot on 08/10/2022 before Departmental Research Committee for getting feedback and comments.

This is also to certify that all the suggestions and comments given by the Doctoral Progress Review Committee are incorporated. Moreover the presented research work was appreciated and recommended by all attendees.

Date: 08/10/2022 Place: Rajkot

Schios

Research Coordinator



Thesis Approval Form

The Viva-Voce of the Ph.D. thesis entitled "Spectroscopic & Chromatographic Method Development and Validation for the Estimation of Antimicrobial Agents & their Combinations in Synthetic Mixture and Assay Method for the Pharmaceutical Dosage Forms" submitted by Pandya Yogi U (Enrolment No. 190581004) was conducted on 12/01/2023 (Thursday) at Atmiya University, Rajkot, Gujarat

Based on the Performance of the Candidate, We, the panel of examiners, recommend that (Please tick any of the following)

1. He / She be awarded Ph.D. Degree

2. He / She be awarded Ph.D. Degree with minor modification

Please Suggest Modification

3. The following modifications are to be incorporated in the thesis within one month and viva-voce be re-conducted by the same panel of examiners

Please Suggest Modification

4. He / She should not be awarded Ph.D. Degree

Please mention Reason for Rejection

Date: 12/01/2023

Place: Rajkot

| Signature | Appate) | A_ | JE P |
|-----------|---------------------|--------------------|-------------------|
| | Research Supervisor | University Nominee | External Examiner |

Declaration by Research Scholar Submission of Thesis

I declare that the submitted thesis entitled "SPECTROSCOPIC & CHROMATOGRAPHIC METHOD DEVELOPMENT AND VALIDATION FOR THE ESTIMATION OF ANTIMICROBIAL AGENTS & THEIR COMBINATIONS IN SYNTHETIC MIXTURE AND ASSAY METHOD FOR THE PHARMACEUTICAL DOSAGE FORMS" incorporates

- 1. All the suggestions / directions / modifications / additions / deletions received from the supervisor and the external examiners through their thesis evaluation reports.
- All the suggestions / directions / modifications / additions / deletions received from the panel of examiners during the public viva-voce (Open Defence) conducted on 12/01/2023

Date: 17 1 2023 Place: RAJKOT

Signature of the Research Scholar PANDYA YOGI UMESHBHAI

ACKNOWLEDGEMENT

Completing a task is never one man's effort, but it is often result of invaluable contribution of number of individuals in direct or indirect manner and only due to the blessing of almighty it is possible to achieve the goal. It's an entire contribution of many personnel's to complete any task in the world. The research work carried out would be a difficult task without the help, encouragement, & blessings from all those individuals, without them I would not be able to finish the task.

First of all, I want to deeply thank to my respected guide Dr. Samixa Patel M.Pharm. PhD. Associate Professor, without whose support & guidance this research work would not been possible. Her guidance, suggestions & support were of great help to me in completing this PhD Dissertation work. Her expertise in the pharmaceutical analysis helped me a lot in carrying out my experimental's, calculative, & publications of the research work. With their guidance and support this work has been effortlessly done in time.

I express my sincere thanks to Dr. H. M. Tank M.Pharm PhD. Principal, Department of pharmacy, Atmiya university, & to faculty members Dr Kevin Garala, Dr Parag Rabara, Mr Falgun Dhabaliya, Mr Vijay Chauhan, Dr Mital Manvar, as well as to all the faculty members of Atmiya university for their help & support in my research work. I express my sincere respect towards P.P. Tyag Vallabhswamiji whose blessings & holiness has encouraged us and made us able to achieve our goals. I express my thanks to Dr K.D. Ladva Principal Shree M.N. Virani Science, Mr Sanjay Pandya Principal H.L. Gandhi and Dr Ashish Kothari H.O.D E.C Engg. Dy. Registrar Atmiya University, Dr. G.D Acharya Principal Atmiya Institute of Technology & Science, for being a great inspiration for achieving & completing my goals.

I would like to express my sincere thanks to my DPC members, external examiners whose knowledgeable suggestions have refined this research work. I thank to Mr Mahendra Raval Sava Pharma, Mr Prashant Dekivadiya Sun Pharma, Mr Bhavesh Rathod Torrent Pharma, for guidance in my experimental works and Mr Manish Patel Bizotech life sciences, and Mr Bhumin Patel, Mr Gaurang Patel of Solesom pharma for providing the research facilities & drug substances as well as practical guidance's for my research work. Beside in the midst of Mr Ketan Patel, Dr Kashyap Thummar, Mr Ravi patel, Dr Krunal Sameja, Mr Kirtan Dixit have aided a lot in carrying out my research work, and have been a great inspiration.

And at last, but not the least, I sincerely thank to the great god, my family members, my colleagues' and my friends, their moral support that gave me encouragement during my journey contributed & made this task more effectively possible. I apologize to those persons, who I unintentionally didn't mention them in this page.

Signature of the Research Scholar PANDYA YOGI UMESHBHAI

List of Figures

| Figure No. | Name of the Figure | Pg. No. |
|-------------|---|---------|
| Figure 1.1 | FTIR Spectra of Lamivudine LAM | 35 |
| Figure 1.2 | FTIR Spectra of Tenofovir TEN | 36 |
| Figure 1.3 | FTIR Spectra of Doravirine DOR | 36 |
| Figure 1.4 | UV Spectra Overlay of LAM, TEN & DOR | 40 |
| Figure 1.5 | Chromatogram of Standard LAM, TEN & DOR | 45 |
| Figure 1.6 | Chromatogram of Sample LAM, TEN & DOR | 46 |
| Figure 1.7 | Blank Chromatogram | 46 |
| Figure 1.8 | Chromatogram of LAM | 47 |
| Figure 1.9 | Chromatogram of TEN | 47 |
| Figure 1.10 | Chromatogram of DOR | 47 |
| Figure 1.11 | Overlain Chromatogram of Linearity for LAM, TEN & DOR | 48 |
| Figure 1.12 | Calibration Curve for LAM | 48 |
| Figure 1.13 | Calibration Curve for TEN | 49 |
| Figure 1.14 | Calibration Curve for DOR | 49 |
| Figure 1.15 | % Drug Release for LAM | 54 |
| Figure 1.16 | % Drug Release for TEN | 54 |
| Figure 1.17 | % Drug Release for DOR. | 54 |
| Figure 2.1 | FTIR Spectra of Lamivudine LAM | 57 |
| Figure 2.2 | FTIR Spectra of Tenofovir TEN | 58 |
| Figure 2.3 | FTIR Spectra of Doravirine DOR | 58 |
| Figure 2.4 | UV Spectra Overlay of LAM, TEN & DOR | 62 |
| Figure 2.5 | Chromatogram of Standard LAM, TEN & DOR | 70 |
| Figure 2.6 | Chromatogram of Sample LAM, TEN & DOR | 71 |
| Figure 2.7 | Chromatogram of Acid Degradation Standard LAM, TEN & | 71 |
| | DOR | |
| Figure 2.8 | Chromatogram of Base Degradation Standard LAM, TEN & | 72 |
| | DOR | |
| Figure 2.9 | Chromatogram of Oxidative Degradation Standard LAM, | 72 |
| | TEN & DOR | |
| Figure 2.10 | Chromatogram of Thermal Degradation Standard LAM, TEN | 72 |
| | & DOR | |

| Figure 2.11 | Chromatogram of Photo Degradation Standard LAM, TEN & | 73 |
|-------------|---|-----|
| | DOR | |
| Figure 2.12 | Chromatogram of Acid Degradation Sample LAM, TEN & DOR | 73 |
| Figure 2.13 | Chromatogram of Base Degradation Sample LAM, TEN & DOR | 73 |
| Figure 2.14 | Chromatogram of Oxidative Degradation Sample LAM, TEN & | 74 |
| | DOR | |
| Figure 2.15 | Chromatogram of Thermal Degradation Sample LAM, TEN & | 74 |
| | DOR | |
| Figure 2.16 | Chromatogram of Photo Degradation Sample LAM, TEN & | 74 |
| | DOR | |
| Figure 2.17 | Blank Chromatogram | 76 |
| Figure 2.18 | Chromatogram of LAM | 76 |
| Figure 2.19 | Chromatogram of TEN | 77 |
| Figure 2.20 | Chromatogram of DOR | 77 |
| Figure 2.21 | Overlain Chromatogram of Linearity for LAM, TEN & DOR | 78 |
| Figure 2.22 | Calibration Curve for LAM | 78 |
| Figure 2.23 | Calibration Curve for TEN | 79 |
| Figure 2.24 | Calibration Curve for DOR | 79 |
| Figure 2.25 | % Drug Release for LAM, TEN & DOR. | 84 |
| Figure 3.1 | FTIR Spectra of Cabotegravir CAB | 87 |
| Figure 3.2 | FTIR Spectra of Rilpivirine RILP | 88 |
| Figure 3.3 | UV Spectra Overlay of CAB & RILP | 91 |
| Figure 3.4 | Chromatogram of Standard CAB & RILP | 96 |
| Figure 3.5 | Chromatogram of Sample Standard CAB & RILP | 96 |
| Figure 3.6 | Blank Chromatogram | 97 |
| Figure 3.7 | Chromatogram of CAB | 97 |
| Figure 3.8 | Chromatogram of RILP | 98 |
| Figure 3.9 | Overlain Chromatogram of Linearity for CAB & RILP | 98 |
| Figure 3.10 | Calibration Curve for CAB | 99 |
| Figure 3.11 | Calibration Curve for RILP | 99 |
| Figure 4.1 | FTIR Spectra of Cabotegravir CAB | 105 |
| Figure 4.2 | FTIR Spectra of Rilpivirine RILP | 106 |
| Figure 4.3 | UV Spectra Overlay of CAB & RILP | 109 |

| Figure 4.4 | Chromatogram of Standard CAB & RILP | 117 |
|-------------|--|-----|
| Figure 4.5 | Chromatogram of Sample Standard CAB & RILP | 117 |
| Figure 4.6 | Chromatogram of Acid Degradation Standard CAB & RILP | 118 |
| Figure 4.7 | Chromatogram of Base Degradation Standard CAB & RILP | 118 |
| Figure 4.8 | Chromatogram of Oxidative Degradation Standard CAB & | 118 |
| | RILP | |
| Figure 4.9 | Chromatogram of Thermal Degradation Standard CAB & | 119 |
| | RILP | |
| Figure 4.10 | Chromatogram of Photo Degradation Standard CAB & | 119 |
| | RILP | |
| Figure 4.11 | Chromatogram of Acid Degradation Sample CAB & RILP | 119 |
| Figure 4.12 | Chromatogram of Base Degradation Sample CAB & RILP | 119 |
| Figure 4.13 | Chromatogram of Oxidative Degradation Sample CAB & | 120 |
| | RILP | |
| Figure 4.14 | Chromatogram of Thermal Degradation Sample CAB & | 120 |
| | RILP | |
| Figure 4.15 | Chromatogram of Photo Degradation Sample CAB & | 120 |
| | RILP | |
| Figure 4.16 | Blank Chromatogram | 122 |
| Figure 4.17 | Chromatogram of CAB | 122 |
| Figure 4.18 | Chromatogram of RILP | 122 |
| Figure 4.19 | Overlain Chromatogram of Linearity for CAB & RILP | 123 |
| Figure 4.20 | Calibration Curve for CAB | 123 |
| Figure 4.21 | Calibration Curve for RILP | 124 |
| Figure 5.1 | FTIR Spectra of Dolutegravir DOLU | 130 |
| Figure 5.2 | FTIR Spectra of Tenofovir TEN | 131 |
| Figure 5.3 | FTIR Spectra of Rilpivirine RILP | 131 |
| Figure 5.4 | UV Spectra Overlay of DOLU, TEN & RILP | 134 |
| Figure 5.5 | Chromatogram of Standard DOLU, TEN & RILP | 141 |
| Figure 5.6 | Chromatogram of Sample DOLU, TEN & RILP | 141 |
| Figure 5.7 | Blank Chromatogram | 142 |
| Figure 5.8 | Chromatogram of DOLU | 142 |
| Figure 5.9 | Chromatogram of TEN | 143 |

| Figure 5.10 | Chromatogram of RILP | 143 |
|-------------|--|-----|
| Figure 5.11 | Overlain Chromatogram of Linearity for DOLU, TEN & | 144 |
| | RILP | |
| Figure 5.12 | Calibration Curve for DOLU | 144 |
| Figure 5.13 | Calibration Curve for TEN | 145 |
| Figure 5.14 | Calibration Curve for RILP | 145 |
| Figure 6.1 | FTIR Spectra of Dolutegravir DOLU | 152 |
| Figure 6.2 | FTIR Spectra of Tenofovir TEN | 153 |
| Figure 6.3 | FTIR Spectra of Rilpivirine RILP | 153 |
| Figure 6.4 | UV Spectra Overlay of DOLU, TEN & RILP | 157 |
| Figure 6.5 | Chromatogram of Standard DOLU, TEN & RILP | 165 |
| Figure 6.6 | Chromatogram of Sample DOLU, TEN & RILP | 166 |
| Figure 6.7 | Chromatogram of Acid Degradation Standard DOLU, TEN | 167 |
| | & RILP | |
| Figure 6.8 | Chromatogram of Base Degradation Standard DOLU, TEN, | 167 |
| | RILP | |
| Figure 6.9 | Chromatogram of Oxidative Degradation Standard DOLU, | 167 |
| | TEN, RILP | |
| Figure 6.10 | Chromatogram of Thermal Degradation Standard DOLU, | 168 |
| | TEN, RILP | |
| Figure 6.11 | Chromatogram of Photo Degradation Standard DOLU, | 168 |
| | TEN, RILP | |
| Figure 6.12 | Chromatogram of Acid Degradation Sample DOLU, TEN, | 168 |
| | RILP | |
| Figure 6.13 | Chromatogram of Base Degradation Sample DOLU, TEN, | 168 |
| | RILP | |
| Figure 6.14 | Chromatogram of Oxidative Degradation Sample DOLU, | 169 |
| | TEN, RILP | |
| Figure 6.15 | Chromatogram of Thermal Degradation Sample DOLU, | 169 |
| | TEN, RILP | |
| Figure 6.16 | Chromatogram of Photo Degradation Sample DOLU, TEN, | 169 |
| | RILP | |
| Figure 6.17 | Blank Chromatogram | 171 |
| | | |

| Figure 6.18 | Chromatogram of DOLU | 171 |
|-------------|---|-----|
| Figure 6.19 | Chromatogram of TEN | 172 |
| Figure 6.20 | Chromatogram of RILP | 172 |
| Figure 6.21 | Overlain Chromatogram of Linearity for DOLU, | 173 |
| | TEN & RILP | |
| Figure 6.22 | Calibration Curve for DOLU | 173 |
| Figure 6.23 | Calibration Curve for TEN | 174 |
| Figure 6.24 | Calibration Curve for RILP | 174 |
| Figure 7.1 | FTIR Spectra of Fexinidazole FEXI | 181 |
| Figure 7.2 | UV Spectra Overlay of FEXI | 183 |
| Figure 7.3 | Chromatogram of Standard FEXI | 189 |
| Figure 7.4 | Chromatogram of Sample FEXI | 189 |
| Figure 7.5 | Blank Chromatogram | 190 |
| Figure 7.6 | Chromatogram of Sample Standard FEXI | 190 |
| Figure 7.7 | Overlain Chromatogram of Linearity for FEXI | 191 |
| Figure 7.8 | Calibration Curve for FEXI | 191 |
| Figure 7.9 | % Drug Release for FEXI | 195 |
| Figure 8.1 | FTIR Spectra of Fexinidazole FEXI | 198 |
| Figure 8.2 | UV Spectra Overlay of FEXI | 200 |
| Figure 8.3 | Chromatogram of Standard FEXI | 208 |
| Figure 8.4 | Chromatogram of Sample FEXI | 209 |
| Figure 8.5 | Chromatogram of Acid Degradation Standard FEXI | 209 |
| Figure 8.6 | Chromatogram of Base Degradation Standard FEXI | 210 |
| Figure 8.7 | Chromatogram of Oxidative Degradation Standard FEXI | 210 |
| Figure 8.8 | Chromatogram of Thermal Degradation Standard FEXI | 210 |
| Figure 8.9 | Chromatogram of Photo Degradation Standard FEXI | 211 |
| Figure 8.10 | Chromatogram of Acid Degradation Sample FEXI | 211 |
| Figure 8.11 | Chromatogram of Base Degradation Sample FEXI | 211 |
| Figure 8.12 | Chromatogram of Oxidative Degradation Sample FEXI | 211 |
| Figure 8.13 | Chromatogram of Thermal Degradation Sample FEXI | 212 |
| Figure 8.14 | Chromatogram of Photo Degradation Sample FEXI | 212 |
| Figure 8.15 | Blank Chromatogram | 214 |
| Figure 8.16 | Chromatogram of Sample Standard FEXI | 214 |

| Figure 8.17 | Overlain Chromatogram of Linearity for FEXI | 215 |
|--------------|---|-----|
| Figure 8.18 | Calibration Curve for FEXI | 215 |
| Figure 8.19 | % Drug Release for FEXI | 219 |
| Figure 9.1 | FTIR Spectra of Maribavir MARI | 222 |
| Figure 9.2 | UV Spectra Overlay of MARI | 224 |
| Figure 9.3 | Chromatogram of Standard MARI | 229 |
| Figure 9.4 | Chromatogram of Sample MARI | 230 |
| Figure 9.5 | Blank Chromatogram | 230 |
| Figure 9.6 | Chromatogram of Sample MARI | 231 |
| Figure 9.7 | Overlain Chromatogram of Linearity for MARI | 231 |
| Figure 9.8 | Calibration Curve for MARI | 232 |
| Figure 10.1 | FTIR Spectra of Maribavir MARI | 237 |
| Figure 10.2 | UV Spectra Overlay of MARI | 239 |
| Figure 10.3 | Chromatogram of Standard MARI | 247 |
| Figure 10.4 | Chromatogram of Sample MARI | 247 |
| Figure 10.5 | Chromatogram of Acid Degradation Standard MARI | 248 |
| Figure 10.6 | Chromatogram of Base Degradation Standard MARI | 248 |
| Figure 10.7 | Chromatogram of Oxidative Degradation Standard MARI | 248 |
| Figure 10.8 | Chromatogram of Thermal Degradation Standard MARI | 249 |
| Figure 10.9 | Chromatogram of Photo Degradation Standard MARI | 249 |
| Figure 10.10 | Chromatogram of Acid Degradation Sample MARI | 249 |
| Figure 10.11 | Chromatogram of Base Degradation Sample MARI | 250 |
| Figure 10.12 | Chromatogram of Oxidative Degradation Sample MARI | 250 |
| Figure 10.13 | Chromatogram of Thermal Degradation Sample MARI | 250 |
| Figure 10.14 | Chromatogram of Photo Degradation Sample MARI | 251 |
| Figure 10.15 | Blank Chromatogram | 252 |
| Figure 10.16 | Chromatogram of Sample MARI | 252 |
| Figure 10.17 | Overlain Chromatogram of Linearity for MARI | 253 |
| Figure 10.18 | Calibration Curve for MARI | 253 |
| Figure 11.1 | FTIR Spectra of Molnupiravir MOLN | 259 |
| Figure 11.2 | UV Spectra Overlay of MOLN | 261 |
| Figure 11.3 | Chromatogram of Standard MOLN | 266 |
| Figure 11.4 | Chromatogram of Sample MOLN | 266 |

| Figure 11.5 | Blank Chromatogram | 267 |
|--------------|---|-----|
| Figure 11.6 | Chromatogram of Sample MOLN | 267 |
| Figure 11.7 | Overlain Chromatogram of Linearity for MOLN | 268 |
| Figure 11.8 | Calibration Curve for MOLN | 268 |
| Figure 12.1 | FTIR Spectra of Molnupiravir MOLN | 274 |
| Figure 12.2 | UV Spectra Overlay of MOLN | 276 |
| Figure 12.3 | Chromatogram of Standard MOLN | 284 |
| Figure 12.4 | Chromatogram of Sample MOLN | 284 |
| Figure 12.5 | Chromatogram of Acid Degradation Standard MOLN | 285 |
| Figure 12.6 | Chromatogram of Base Degradation Standard MOLN | 285 |
| Figure 12.7 | Chromatogram of Oxidative Degradation Standard MOLN | 285 |
| Figure 12.8 | Chromatogram of Thermal Degradation Standard MOLN | 286 |
| Figure 12.9 | Chromatogram of Photo Degradation Standard MOLN | 286 |
| Figure 12.10 | Chromatogram of Acid Degradation Sample MOLN | 286 |
| Figure 12.11 | Chromatogram of Base Degradation Sample MOLN | 287 |
| Figure 12.12 | Chromatogram of Oxidative Degradation Sample MOLN | 287 |
| Figure 12.13 | Chromatogram of Thermal Degradation Sample MOLN | 287 |
| Figure 12.14 | Chromatogram of Photo Degradation Sample MOLN | 288 |
| Figure 12.15 | Blank Chromatogram | 289 |
| Figure 12.16 | Chromatogram of Sample MOLN | 289 |
| Figure 12.17 | Overlain Chromatogram of Linearity for MOLN | 290 |
| Figure 12.18 | Calibration Curve for MOLN | 290 |
| Figure 13.1 | FTIR Spectra of Amoxicillin AMOX | 296 |
| Figure 13.2 | FTIR Spectra of Clarithromycin CLAR | 297 |
| Figure 13.3 | FTIR Spectra of Vonoprazan VONO | 297 |
| Figure 13.4 | UV Spectra Overlay of AMOX, CLAR & VONO | 301 |
| Figure 13.5 | Chromatogram of Standard AMOX, CLAR & VONO | 306 |
| Figure 13.6 | Chromatogram of Sample AMOX, CLAR & VONO | 307 |
| Figure 13.7 | Blank Chromatogram | 307 |
| Figure 13.8 | Chromatogram of AMOX | 308 |
| Figure 13.9 | Chromatogram of CLAR | 308 |
| Figure 13.10 | Chromatogram of VONO | 309 |
| Figure 13.11 | Overlain Chromatogram of Linearity for AMOX, CLAR & | 309 |

VONO

| Figure 13.12 | Calibration Curve for AMOX | 310 |
|---------------------|--|-----|
| Figure 13.13 | Calibration Curve for CLAR | 310 |
| Figure 13.14 | Calibration Curve for VONO | 311 |
| Figure 14.1 | FTIR Spectra of Amoxicillin AMOX | 317 |
| Figure 14.2 | FTIR Spectra of Clarithromycin CLAR | 318 |
| Figure 14.3 | FTIR Spectra of Vonoprazan VONO | 318 |
| Figure 14.4 | UV Spectra Overlay of AMOX, CLAR & VONO | 322 |
| Figure 14.5 | Chromatogram of Standard AMOX, CLAR & VONO | 330 |
| Figure 14.6 | Chromatogram of Sample AMOX, CLAR & VONO | 330 |
| Figure 14.7 | Chromatogram of Acid Degradation Standard AMOX, | 331 |
| | CLAR & VONO | |
| Figure 14.8 | Chromatogram of Base Degradation Standard AMOX, CLAR & | 331 |
| | VONO | |
| Figure 14.9 | Chromatogram of Oxidative Degradation Standard AMOX, | 332 |
| | CLAR & VONO | |
| Figure 14.10 | Chromatogram of Thermal Degradation Standard AMOX, | 332 |
| | CLAR & VONO | |
| Figure 14.11 | Chromatogram of Photo Degradation Standard AMOX, CLAR | 332 |
| | & VONO | |
| Figure 14.12 | Chromatogram of Acid Degradation Sample AMOX, CLAR & | 333 |
| | VONO | |
| Figure 14.13 | Chromatogram of Base Degradation Sample AMOX, CLAR & | 333 |
| | VONO | |
| Figure 14.14 | Chromatogram of Oxidative Degradation Sample AMOX, | 333 |
| | CLAR & VONO | |
| Figure 14.15 | Chromatogram of Thermal Degradation Sample AMOX, CLAR | 334 |
| | & VONO | |
| Figure 14.16 | Chromatogram of Photo Degradation Sample AMOX, CLAR & | 334 |
| | VONO | |
| Figure 14.17 | Blank Chromatogram | 336 |
| Figure 14.18 | Chromatogram of AMOX | 336 |
| Figure 14.19 | Chromatogram of CLAR | 337 |

| Figure 14.20 | Chromatogram of VONO | 337 |
|---------------------|---|-----|
| Figure 14.21 | Overlain Chromatogram of Linearity for AMOX, CLAR & | 338 |
| | VONO | |
| Figure 14.22 | Calibration Curve for AMOX | 338 |
| Figure 14.23 | Calibration Curve for CLAR | 339 |
| Figure 14.24 | Calibration Curve for VONO | 339 |

List of Tables

| Table No. | Name of Table | Pg. No. |
|-------------------|--|---------|
| Table 1.1 | Melting Points of LAM, TEN & DOR | 35 |
| Table 1.2 | FTIR Interpretation of Lamivudine LAM | 37 |
| Table 1.3 | FTIR Interpretation of Tenofovir TEN | 37 |
| Table 1.4 | FTIR Interpretation of Doravirine DOR | 38 |
| Table 1.5 | Trials for Selection of Mobile Phase for LAM, TEN & DOR | 41 |
| Table 1.6 | Optimized Chromatographic Conditions for LAM, TEN & DOR | 41 |
| Table 1.7 | Linearity data of LAM | 48 |
| Table 1.8 | Linearity data of TEN | 49 |
| Table 1.9 | Linearity data of DOR | 49 |
| Table 1.10 | Accuracy Study of LAM, TEN & DOR | 50 |
| Table 1.11 | Repeatability Study of LAM, TEN & DOR | 50 |
| Table 1.12 | Intraday Precision of LAM, TEN & DOR | 51 |
| Table 1.13 | Interday Precision of LAM, TEN & DOR | 51 |
| Table 1.14 | Assay of Formulation Delstrigo TM | 52 |
| Table 1.15 | Dissolution Study of Formulation Delstrigo TM . | 53 |
| Table 2.1 | Melting Points of LAM, TEN & DOR | 57 |
| Table 2.2 | FTIR Interpretation of Lamivudine LAM | 58 |
| Table 2.3 | FTIR Interpretation of Tenofovir TEN | 59 |
| Table 2.4 | FTIR Interpretation of Doravirine DOR | 60 |
| Table 2.5 | Trials for Selection of Mobile Phase for LAM, TEN & DOR | 63 |
| Table 2.6 | Optimized Chromatographic Conditions for LAM, TEN & DOR | 63 |
| Table 2.7 | % Drug Degraded & % Drug Recovered LAM, TEN & DOR | 75 |
| Table 2.8 | Peak Purity for LAM, TEN & DOR | 75 |
| Table 2.9 | Linearity data of LAM | 78 |
| Table 2.10 | Linearity data of TEN | 79 |
| Table 2.11 | Linearity data of DOR | 79 |
| Table 2.12 | Accuracy Study of LAM, TEN & DOR | 80 |
| Table 2.13 | Repeatability Study of LAM, TEN & DOR | 80 |
| Table 2.14 | Intraday Precision of LAM, TEN & DOR | 81 |
| Table 2.15 | Interday Precision of LAM, TEN & DOR | 81 |
| Table 2.16 | Assay of Formulation Delstrigo TM | 82 |

| Dissolution Study of Formulation Delstrigo TM . | 83 |
|--|--|
| Melting Points of CAB & RILP | 87 |
| FTIR Interpretation of Cabotegravir CAB | 88 |
| FTIR Interpretation of Rilpivirine RILP | 89 |
| Trials for Selection of Mobile Phase for CAB & RILP | 92 |
| Optimized Chromatographic Conditions for CAB & RILP | 93 |
| Linearity data of CAB | 99 |
| Linearity data of RILP | 99 |
| Accuracy Study of CAB & RILP | 100 |
| Repeatability Study of CAB & RILP | 100 |
| Intraday Precision of CAB & RILP | 101 |
| Interday Precision of CAB & RILP | 101 |
| Assay of Formulation CABENUVA TM | 102 |
| Melting Points of CAB & RILP | 105 |
| FTIR Interpretation of Cabotegravir CAB | 106 |
| FTIR Interpretation of Rilpivirine RILP | 107 |
| Trials for Selection of Mobile Phase for CAB & RILP | 110 |
| Optimized Chromatographic Conditions for CAB & RILP | 111 |
| % Drug Degraded & % Drug Recovered CAB & RILP | 121 |
| Peak Purity for CAB & RILP | 121 |
| Linearity data of CAB | 123 |
| Linearity data of RILP | 124 |
| Accuracy Study of CAB & RILP | 124 |
| Repeatability Study of CAB & RILP | 125 |
| Intraday Precision of CAB & RILP | 125 |
| Interday Precision of CAB & RILP | 126 |
| Assay of Formulation CABENUVA TM | 127 |
| Melting Points of DOLU, TEN & RILP | 130 |
| FTIR Interpretation of Dolutegravir DOLU | 132 |
| FTIR Interpretation of Tenofovir TEN | 132 |
| FTIR Interpretation of Rilpivirine RILP | 133 |
| Trials for selection of Mobile Phase for DOLU, TEN & RILP | 137 |
| Optimized Chromatographic Conditions for DOLU, | 138 |
| | Dissolution Study of Formulation Delstrigo TM . Melting Points of CAB & RILP FTIR Interpretation of Cabotegravir CAB FTIR Interpretation of Rilpivirine RILP Trials for Selection of Mobile Phase for CAB & RILP Optimized Chromatographic Conditions for CAB & RILP Linearity data of CAB Linearity data of RILP Accuracy Study of CAB & RILP Repeatability Study of CAB & RILP Intraday Precision of CAB & RILP Assay of Formulation CABENUVA TM Melting Points of CAB & RILP FTIR Interpretation of Cabotegravir CAB FTIR Interpretation of Cabotegravir CAB FTIR Interpretation of Rilpivirine RILP Trials for Selection of Mobile Phase for CAB & RILP Optimized Chromatographic Conditions for CAB & RILP Pack Purity for CAB & RILP Linearity data of CAB Linearity data of RILP Accuracy Study of CAB & RILP Linearity data of RILP Accuracy Study of CAB & RILP Intraday Precision of CAB & RILP Intraday Precision of CAB & RILP Intraday Of CAB & RILP Intraday Of CAB & RILP FIR Interpretation of CAB & RILP FIR Interpretation of CAB & RILP Intraday Of CAB & RILP Intraday Of CAB & RILP Intraday Precision of CAB & RILP Intraday Precision of CAB & RILP FIR Interpretation of CAB & RILP Intraday Of Formulation CABENUVA TM Melting Points of DOLU, TEN & RILP FTIR Interpretation of Dolutegravir DOLU FTIR Interpretation of Rilpivirine RILP Trials for selection of Mobile Phase for DOLU, TEN & RILP Optimized Chromatographic Conditions for DOLU, TEN & RILP |

TEN & RILP

| Table 5.7 | Linearity data of DOLU | 144 |
|-------------------|--|-----|
| Table 5.8 | Linearity data of TEN | 145 |
| Table 5.9 | Linearity data of RILP | 145 |
| Table 5.10 | Accuracy Study of DOLU, TEN & RILP | 146 |
| Table 5.11 | Repeatability Study of DOLU, TEN & RILP | 147 |
| Table 5.12 | Intraday Precision of DOLU, TEN & RILP | 147 |
| Table 5.13 | Interday Precision of DOLU, TEN & RILP | 148 |
| Table 5.14 | Assay of Formulations | 149 |
| Table 6.1 | Melting Points of DOLU, TEN & RILP | 152 |
| Table 6.2 | FTIR Interpretation of Dolutegravir DOLU | 153 |
| Table 6.3 | FTIR Interpretation of Tenofovir TEN | 154 |
| Table 6.4 | FTIR Interpretation of Rilpivirine RILP | 155 |
| Table 6.5 | Trials for Selection of Mobile Phase for DOLU, | 159 |
| | TEN & RILP | |
| Table 6.6 | Optimized Chromatographic Conditions for DOLU, | 160 |
| | TEN & RILP | |
| Table 6.7 | % Drug Degraded & % Drug Recovered DOLU, TEN, RILP | 170 |
| Table 6.8 | Peak Purity for DOLU, TEN, RILP | 170 |
| Table 6.9 | Linearity data of DOLU | 173 |
| Table 6.10 | Linearity data of TEN | 174 |
| Table 6.11 | Linearity data of RILP | 174 |
| Table 6.12 | Accuracy Study of DOLU, TEN & RILP | 175 |
| Table 6.13 | Repeatability Study of DOLU, TEN & RILP | 176 |
| Table 6.14 | Intraday Precision of DOLU, TEN & RILP | 176 |
| Table 6.15 | Interday Precision of DOLU, TEN & RILP | 177 |
| Table 6.16 | Assay of Formulations | 178 |
| Table 7.1 | Melting Points of FEXI | 181 |
| Table 7.2 | FTIR Interpretation of Fexinidazole FEXI | 182 |
| Table 7.3 | Trials for Selection of Mobile Phase for FEXI | 184 |
| Table 7.4 | Optimized Chromatographic Conditions for FEXI | 185 |
| Table 7.5 | Linearity data of FEXI | 191 |
| Table 7.6 | Accuracy Study of FEXI | 192 |

| Table 7.7 | Repeatability Study of FEXI | 192 |
|-------------------|---|-----|
| Table 7.8 | Intraday Precision of FEXI | 193 |
| Table 7.9 | Interday Precision of FEXI | 193 |
| Table 7.10 | Assay of Formulation WINTHROP TM | 194 |
| Table 7.11 | Dissolution Study of Formulation WINTHROP TM | 194 |
| Table 8.1 | Melting Points of FEXI | 198 |
| Table 8.2 | FTIR Interpretation of Fexinidazole FEXI | 199 |
| Table 8.3 | Trials for Selection of Mobile Phase for FEXI | 201 |
| Table 8.4 | Optimized Chromatographic Conditions for FEXI | 202 |
| Table 8.5 | % Drug Degraded & % Drug Recovered FEXI | 213 |
| Table 8.6 | Peak Purity for FEXI | 213 |
| Table 8.7 | Linearity data of FEXI | 215 |
| Table 8.8 | Accuracy Study of FEXI | 216 |
| Table 8.9 | Repeatability Study of FEXI | 216 |
| Table 8.10 | Intraday Precision of FEXI | 217 |
| Table 8.11 | Interday Precision of FEXI | 217 |
| Table 8.12 | Assay of Formulation WINTHROP TM | 218 |
| Table 8.13 | Dissolution Study of Formulation WINTHROP TM | 218 |
| Table 9.1 | Melting Points of MARI | 222 |
| Table 9.2 | FTIR Interpretation of Maribavir MARI | 223 |
| Table 9.3 | Trials for Selection of Mobile Phase for MARI | 225 |
| Table 9.4 | Optimized Chromatographic Conditions for MARI | 226 |
| Table 9.5 | Linearity data of MARI | 232 |
| Table 9.6 | Accuracy Study of MARI | 232 |
| Table 9.7 | Repeatability Study of MARI | 233 |
| Table 9.8 | Intraday Precision of MARI | 233 |
| Table 9.9 | Interday Precision of MARI | 234 |
| Table 9.10 | Assay of Formulation LIVTENCITY TM | 234 |
| Table 10.1 | Melting Points of MARI | 237 |
| Table 10.2 | FTIR Interpretation of Maribavir MARI | 238 |
| Table 10.3 | Trials for Selection of Mobile Phase for MARI | 241 |
| Table 10.4 | Optimized Chromatographic Conditions for MARI | 241 |
| Table 10.5 | % Drug Degraded & % Drug Recovered MARI | 251 |

| Table 13.5 | Trials for Selection of Mobile Phase for AMOX, CLAR & | 302 |
|--------------------|---|-----|
| | VONO | |
| Table 13.6 | Optimized Chromatographic Conditions for AMOX, CLAR & | 303 |
| | VONO | |
| Table 13.7 | Linearity data of AMOX | 310 |
| Table 13.8 | Linearity data of CLAR | 310 |
| Table 13.9 | Linearity data of VONO | 311 |
| Table 13.10 | Accuracy Study of AMOX, CLAR & VONO | 311 |
| Table 13.11 | Repeatability Study of AMOX, CLAR & VONO | 312 |
| Table 13.12 | Intraday Precision of AMOX, CLAR & VONO | 312 |
| Table 13.13 | Interday Precision of AMOX, CLAR & VONO | 313 |
| Table 13.14 | Assay of Formulation VOQUEZNA TM | 314 |
| Table 14.1 | Melting Points of AMOX, CLAR & VONO | 317 |
| Table 14.2 | FTIR Interpretation of Amoxicillin AMOX | 319 |
| Table 14.3 | FTIR Interpretation of Clarithromycin CLAR | 319 |
| Table 14.4 | FTIR Interpretation of Vonoprazan VONO | 320 |
| Table 14.5 | Trials for Selection of Mobile Phase for AMOX, CLAR & | 323 |
| | VONO | |
| Table 14.6 | Optimized Chromatographic Conditions for AMOX, CLAR & | 324 |
| | VONO | |
| Table 14.7 | % Drug Degraded & % Drug Recovered AMOX, CLAR & | 334 |
| | VONO | |
| Table 14.8 | Peak Purity for AMOX, CLAR & VONO | 335 |
| Table 14.9 | Linearity data of AMOX | 338 |
| Table 14.10 | Linearity data of CLAR | 339 |
| Table 14.11 | Linearity data of VONO | 339 |
| Table 14.12 | Accuracy Study of AMOX, CLAR & VONO | 340 |
| Table 14.13 | Repeatability Study of AMOX, CLAR & VONO | 341 |
| Table 14.14 | Intraday Precision of AMOX, CLAR & VONO | 341 |
| Table 14.15 | Interday Precision of AMOX, CLAR & VONO | 342 |
| Table 14.16 | Assay of Formulation VOQUEZNA TM | 343 |