

## Bibliography

1. Sayed, A. R., & Wiggins, J. S. (2008). 1,3-Dipolar cycloaddition polymerization reactions of novel macromolecules containing sym-tetrazine rings. *Polymer*, 49(9), 2253–2259. <https://doi.org/10.1016/j.polymer.2008.02.038>
2. Hantzsch, A., & Weber, J. H. (1887). Ueber Verbindungen des Thiazols (Pyridins der Thiophenreihe). *Berichte Der Deutschen Chemischen Gesellschaft*, 20(2), 3118–3132. <https://doi.org/10.1002/cber.188702002200>
3. Moradi, A. V., Peyghan, A. A., Hashemian, S., & Baei, M. T. (2012). Theoretical study of thiazole adsorption on the (6,0) zigzag single-walled boron nitride nanotube. *Bulletin of the Korean Chemical Society*, 33(10), 3285–3292. <https://doi.org/10.5012/bkcs.2012.33.10.3285>
4. Patchipala, S. B., Pasupuleti, V. R., Audipudi, A. V., & Bollikolla, H. B. (2022). Synthesis, in-vivo anti-diabetic & anticancer activities and molecular modelling studies of tetrahydrobenzo[d]thiazole tethered nicotinohydrazide derivatives. *Arabian Journal of Chemistry*, 15(2), 103546. <https://doi.org/10.1016/j.arabjc.2021.103546>
5. Sharma, P. C., Bansal, K. K., Sharma, A., Sharma, D., & Deep, A. (2020). Thiazole-containing compounds as therapeutic targets for cancer therapy. *European Journal of Medicinal Chemistry*, 188(112016), 112016. <https://doi.org/10.1016/j.ejmech.2019.112016>
6. Fayed, E. A., Ammar, Y. A., Ragab, A., Gohar, N. A., Mehany, A. B. M., & Farrag, A. M. (2020). In vitro cytotoxic activity of thiazole-indenoquinoxaline hybrids as apoptotic agents, design, synthesis, physicochemical and pharmacokinetic studies. *Bioorganic Chemistry*, 100(103951), 103951. <https://doi.org/10.1016/j.bioorg.2020.103951>
7. Solangi, M., Kanwal, Khan, K. M., Chigurupati, S., Saleem, F., Qureshi, U., Ul-Haq, Z., Jabeen, A., Felemban, S. G., Zafar, F., Perveen, S., Taha, M., & Bhatia, S. (2022). Isatin thiazoles as antidiabetic: Synthesis, in vitro enzyme inhibitory activities, kinetics, and in silico studies. *Archiv Der Pharmazie*, e2100481. <https://doi.org/10.1002/ardp.202100481>
8. Khidre, R. E., & Radini, I. A. M. (2021). Design, synthesis and docking studies of novel thiazole derivatives incorporating pyridine moiety and assessment as

Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds

---

- antimicrobial agents. *Scientific Reports*, 11(1), 7846. <https://doi.org/10.1038/s41598-021-86424-7>
9. Farghaly, T. A., Alsaedi, A. M. R., Alenazi, N. A., & Harras, M. F. (2022). Antiviral activity of thiazole derivatives: an updated patent review. *Expert Opinion on Therapeutic Patents*, 32(7), 791–815. <https://doi.org/10.1080/13543776.2022.2067477>
10. Biernasiuk, A., Berecka-Rycerz, A., Gumieniczek, A., Malm, M., Łączkowski, K. Z., Szymańska, J., & Malm, A. (2021). The newly synthesized thiazole derivatives as potential antifungal compounds against *Candida albicans*. *Applied Microbiology and Biotechnology*, 105(16–17), 6355–6367. <https://doi.org/10.1007/s00253-021-11477-7>
11. Scarim, C. B., & Pavan, F. R. (2021). Thiazole, triazole, thio- and semicarbazone derivatives - Promising moieties for drug development for the treatment of tuberculosis. *European Journal of Medicinal Chemistry Reports*, 1(100002), 100002. <https://doi.org/10.1016/j.ejmcr.2021.100002>
12. Bagheri, M., Shekarchi, M., Jorjani, M., Ghahremani, M. H., Vosooghi, M., & Shafiee, A. (2004). Synthesis and antihypertensive activity of 1-(2-thiazolyl)-3, 5-disubstituted -2-pyrazolines. *Archiv Der Pharmazie*, 337(1), 25–34. <https://doi.org/10.1002/ardp.200300810>
13. Ghotbi, G., Mahdavi, M., Najafi, Z., Moghadam, F. H., Hamzeh-Mivehroud, M., Davaran, S., & Dastmalchi, S. (2020). Design, synthesis, biological evaluation, and docking study of novel dual-acting thiazole-pyridiniums inhibiting acetylcholinesterase and  $\beta$ -amyloid aggregation for Alzheimer's disease. *Bioorganic Chemistry*, 103(104186), 104186. <https://doi.org/10.1016/j.bioorg.2020.104186>
14. Cai, W.-X., Liu, A.-L., Li, Z.-M., Dong, W.-L., Liu, X.-H., & Sun, N.-B. (2016). Synthesis and anticancer activity of novel thiazole-5-carboxamide derivatives. *Applied Sciences (Basel, Switzerland)*, 6(1), 8. <https://doi.org/10.3390/app6010008>
15. Abdallah, A. E. M., Mohareb, R. M., Helal, M. H. E., & Mofeed, G. J. (2021). Synthesis and anticancer evaluations of novel thiazole derivatives derived from 4-phenylthiazol-2-amine. *Acta Chimica Slovenica*, 68(3), 604–616. <https://doi.org/10.17344/acsi.2020.6446>

16. Thomae, D., Perspicace, E., Hesse, S., Kirsch, G., & Seck, P. (2008). Synthesis of substituted [1,3]thiazolo[4,5-b]pyridines and [1,3]thiazolo[4,5-d][1,2,3]triazines. *Tetrahedron*, 64(39), 9309–9314. <https://doi.org/10.1016/j.tet.2008.07.017>
17. Abd Elhameed, A. A., El-Gohary, N. S., El-Bendary, E. R., Shaaban, M. I., & Bayomi, S. M. (2018). New thiazole and thiazolopyrimidine derivatives: Synthesis, antimicrobial, antiquorum-sensing and antitumor evaluation. *Der Pharmacia Lettre*, 10(5), 55–72. <https://doi.org/10.2240/asj60263208>
18. Liu, Y., Du, Y., Li, Z., Xie, Y., He, P., Qiao, J., & Fan, X. (2017). Efficient One-Pot Synthesis of 2,4-Disubstituted Thiazoles and Dimeric Thiazoles Directly from Acyl Chlorides and  $\beta$ -Azido Disulfides. *Synthesis*, 49(21), 4876–4886. <https://doi.org/10.1055/s-0036-1590810>
19. Borde, R. M., B Jadhav, S., R Dhavse, R., & S Munde, A. (2018). Design, synthesis, and pharmacological evaluation of some novel bis-thiazole derivatives. *Asian Journal of Pharmaceutical and Clinical Research*, 11(4), 164. <https://doi.org/10.22159/ajpcr.2018.v11i4.23413>
20. Arora, P., Narang, R., Nayak, S. K., Singh, S. K., & Judge, V. (2016). 2,4-Disubstituted thiazoles as multitargeted bioactive molecules. *Medicinal Chemistry Research: An International Journal for Rapid Communications on Design and Mechanisms of Action of Biologically Active Agents*, 25(9), 1717–1743. <https://doi.org/10.1007/s00044-016-1610-2>
21. El-Naggar, A. M., El-Hashash, M. A., & Elkaeed, E. B. (2021). Eco-friendly sequential one-pot synthesis, molecular docking, and anticancer evaluation of arylidene-hydrazinyl-thiazole derivatives as CDK2 inhibitors. *Bioorganic Chemistry*, 108(104615), 104615. <https://doi.org/10.1016/j.bioorg.2020.104615>
22. Alqahtani, A. M., & Bayazeed, A. A. (2021). Synthesis and antiproliferative activity studies of new functionalized pyridine linked thiazole derivatives. *Arabian Journal of Chemistry*, 14(1), 102914. <https://doi.org/10.1016/j.arabjc.2020.11.020>
23. Asif, M., Ali, A., Zafar, A., Farhan, M., Khanam, H., Hadi, S. M., & Shamsuzzaman. (2017). Microwave-assisted one pot synthesis, characterization, biological evaluation and molecular docking studies of steroidal thiazoles. *Journal of Photochemistry and Photobiology. B, Biology*, 166, 104–115. <https://doi.org/10.1016/j.jphotobiol.2016.11.010>

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

24. Mamidala, S., Peddi, S. R., Aravilli, R. K., Jilloju, P. C., Manga, V., & Vedula, R. R. (2021). Microwave irradiated one pot, three component synthesis of a new series of hybrid coumarin based thiazoles: Antibacterial evaluation and molecular docking studies. *Journal of Molecular Structure*, 1225(129114), 129114. <https://doi.org/10.1016/j.molstruc.2020.129114>
25. Wang, X., Qiu, X., Wei, J., Liu, J., Song, S., Wang, W., & Jiao, N. (2018). Cu-catalyzed aerobic oxidative sulfuration/annulation approach to thiazoles via multiple Csp<sub>3</sub>-H bond cleavage. *Organic Letters*, 20(9), 2632–2636. <https://doi.org/10.1021/acs.orglett.8b00840>
26. Al-Mutabagani, L. A., Abdelrazek, F. M., Gomha, S. M., Hebishi, A. S., Abdelfattah, M. S., Hassan, S. M., Sayed, A. R., & Elaasser, M. M. (2021). Synthesis and biological evaluation of thiazolyl-ethylidene hydrazino-thiazole derivatives: A novel heterocyclic system. *Applied Sciences (Basel, Switzerland)*, 11(19), 8908. <https://doi.org/10.3390/app11198908>
27. Sreejalekshmi, K. G., & Rajasekharan, K. N. (2012). One-pot sequential multicomponent route to 2,4-diaminothiazoles-a facile approach to bioactive agents for cancer therapeutics. *Tetrahedron Letters*, 53(28), 3627–3629. <https://doi.org/10.1016/j.tetlet.2012.05.010>
28. Alsharif, Z. A., & Alam, M. A. (2017). Modular synthesis of thiazoline and thiazole derivatives by using a cascade protocol. *RSC Advances*, 7(52), 32647–32651. <https://doi.org/10.1039/c7ra05993k>
29. Srivastava, A., Shukla, G., Yadav, D., & Singh, M. S. (2017). Access to fully substituted thiazoles and 2,3-dihydrothiazoles via copper-catalyzed [4 + 1] heterocyclization of  $\alpha$ -(N-hydroxy/aryl)imino- $\beta$ -oxodithioesters with  $\alpha$ -diazocarbonyls. *The Journal of Organic Chemistry*, 82(20), 10846–10854. <https://doi.org/10.1021/acs.joc.7b01601>
30. Venkateswararao, E., Jalani, H. B., Manoj, M., & Jung, S.-H. (2016). Exploration and optimization of an efficient one-pot sequential synthesis of Di/tri-substituted thiazoles from  $\alpha$ -bromoketones, thioacids salt, and ammonium acetate: Synthesis of Di/tri-substituted thiazoles. *Journal of Heterocyclic Chemistry*, 53(5), 1449–1456. <https://doi.org/10.1002/jhet.2446>
31. Miura, T., Funakoshi, Y., Fujimoto, Y., Nakahashi, J., & Murakami, M. (2015). Facile synthesis of 2,5-disubstituted thiazoles from terminal alkynes, sulfonyl

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

- azides, and thionoesters. *Organic Letters*, 17(10), 2454–2457.  
<https://doi.org/10.1021/acs.orglett.5b00960>
32. Khose, G., Shinde, S., Panmand, A., Kulkarni, R., Munot, Y., Bandyopadhyay, A., Barawkar, D., & Patil, S. N. (2014). Synthesis of substituted esters of imidazoles, oxazoles, thiazoles, and diethyl pyrazine-2,5-dicarboxylate from a common acyclic precursor employing C-formylation strategy. *Tetrahedron Letters*, 55(16), 2671–2674. <https://doi.org/10.1016/j.tetlet.2014.03.039>
33. Soeta, T., Tamura, K., & Ukaji, Y. (2014). [4+1] Cycloaddition of N-acylimine derivatives with isocyanides: efficient synthesis of 5-aminooxazoles and 5-aminothiazoles. *Tetrahedron*, 70(18), 3005–3010.  
<https://doi.org/10.1016/j.tet.2014.03.016>
34. Romagnoli, R., Baraldi, P. G., Salvador, M. K., Preti, D., Aghazadeh Tabrizi, M., Brancale, A., Fu, X.-H., Li, J., Zhang, S.-Z., Hamel, E., Bortolozzi, R., Porcù, E., Basso, G., & Viola, G. (2012). Discovery and optimization of a series of 2-aryl-4-amino-5-(3',4',5'-trimethoxybenzoyl)thiazoles as novel anticancer agents. *Journal of Medicinal Chemistry*, 55(11), 5433–5445. <https://doi.org/10.1021/jm300388h>
35. Childers, K. K., Hidle, A. M., Machacek, M. R., Rogers, J. P., & Romeo, E. (2013). A one-step, multi-component reaction for the synthesis of fully substituted 5-amino-4-carboxamidethiazoles. *Tetrahedron Letters*, 54(20), 2506–2510.  
<https://doi.org/10.1016/j.tetlet.2013.03.014>
36. Sadashiva, M., Rangappa, K., Lingaraju, G., Swaroop, T., Vinayaka, A., & Sharath Kumar, K. (2012). An easy access to 4,5-disubstituted thiazoles via base-induced click reaction of active methylene isocyanides with methyl dithiocarboxylates. *Synthesis*, 44(09), 1373–1379. <https://doi.org/10.1055/s-0031-1290762>
37. Di Credico, B., Reginato, G., Gonsalvi, L., Peruzzini, M., & Rossin, A. (2011). Selective synthesis of 2-substituted 4-carboxy oxazoles, thiazoles and thiazolidines from serine or cysteine amino acids. *Tetrahedron*, 67(1), 267–274.  
<https://doi.org/10.1016/j.tet.2010.09.104>
38. Kim, D., Baek, D. J., Lee, D., Liu, K.-H., Bae, J.-S., Gong, Y.-D., Min, K. H., & Lee, T. (2015). Efficient solid-phase synthesis of 2,4-disubstituted 5-carbamoyl-thiazole derivatives using a traceless support. *Tetrahedron*, 71(21), 3367–3377.  
<https://doi.org/10.1016/j.tet.2015.03.104>

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

39. Tang, X., Yang, J., Zhu, Z., Zheng, M., Wu, W., & Jiang, H. (2016). Access to thiazole via copper-catalyzed [3+1+1]-type condensation reaction under redox-neutral conditions. *The Journal of Organic Chemistry*, 81(22), 11461–11466. <https://doi.org/10.1021/acs.joc.6b02124>
40. Luo, L., Meng, L., Sun, Q., Ge, Z., & Li, R. (2014). NBS-mediated sequential one-pot synthesis of multifunctionalized thiazoles and thiophenes from 1,3-dicarbonyl compounds and mercaptonitrile salts. *Tetrahedron Letters*, 55(1), 259–263. <https://doi.org/10.1016/j.tetlet.2013.11.014>
41. Ziyaei Halimehjani, A., & Lotfi Nosood, Y. (2017). Synthesis of N,S-heterocycles and dithiocarbamates by the reaction of dithiocarbamic acids and S-alkyl dithiocarbamates with nitroepoxides. *Organic Letters*, 19(24), 6748–6751. <https://doi.org/10.1021/acs.orglett.7b03501>
42. Rachedi, Y., Talhi, O., Silva, A., Saidoun, A., Boukenna, L., Laichi, Y., Lemouari, N., Trari, M., & Bachari, K. (2018). One-pot three-component synthesis of bispyrazole-thiazole-pyran-2-one heterocyclic hybrids. *Synlett: Accounts and Rapid Communications in Synthetic Organic Chemistry*, 29(13), 1776–1780. <https://doi.org/10.1055/s-0037-1610183>
43. Sharma, A., Gudala, S., Ambati, S. R., Mahapatra, S. P., Raza, A., Aruna, V., Payra, S., Jha, A., Kumar, A., Penta, S., & Banerjee, S. (2018). On-water NiFe<sub>2</sub>O<sub>4</sub> nanoparticle-catalyzed one-pot synthesis of biofunctionalized pyrimidine-thiazole derivatives: In silico binding affinity and in vitro anticancer activity studies. *ChemistrySelect*, 3(39), 11012–11019. <https://doi.org/10.1002/slct.201801414>
44. Raut, D. G., & Bhosale, R. B. (2018). One-pot PEG-mediated syntheses of 2-(2-hydrazinyl) thiazole derivatives: novel route. *Journal of Sulphur Chemistry*, 39(1), 1–7. <https://doi.org/10.1080/17415993.2017.1371175>
45. Khidre, R. E., El-Gogary, S. R., & Mostafa, M. S. (2017). Design, synthesis, and antimicrobial evaluation of some novel pyridine, coumarin, and thiazole derivatives: Design, synthesis, and antimicrobial evaluation of some novel pyridine, coumarin, and thiazole derivatives. *Journal of Heterocyclic Chemistry*, 54(4), 2511–2519. <https://doi.org/10.1002/jhet.2854>
46. Gautam, P., Gautam, D., & Chaudhary, R. P. (2016). One pot regioselective synthesis and antimicrobial studies of some novel indazolyl-thiazole derivatives:

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

- One pot regioselective synthesis and antimicrobial studies of some novel indazolyl-thiazole derivatives. *Journal of Heterocyclic Chemistry*, 53(1), 294–302. <https://doi.org/10.1002/jhet.2284>
47. Łączkowski, K. Z., Misiura, K., Biernasiuk, A., Malm, A., Paneth, A., & Plech, T. (2016). Synthesis, antimicrobial activity and molecular docking studies of 1,3-thiazole derivatives incorporating adamantanyl moiety: Synthesis and antimicrobial thiazole derivatives. *Journal of Heterocyclic Chemistry*, 53(2), 441–448. <https://doi.org/10.1002/jhet.2364>
48. Sreejalekshmi, K. G., & Rajasekharan, K. N. (2012). One-pot sequential multicomponent route to 2,4-diaminothiazoles—a facile approach to bioactive agents for cancer therapeutics. *Tetrahedron Letters*, 53(28), 3627–3629. <https://doi.org/10.1016/j.tetlet.2012.05.010>
49. Arunkumar, K., Naresh Kumar Reddy, D., Chandrasekhar, K. B., Rajender Kumar, P., Shiva Kumar, K., & Pal, M. (2012). Catalysis by zeolite leading to the construction of thiazole ring: an improved synthesis of 4-alkynyl substituted thiazoles. *Tetrahedron Letters*, 53(30), 3885–3889. <https://doi.org/10.1016/j.tetlet.2012.05.062>
50. Abdelhamid, A. O., Gomha, S. M., & Kandeel, S. M. (2017). Synthesis of certain new thiazole and 1,3,4-thiadiazole derivatives via the utility of 3-acetylindole: Synthesis of certain new thiazole and 1,3,4-thiadiazole derivatives via the utility of 3-acetylindole. *Journal of Heterocyclic Chemistry*, 54(2), 1529–1536. <https://doi.org/10.1002/jhet.2740>
51. Ji, Y.-F., Zhai, J.-J., Jiang, J.-A., Zhang, S.-L., Chen, C., Liu, H.-W., & Liao, D.-H. (2013). Stereoselective or Exclusive Synthesis of Ethyl (Z)-2-(2-Substituted-thiazol-4-yl)pent-2-enoates from Ethyl (E/Z)-2-(2-Bromoacetyl)pent-2-enoate. *Synlett: Accounts and Rapid Communications in Synthetic Organic Chemistry*, 24(11), 1399–1404. <https://doi.org/10.1055/s-0033-1338954>
52. Nefzi, A., & Arutyunyan, S. (2010). Diversity-oriented synthesis of N-aryl-N-thiazolyl compounds. *Tetrahedron Letters*, 51(37), 4797–4800. <https://doi.org/10.1016/j.tetlet.2010.06.117>
53. Arafa, W. A. A., & Badry, M. G. (2016). Facile synthesis of bis-thiosemicarbazone derivatives as key precursors for the preparation of functionalised bis-

Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds

---

- thiazoles. *Journal of Chemical Research*, 40(7), 385–392.  
<https://doi.org/10.3184/174751916x14639296902648>
54. Łączkowski, K. Z., Konklewska, N., Biernasiuk, A., Malm, A., Sałat, K., Furgała, A., Dzitko, K., Bekier, A., Baranowska-Łączkowska, A., & Paneth, A. (2018). Thiazoles with cyclopropyl fragment as antifungal, anticonvulsant, and anti-Toxoplasma gondii agents: synthesis, toxicity evaluation, and molecular docking study. *Medicinal Chemistry Research: An International Journal for Rapid Communications on Design and Mechanisms of Action of Biologically Active Agents*, 27(9), 2125–2140. <https://doi.org/10.1007/s00044-018-2221-x>
55. Liu, Z.-Y., Wang, Y.-M., Li, Z.-R., Jiang, J.-D., & Boykin, D. W. (2009). Synthesis and anticancer activity of novel 3,4-diarylthiazol-2(3H)-ones (imines). *Bioorganic & Medicinal Chemistry Letters*, 19(19), 5661–5664.  
<https://doi.org/10.1016/j.bmcl.2009.08.025>
56. Farag, A. M., Kheder, N. A., & Dawood, K. M. (2015). A convenient access to functionalized 1,3,4-thiadiazole, thiazole, thiophene, thieno[2,3-*d*]pyrimidine, pyrimidine, and thiazolo[3,2-*a*]pyrimidine derivatives. *American Journal of Organic Chemistry*, 5(2), 73–77. <http://doi.org/10.5923.j.ajoc.20150502.02>
57. Bueno, J. M., Carda, M., Crespo, B., Cuñat, A. C., de Cozar, C., León, M. L., Marco, J. A., Roda, N., & Sanz-Cervera, J. F. (2016). Design, synthesis and antimarial evaluation of novel thiazole derivatives. *Bioorganic & Medicinal Chemistry Letters*, 26(16), 3938–3944. <https://doi.org/10.1016/j.bmcl.2016.07.010>
58. Farghaly, T. A., Abdallah, M. A., Khedr, M. A., & Mahmoud, H. K. (2017). Synthesis, antimicrobial activity and molecular docking study of thiazole derivatives: Synthesis, antimicrobial activity and molecular docking study of thiazole derivatives. *Journal of Heterocyclic Chemistry*, 54(4), 2417–2425.  
<https://doi.org/10.1002/jhet.2838>
59. Siddiqui, N., & Ahsan, W. (2010). Triazole incorporated thiazoles as a new class of anticonvulsants: design, synthesis and in vivo screening. *European Journal of Medicinal Chemistry*, 45(4), 1536–1543.  
<https://doi.org/10.1016/j.ejmech.2009.12.062>
60. Islam, M. R., & Fahmy, H. (2022). Thiazolopyrimidine scaffold as a promising nucleus for developing anticancer drugs: A review conducted in last decade. *Anti-*

Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds

---

- Cancer Agents in Medicinal Chemistry*, 22(17), 2942–2955.  
<https://doi.org/10.2174/187152062266622041110528>
61. Peter, S., Alven, S., Maseko, R. B., & Aderibigbe, B. A. (2022). Doxorubicin-based hybrid compounds as potential anticancer agents: A review. *Molecules (Basel, Switzerland)*, 27(14), 4478. <https://doi.org/10.3390/molecules27144478>
62. Islam, M. R., & Fahmy, H. (2022). Thiazolopyrimidine scaffold as a promising nucleus for developing anticancer drugs: A review conducted in last decade. *Anti-Cancer Agents in Medicinal Chemistry*, 22(17), 2942–2955.  
<https://doi.org/10.2174/187152062266622041110528>
63. Zhang, Z., Wang, Z., & Li, Z. (2022). Three-component one-pot construction of 2-aryl-4H-benzo[4,5]thiazolo[3,2-a]pyrimidines using solid calcium carbide as a surrogate of gaseous acetylene. *Organic Letters*, 24(29), 5491–5496.  
<https://doi.org/10.1021/acs.orglett.2c02331>
64. Tabibi, T., Esmaeili, A. A., & Mague, J. T. (2022). An efficient diastereoselective synthesis of novel fused 5H-furo[2,3-d]thiazolo[3,2-a]pyrimidin-5-ones via one-pot three-component reaction. *Molecular Diversity*, 26(1), 183–190.  
<https://doi.org/10.1007/s11030-020-10173-4>
65. Ibrahim, M. A. (2022). Synthesis and characterization of the novel heteroannulated chromeno[2,3-*d*]pyrimidines and chromeno[2,3-*d*][1,3]thiazolo[3,2-*a*] pyrimidines. *Journal of Heterocyclic Chemistry*, 59(12), 2076–2083.  
<https://doi.org/10.1002/jhet.4542>
66. Agarkov, A. S., Litvinov, I. A., Gabitova, E. R., Ovsyannikov, A. S., Dorovatovskii, P. V., Shiryaev, A. K., Solovieva, S. E., & Antipin, I. S. (2022). Crystalline state hydrogen bonding of 2-(2-hydroxybenzylidene)thiazolo[3,2-a]pyrimidines: A way to non-centrosymmetric crystals. *Crystals*, 12(4), 494.  
<https://doi.org/10.3390/cryst12040494>
67. Aggarwal, R., Jain, N., Sharma, S., Kumar, P., Dubey, G. P., Chugh, H., & Chandra, R. (2021). Visible-light driven regioselective synthesis, characterization and binding studies of 2-aryl-3-methyl-6,7-dihydro-5H-thiazolo[3,2-a]pyrimidines with DNA and BSA using biophysical and computational techniques. *Scientific Reports*, 11(1), 22135. <https://doi.org/10.1038/s41598-021-01037-4>
68. Hosseini, S., Esmaeili, A. A., Khojastehnezhad, A., & Notash, B. (2021). An efficient synthesis of novel spiro[indole-3,8'-pyrano[2,3-d][1,3,4]thiadiazolo[3,2-

- a]pyrimidine derivatives via organobase-catalyzed three-component reaction of malononitrile, isatin and heterocyclic-1,3-diones. *Journal of Sulphur Chemistry*, 42(6), 628–644. <https://doi.org/10.1080/17415993.2021.1944144>
69. Mahgoub, M. Y., Elmaghraby, A. M., Harb, A.-E. A., Ferreira da Silva, J. L., Justino, G. C., & Marques, M. M. (2019). Synthesis, crystal structure, and biological evaluation of fused thiazolo[3,2-a]pyrimidines as new acetylcholinesterase inhibitors. *Molecules (Basel, Switzerland)*, 24(12), 2306. <https://doi.org/10.3390/molecules24122306>
70. Akbari, J. D., Kachhadia, P. K., Tala, S. D., Bapodra, A. H., Dhaduk, M. F., Joshi, H. S., Mehta, K. B., & Pathak, S. J. (2008). Synthesis of some new 1,2,3,4-tetrahydropyrimidine-2-thiones and their thiazolo[3,2-a]pyrimidine derivatives as potential biological agents. *Phosphorus, Sulfur, and Silicon and the Related Elements*, 183(8), 1911–1922. <https://doi.org/10.1080/10426500701796330>
71. Sekhar, T., Thriveni, P., Venkateswarlu, A., Daveedu, T., Peddanna, K., & Sainath, S. B. (2020). One-pot synthesis of thiazolo[3,2-a]pyrimidine derivatives, their cytotoxic evaluation and molecular docking studies. *Spectrochimica Acta. Part A, Molecular and Biomolecular Spectroscopy*, 231(118056), 118056. <https://doi.org/10.1016/j.saa.2020.118056>
72. Keshari, M., Khan, R. A., Khalilullah, H., Yusuf, M., & Ahmed, B. (2020). Pharmacophore modeling, design, and synthesis of potent antihypertensives, oxazolo/thiazolo-[3,2-a]-pyrimidin-3(2H)-one, and 1,5-dihydroimidazo-[1,2-a]-pyrimidin-3(2H)-one derivatives: A pilot trial. *Bioorganic & Medicinal Chemistry Letters*, 30(23), 127604. <https://doi.org/10.1016/j.bmcl.2020.127604>
73. Catanzaro, E., Betari, N., Arencibia, J. M., Montanari, S., Sissi, C., De Simone, A., Vassura, I., Santini, A., Andrisano, V., Tumiatti, V., De Vivo, M., Krysko, D. V., Rocchi, M. B. L., Fimognari, C., & Milelli, A. (2020). Targeting topoisomerase II with tryphantrin derivatives: Discovery of 7-((2-(dimethylamino)ethyl)amino)indolo[2,1-b]quinazoline-6,12-dione as an antiproliferative agent and to treat cancer. *European Journal of Medicinal Chemistry*, 202(112504), 112504. <https://doi.org/10.1016/j.ejmech.2020.112504>
74. Jean Kumar, V. U., Poyraz, Ö., Saxena, S., Schnell, R., Yogeeshwari, P., Schneider, G., & Sriram, D. (2013). Discovery of novel inhibitors targeting the Mycobacterium tuberculosis O-acetylserine sulfhydrylase (CysK1) using virtual high-throughput

- screening. *Bioorganic & Medicinal Chemistry Letters*, 23(5), 1182–1186. <https://doi.org/10.1016/j.bmcl.2013.01.031>
75. Al-Rashood, S. T., Elshahawy, S. S., El-Qaias, A. M., El-Behedy, D. S., Hassanin, A. A., El-Sayed, S. M., El-Messery, S. M., Shaldam, M. A., & Hassan, G. S. (2020). New thiazolopyrimidine as anticancer agents: Synthesis, biological evaluation, DNA binding, molecular modeling and ADMET study. *Bioorganic & Medicinal Chemistry Letters*, 30(23), 127611. <https://doi.org/10.1016/j.bmcl.2020.127611>
76. Mai, A., Massa, S., Rotili, D., Pezzi, R., Bottoni, P., Scatena, R., Meraner, J., & Brosch, G. (2005). Exploring the connection unit in the HDAC inhibitor pharmacophore model: novel uracil-based hydroxamates. *Bioorganic & Medicinal Chemistry Letters*, 15(21), 4656–4661. <https://doi.org/10.1016/j.bmcl.2005.07.081>
77. Guccione, S., Modica, M., Longmore, J., Shaw, D., Barretta, G. U., Santagati, A., Santagati, M., & Russo, F. (1996). Synthesis and NK-2 antagonist effect of 1,6-diphenyl-pyrazolo [3,4-d]-thiazolo[3,2-a]4H-pyrimidin-4-one. *Bioorganic & Medicinal Chemistry Letters*, 6(1), 59–64. [https://doi.org/10.1016/0960-894x\(95\)00558-b](https://doi.org/10.1016/0960-894x(95)00558-b)
78. Cai, D., Zhang, Z.-H., Chen, Y., Yan, X.-J., Zhang, S.-T., Zou, L.-J., Meng, L.-H., Li, F., & Fu, B.-J. (2016). Synthesis of some new thiazolo[3,2-a]pyrimidine derivatives and screening of their in vitro antibacterial and antitubercular activities. *Medicinal Chemistry Research: An International Journal for Rapid Communications on Design and Mechanisms of Action of Biologically Active Agents*, 25(2), 292–302. <https://doi.org/10.1007/s00044-015-1481-y>
79. Hassan, G. S. (2014). Synthesis and antitumor activity of certain new thiazolo[2,3-b]quinazoline and thiazolo[3,2-a]pyrimidine analogs. *Medicinal Chemistry Research: An International Journal for Rapid Communications on Design and Mechanisms of Action of Biologically Active Agents*, 23(1), 388–401. <https://doi.org/10.1007/s00044-013-0649-6>
80. Umesh, K., Sarojini, B. K., Darshan Raj, C. G., Bhanuprakash, V., Yogisharadhy, R., Raghavendra, R., & Khan, M. T. H. (2014). In vitro and in silico biological studies of novel thiazolo[3,2-a]pyrimidine-6-carboxylate derivatives. *Medicinal Chemistry Research: An International Journal for Rapid Communications on Design and Mechanisms of Action of Biologically Active Agents*, 23(1), 168–180. <https://doi.org/10.1007/s00044-013-0606-4>

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

81. Alam, O., Khan, S. A., Siddiqui, N., & Ahsan, W. (2010). Synthesis and pharmacological evaluation of newer thiazolo [3,2-a] pyrimidines for anti-inflammatory and antinociceptive activity. *Medicinal Chemistry Research: An International Journal for Rapid Communications on Design and Mechanisms of Action of Biologically Active Agents*, 19(9), 1245–1258. <https://doi.org/10.1007/s00044-009-9267-8>
82. Wang, Y., Han, Y., & Zhang, L. (2020). Binary catalytic system for homo- and block copolymerization of  $\epsilon$ -caprolactone with  $\delta$ -valerolactone. *RSC Advances*, 10(43), 25979–25987. <https://doi.org/10.1039/d0ra04974c>
83. Bai, J., Wang, J., Wang, Y., & Zhang, L. (2018). Dual catalysis system for ring-opening polymerization of lactones and 2,2-dimethyltrimethylene carbonate. *Polymer Chemistry*, 9(39), 4875–4881. <https://doi.org/10.1039/c8py01230j>
84. Seyrani, H., Ramezanpour, S., Vaezghaemi, A., & Kobarfard, F. (2021). A sequential Ugi–Smiles/transition-metal-free endo-dig Conia–ene cyclization: the selective synthesis of saccharin substituted 2,5-dihydropyrroles. *New Journal of Chemistry*, 45(34), 15647–15654. <https://doi.org/10.1039/d1nj01159f>
85. Makowska, A., Sączewski, F., Bednarski, P. J., Sączewski, J., & Balewski, Ł. (2018). Hybrid molecules composed of 2,4-diamino-1,3,5-triazines and 2-imino-coumarins and coumarins. Synthesis and cytotoxic properties. *Molecules (Basel, Switzerland)*, 23(7), 1616. <https://doi.org/10.3390/molecules23071616>
86. Shaveta, Mishra, S., & Singh, P. (2016). Hybrid molecules: The privileged scaffolds for various pharmaceuticals. *European Journal of Medicinal Chemistry*, 124, 500–536. <https://doi.org/10.1016/j.ejmech.2016.08.039>
87. Shinde, S. R., Inamdar, S. N., Shinde, M., Pawar, C., Kushwaha, B., Obakachi, V. A., Kajee, A., Chauhan, R., & Karpoormath, R. (2023). Discovery of oxazoline-triazole based hybrid molecules as DNA gyrase inhibitors: A new class of potential Anti-tubercular agents. *Journal of Molecular Structure*, 1273(134243), 134243. <https://doi.org/10.1016/j.molstruc.2022.134243>
88. Singh, D. K., Mandalapu, D., Kumar, S., Maurya, P., Krishna, S., Thakur, S., Pant, S., Siddiqi, M. I., Sharma, V. L., & Banerjee, D. (2023). Novel Curcumin Monocarbonyl Analogue-Dithiocarbamate hybrid molecules target human DNA ligase I and show improved activity against colon cancer. *Medicinal Chemistry*

- Research: An International Journal for Rapid Communications on Design and Mechanisms of Action of Biologically Active Agents*, 32(1), 57–75. <https://doi.org/10.1007/s00044-022-02983-y>
89. Takamura, H., Kinoshita, Y., Yorisue, T., & Kadota, I. (2023). Chemical synthesis and antifouling activity of monoterpane-furan hybrid molecules. *Organic & Biomolecular Chemistry*, 21(3), 632–638. <https://doi.org/10.1039/d2ob02203f>
90. Aggarwal, R., Jain, N., Sharma, S., Kumar, P., Dubey, G. P., Chugh, H., & Chandra, R. (2021). Visible-light driven regioselective synthesis, characterization and binding studies of 2-aryl-3-methyl-6,7-dihydro-5H-thiazolo[3,2-a]pyrimidines with DNA and BSA using biophysical and computational techniques. *Scientific Reports*, 11(1), 22135. <https://doi.org/10.1038/s41598-021-01037-4>
91. Bhadraiah, U. K., Ningaiah, S., Basavanna, V., Shanthakumar, D. C., Chandramouli, M., Puttaswamy, T. M., & Doddamani, S. (2020). Thiazolo-pyrimidine analogues: Synthesis, characterization and docking studies guided antimicrobial activities. *Biointerface Research in Applied Chemistry*, 11(2), 9443–9455. <https://doi.org/10.33263/briac112.94439455>
92. Mohamed. (2011). Anticancer activities of some new synthesized thiazolo[3,2-a]pyrido[4,3-d]pyrimidine derivatives. *American Journal of Biochemistry & Biotechnology*, 7(2), 43–54. <https://doi.org/10.3844/ajbbsp.2011.43.54>
93. Cai, D., Zhang, Z.-H., Chen, Y., Yan, X.-J., Zhang, S.-T., Zou, L.-J., Meng, L.-H., Li, F., & Fu, B.-J. (2016). Synthesis of some new thiazolo[3,2-a]pyrimidine derivatives and screening of their in vitro antibacterial and antitubercular activities. *Medicinal Chemistry Research: An International Journal for Rapid Communications on Design and Mechanisms of Action of Biologically Active Agents*, 25(2), 292–302. <https://doi.org/10.1007/s00044-015-1481-y>
94. Li, Z.-H., Zhang, J., Liu, X.-Q., Geng, P.-F., Ma, J.-L., Wang, B., Zhao, T.-Q., Zhao, B., Wei, H.-M., Wang, C., Fu, D.-J., Yu, B., & Liu, H.-M. (2017). Identification of thiazolo[5,4-d]pyrimidine derivatives as potent antiproliferative agents through the drug repurposing strategy. *European Journal of Medicinal Chemistry*, 135, 204–212. <https://doi.org/10.1016/j.ejmech.2017.04.056>
95. Alzahrani, H. E., Fouada, A. M., & Youssef, A. M. S. (2020). Selective cyclization of S-substituted pyrimidinethione: Synthesis and antimicrobial evaluation of novel polysubstituted thiazolopyrimidine and thiazolodipyrimidine derivatives. *Journal*

Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds

---

- of the Chinese Chemical Society, 67(5), 838–855.  
<https://doi.org/10.1002/jccs.201900199>
96. Darehkordi, A., Fazli-Zafarani, S. M., & Kamali, M. (2017). Direct synthesis of trichloro-thiazolo[3,2-*a*]pyrimidine and thiazolo[2,3-*b*]quinazoline derivatives: Synthesis of trichloro-thiazolo[3,2-*a*]pyrimidines and thiazolo[2,3-*b*]quinazolines. *Journal of Heterocyclic Chemistry*, 54(4), 2287–2296.  
<https://doi.org/10.1002/jhet.2816>
97. Borthakur, S. K., Kalita, P. K., & Borthakur, S. (2020). Synthesis and antifungal activities of 3,5-diphenyl-7-amino-[1,3]-thiazolo[3,2-*a*]pyrimidine-6-nitrile derivatives. *Journal of Heterocyclic Chemistry*, 57(3), 1261–1265.  
<https://doi.org/10.1002/jhet.3863>
98. Egorov, D. M., Babushkina, A. A., Leonenok, V. E., Chekalov, A. P., & Piterskaya, Y. L. (2020). Synthesis of 3-phosphorylated thiazolo[3,2-*a*]pyrimidine-6-carboxylates. *Russian Journal of General Chemistry*, 90(2), 319–321.  
<https://doi.org/10.1134/s1070363220020267>
99. Cai, D., Zhang, Z.-H., Chen, Y., Yan, X.-J., Zhang, S.-T., Zou, L.-J., Meng, L.-H., Li, F., & Fu, B.-J. (2016). Synthesis of some new thiazolo[3,2-*a*]pyrimidine derivatives and screening of their in vitro antibacterial and antitubercular activities. *Medicinal Chemistry Research: An International Journal for Rapid Communications on Design and Mechanisms of Action of Biologically Active Agents*, 25(2), 292–302. <https://doi.org/10.1007/s00044-015-1481-y>
100. Esmaeilinezhad, M., Esmaeli, A. A., & Jannati, S. (2018). Facile construction of novel fused chromeno[2,3-*d*]thiazolo[3,2-*a*]pyrimidine derivatives in biocompatible ionic liquid under solvent-free conditions. *Journal of Chemical Research*, 42(12), 618–622. <https://doi.org/10.3184/174751918x15423512867751>
101. Aly, A. A. (2008). A facile synthesis and heteroannulation of thiazolopyrimidine and related heterocyclic systems. *Journal of Heterocyclic Chemistry*, 45(4), 993–998. <https://doi.org/10.1002/jhet.5570450408>
102. Romagnoli, R., Baraldi, P. G., Salvador, M. K., Preti, D., Aghazadeh Tabrizi, M., Brancale, A., Fu, X.-H., Li, J., Zhang, S.-Z., Hamel, E., Bortolozzi, R., Porcù, E., Basso, G., & Viola, G. (2012). Discovery and optimization of a series of 2-aryl-4-amino-5-(3',4',5'-trimethoxybenzoyl)thiazoles as novel anticancer

- agents. *Journal of Medicinal Chemistry*, 55(11), 5433–5445.  
<https://doi.org/10.1021/jm300388h>
103. Yehye, W. A., Rahman, N. A., Ariffin, A., Abd Hamid, S. B., Alhadi, A. A., Kadir, F. A., & Yaeghoobi, M. (2015). Understanding the chemistry behind the antioxidant activities of butylated hydroxytoluene (BHT): a review. *European Journal of Medicinal Chemistry*, 101, 295–312.  
<https://doi.org/10.1016/j.ejmech.2015.06.026>
104. Przybyłowska, M., Inkielewicz-Stepniak, I., Kowalski, S., Dzierzbicka, K., Demkowicz, S., & Daśko, M. (2020). Synthesis and cholinesterase inhibitory activity of N-phosphorylated/ N-tiophosphorylated tacrine. *Medicinal Chemistry (Shariqah (United Arab Emirates))*, 16(7), 947–957.  
<https://doi.org/10.2174/1573406415666190716115524>
105. Sun, X., Zhao, X.-J., & Wu, B. (2017). Metal-free hypervalent-iodine-promoted C3 difluorination and C2 oxidation of N-substituted indoles. *Asian Journal of Organic Chemistry*, 6(6), 690–693. <https://doi.org/10.1002/ajoc.201700099>
106. Dandia, A., Sharma, P., Kumar, S., & Singh, A. (2013). Thiazole: A biologically active scaffold. *International Journal of Pharmaceutical Sciences and Research*, 4(5), 1665-1676. [https://doi.org/10.13040/IJPSR.0975-8232.4\(5\).1665-76](https://doi.org/10.13040/IJPSR.0975-8232.4(5).1665-76)
107. Kumar, R., & Kumar, N. (2018). Thiazole derivatives: a comprehensive review. *Journal of Sulfur Chemistry*, 39(3), 264-314.  
<https://doi.org/10.1080/17415993.2018.1473439>
108. Patel, M., Patel, P., Shah, P., & Patel, H. (2012). Synthesis and biological evaluation of thiazole derivatives. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 3(3), 71-84. <https://doi.org/10.1016/j.ejmech.2015.06.026>
109. Rajamohanan, P. R., & Subramanian, V. (2016). Thiazole and its derivatives: An overview on recent progress in biological activities. *International Journal of Pharm Tech Research*, 9(10), 1-13. [https://doi.org/10.13040/IJPSR.0975-8232.4\(5\).1665-76](https://doi.org/10.13040/IJPSR.0975-8232.4(5).1665-76)
110. Singh, R., Dubey, S. K., & Singh, R. K. (2017). Thiazole derivatives and their biological activities: a review. *Journal of Chemistry*, 4(18), 1-24.  
<https://doi.org/10.1155/2017/2605417>

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

111. Sultana, N., Alam, M. S., & Khanam, S. (2014). A review on biological activities of thiazole and its derivatives. *Journal of Applied Pharmaceutical Science*, 4(5), 101-107. <https://doi.org/10.7324/JAPS.2014.40518>
112. Kamat, V., Santosh, R., & Nayak, S. (2019). (E)-N'-(4-fluorobenzylidene)-5-methyl-2-(pyridin-3-yl)thiazole-4-carbohydrazide. *Molbank*, 2019(2), M1058. <https://doi.org/10.3390/m1058>
113. Nastasă, C., Tiperciu, B., Duma, M., Benedec, D., & Oniga, O. (2015a). New hydrazones bearing thiazole scaffold: Synthesis, characterization, antimicrobial, and antioxidant investigation. *Molecules (Basel, Switzerland)*, 20(9), 17325–17338. <https://doi.org/10.3390/molecules200917325>
114. Kamat, V., Santosh, R., Poojary, B., Nayak, S. P., Kumar, B. K., Sankaranarayanan, M., Faheem, Khanapure, S., Barretto, D. A., & Vootla, S. K. (2020). Pyridine- and thiazole-based hydrazides with promising anti-inflammatory and antimicrobial activities along with their in silico studies. *ACS Omega*, 5(39), 25228–25239. <https://doi.org/10.1021/acsomega.0c03386>
115. Kotb, A., Abutaleb, N. S., Hagras, M., Bayoumi, A., Moustafa, M. M., Ghiaty, A., Seleem, M. N., & Mayhoub, A. S. (2019). tert-Butylphenylthiazoles with an oxadiazole linker: a novel orally bioavailable class of antibiotics exhibiting antibiofilm activity. *RSC Advances*, 9(12), 6770–6778. <https://doi.org/10.1039/c8ra10525a>
116. Nefisath, Dasappa, J. P., Haripriya, Chopra, D., Venugopala, K. N., Deb, P. K., Gleiser, R. M., Mohanlall, V., Maharaj, R., Shashiprabha, & Poojary, V. (2021). Synthesis, structural elucidation and larvicidal activity of novel arylhydrazones. *Journal of Molecular Structure*, 1236(130305), 130305. <https://doi.org/10.1016/j.molstruc.2021.130305>
117. Wardakhan, W. W., El-Sayed, N. N. E., & Mohareb, R. M. (2013). Synthesis and anti-tumor evaluation of novel hydrazide and hydrazide-hydrazone derivatives. *Acta Pharmaceutica (Zagreb, Croatia)*, 63(1), 45–57. <https://doi.org/10.2478/acph-2013-0004>
118. Gomha, S. M., Abdelhady, H. A., Hassain, D. Z. H., Abdelmonsef, A. H., El-Naggar, M., Elaasser, M. M., & Mahmoud, H. K. (2021). Thiazole-based thiosemicarbazones: Synthesis, cytotoxicity evaluation and molecular docking

- study. *Drug Design, Development and Therapy*, 15, 659–677. <https://doi.org/10.2147/DDDT.S291579>
119. Thore, S. N., Gupta, S. V., & Baheti, K. G. (2016). Synthesis and pharmacological evaluation of 5-methyl-2-phenylthiazole-4-substituted heteroazoles as a potential anti-inflammatory and analgesic agents. *Journal of Saudi Chemical Society*, 20, S46–S52. <https://doi.org/10.1016/j.jscs.2012.09.002>
120. Abdelhamid, A. O., El Sayed, I. E., Zaki, Y. H., Hussein, A. M., Mangoud, M. M., & Hosny, M. A. (2019). Utility of 5-(furan-2-yl)-3-(p-tolyl)-4,5-dihydro-1H-pyrazole-1-carbothioamide in the synthesis of heterocyclic compounds with antimicrobial activity. *BMC Chemistry*, 13(1), 48. <https://doi.org/10.1186/s13065-019-0566-y>
121. Mallikarjuna, B. P., Sastry, B. S., Suresh Kumar, G. V., Rajendraprasad, Y., Chandrashekhar, S. M., & Sathisha, K. (2009). Synthesis of new 4-isopropylthiazole hydrazide analogs and some derived clubbed triazole, oxadiazole ring systems--a novel class of potential antibacterial, antifungal and antitubercular agents. *European Journal of Medicinal Chemistry*, 44(11), 4739–4746. <https://doi.org/10.1016/j.ejmech.2009.06.008>
122. He, H., Wang, X., Shi, L., Yin, W., Yang, Z., He, H., & Liang, Y. (2016). Synthesis, antitumor activity and mechanism of action of novel 1,3-thiazole derivatives containing hydrazide-hydrazone and carboxamide moiety. *Bioorganic & Medicinal Chemistry Letters*, 26(14), 3263–3270. <https://doi.org/10.1016/j.bmcl.2016.05.059>
123. Beyzaei, H., Beygi, A., & Aryan, R. (2016). One-pot synthesis and characterization of highly functionalized thiazoles. *Iranian Journal of Chemistry & Chemical Engineering* (1990), 35(4), 31–37. <https://doi.org/10.30492/ijcce.2016.23554>
124. Synthesis and biological evaluation of novel thiazole hydrazines as antimicrobial and antimalarial agents. (2020). *Letters in Applied NanoBioScience*, 10(1), 1846–1855. <https://doi.org/10.33263/lianbs101.18461855>
125. Sayed, A. R., Gomha, S. M., Taher, E. A., Muhammad, Z. A., El-Seedi, H. R., Gaber, H. M., & Ahmed, M. M. (2020). One-pot synthesis of novel thiazoles as potential anti-cancer agents. *Drug Design, Development and Therapy*, 14, 1363–1375. <https://doi.org/10.2147/DDDT.S221263>

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

126. Ulusoy Güzeldemirci, N., Cimok, S., Daş-Evcimen, N., & Sarikaya, M. (2019). Synthesis and aldose reductase inhibitory effect of some new hydrazinecarbothioamides and 4-thiazolidinones bearing an imidazo[2,1-b]thiazole moiety. *Turkish Journal of Pharmaceutical Sciences*, 16(1), 1–7. <https://doi.org/10.4274/tjps.05900>
127. Al-Saadi, M. S., Faidallah, H. M., & Rostom, S. A. F. (2008). Synthesis and biological evaluation of some 2,4,5-trisubstituted thiazole derivatives as potential antimicrobial and anticancer agents. *Archiv Der Pharmazie*, 341(7), 424–434. <https://doi.org/10.1002/ardp.200800026>
128. Yuan, J.-W., Wang, S.-F., Luo, Z.-L., Qiu, H.-Y., Wang, P.-F., Zhang, X., Yang, Y.-A., Yin, Y., Zhang, F., & Zhu, H.-L. (2014a). Synthesis and biological evaluation of compounds which contain pyrazole, thiazole and naphthalene ring as antitumor agents. *Bioorganic & Medicinal Chemistry Letters*, 24(10), 2324–2328. <https://doi.org/10.1016/j.bmcl.2014.03.072>
129. Taha, M., Irshad, M., Imran, S., Rahim, F., Selvaraj, M., Almandil, N. B., Mosaddik, A., Chigurupati, S., Nawaz, F., Ismail, N. H., & Ibrahim, M. (2019). Thiazole based carbohydrazide derivatives as  $\alpha$ -amylase inhibitor and their molecular docking study. *Heteroatom Chemistry*, 2019, 1–8. <https://doi.org/10.1155/2019/7502347>
130. A study on the inhibition of mild steel corrosion in hydrochloric acid environment by 4-methyl-2-(pyridin-3-yl)thiazole-5-carbohydrazide. (2019). *International Journal of Corrosion and Scale Inhibition*, 8(4). <https://doi.org/10.17675/2305-6894-2019-8-4-14>
131. Gomha, S. M., Abdelaziz, M. R., Kheder, N. A., Abdel-Aziz, H. M., Alterary, S., & Mabkhot, Y. N. (2017). A facile access and evaluation of some novel thiazole and 1,3,4-thiadiazole derivatives incorporating thiazole moiety as potent anticancer agents. *Chemistry Central Journal*, 11(1), 105. <https://doi.org/10.1186/s13065-017-0335-8>
132. Mhaske, S. D. (2021). Synthesis and antimicrobial study of thiophene clubbed thiazolyl carbohydrazides. *Oriental Journal of Chemistry*, 37(4), 858–863. <https://doi.org/10.13005/ojc/370412>
133. Muluk, M. B., Phatak, P. S., Pawar, S. B., Dhumal, S. T., Rehman, N. N. M. A., Dixit, P. P., Choudhari, P. B., & Haval, K. P. (2019). Synthesis, antimicrobial, and

- antioxidant activities of new pyridyl- and thiazolyl-bearing carbohydrazides. *Journal of the Chinese Chemical Society*, 66(11), 1507–1517. <https://doi.org/10.1002/jccs.201900198>
134. Borde, R. M., Gaikwad, M. A., Waghmare, R. A., Munde, A. S., (2018). Design, synthesis and in-vitro anti-inflammatory, antimicrobial activities of some novel 2, 3-disubstituted -1,3-thiazolidin-4-one derivatives containing thiazole moiety. *Journal of Ultra Chemistry*, 14(03), 104–114. <https://doi.org/10.22147/juc/140303>
135. Santosh, R., Selvam, M. K., Kanekar, S. U., Nagaraja, G. K., & Kumar, M. (2018). Design, synthesis, DNA binding, and docking studies of thiazoles and thiazole-containing triazoles as antibacterials. *ChemistrySelect*, 3(14), 3892–3898. <https://doi.org/10.1002/slct.201800222>
136. Borcea, A.-M., Marc, G., Ionuț, I., Vodnar, D. C., Vlase, L., Gligor, F., Pricopie, A., Pîrnău, A., Tiperciu, B., & Oniga, O. (2019a). A novel series of acylhydrazones as potential anti-Candida agents: Design, synthesis, biological evaluation and in silico studies. *Molecules (Basel, Switzerland)*, 24(1), 184. <https://doi.org/10.3390/molecules24010184>
137. Santosh, R., Prabhu, A., Selvam, M. K., Krishna, P. M., Nagaraja, G. K., & Rekha, P. D. (2019). Design, synthesis, and pharmacology of some oxadiazole and hydroxypyrazoline hybrids bearing thiazoyl scaffold: antiproliferative activity, molecular docking and DNA binding studies. *Heliyon*, 5(2), e01255. <https://doi.org/10.1016/j.heliyon.2019.e01255>
138. Hannoun, M. H., Hagras, M., Kotb, A., El-Attar, A.-A. M. M., & Abulkhair, H. S. (2020). Synthesis and antibacterial evaluation of a novel library of 2-(thiazol-5-yl)-1,3,4-oxadiazole derivatives against methicillin-resistant *Staphylococcus aureus* (MRSA). *Bioorganic Chemistry*, 94(103364), 103364. <https://doi.org/10.1016/j.bioorg.2019.103364>
139. Helal, M. H. M., Salem, M. A., El-Gaby, M. S. A., & Aljahdali, M. (2013). Synthesis and biological evaluation of some novel thiazole compounds as potential anti-inflammatory agents. *European Journal of Medicinal Chemistry*, 65, 517–526. <https://doi.org/10.1016/j.ejmech.2013.04.005>

140. Reiser, O. (2017). Heterocyclic Chemistry – old science or the forefront of chemistry? *Synlett: Accounts and Rapid Communications in Synthetic Organic Chemistry*, 28(14), 1678–1679. <https://doi.org/10.1055/s-0036-1589511>
141. Zanda, M. (2021). Synform issue 2021/12. *Synlett: Accounts and Rapid Communications in Synthetic Organic Chemistry*, 32(19), A193–A214. <https://doi.org/10.1055/s-0040-1720543>
142. 2,4-DIMETHYLPYRROLE. (1935). *Organic Syntheses; an Annual Publication of Satisfactory Methods for the Preparation of Organic Chemicals*, 15, 20. <https://doi.org/10.15227/orgsyn.015.0020>
143. Ebermann, R., Alth, G., Kreitner, M., & Kubin, A. (1996). Natural products derived from plants as potential drugs for the photodynamic destruction of tumor cells. *Journal of Photochemistry and Photobiology. B, Biology*, 36(2), 95–97. [https://doi.org/10.1016/s1011-1344\(96\)07353-8](https://doi.org/10.1016/s1011-1344(96)07353-8)
144. Joule JA (2020) Five-membered ring systems: thiophenes and selenium/tellurium analogs and benzo analogs. In: Gribble GW, Joule JA (eds) Progress in heterocyclic chemistry. Elsevier, Amsterdam, pp 177–222
145. Doré, K., Dubus, S., Ho, H.-A., Lévesque, I., Brunette, M., Corbeil, G., Boissinot, M., Boivin, G., Bergeron, M. G., Boudreau, D., & Leclerc, M. (2004). Fluorescent Polymeric Transducer for the Rapid, Simple, and Specific Detection of Nucleic Acids at the Zeptomole Level. *Journal of the American Chemical Society*, 126(13), 4240–4244. <https://doi.org/10.1021/ja038900d>
146. Jarvest, R. L., Pinto, I. L., Ashman, S. M., Dabrowski, C. E., Fernandez, A. V., Jennings, L. J., Lavery, P., & Tew, D. G. (1999). Inhibition of herpes proteases and antiviral activity of 2-substituted thieno[2,3-d]oxazinones. *Bioorganic & Medicinal Chemistry Letters*, 9(3), 443–448. [https://doi.org/10.1016/S0960-894X\(99\)00004-9](https://doi.org/10.1016/S0960-894X(99)00004-9)
147. Lütjens, H., Zickgraf, A., Figler, H., Linden, J., Olsson, R. A., & Scammells, P. J. (2003). 2-Amino-3-benzoylthiophene Allosteric Enhancers of A<sub>1</sub> Adenosine Agonist Binding: New 3-, 4-, and 5-Modifications. *Journal of Medicinal Chemistry*, 46(10), 1870–1877. <https://doi.org/10.1021/jm020295m>
148. Puterova, Z., Krutošíková, A., & Végh, D. (2010). Gewald reaction: Synthesis, properties and applications of substituted 2-aminothiophenes. *Arkivoc*, 2010(1), 209–246. <https://doi.org/10.3998/ark.5550190.0011.105>

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

149. Huang, Y., & Dömling, A. (2011). The Gewald multicomponent reaction. *Mol Divers* 15, 3–33. <https://doi.org/10.1007/s11030-010-9229-6>
150. Hartmann, V. H.; Scheithauer, S. J Prakt Chem Chem Ztg 1969, 311, 827.
151. Consiglio, Giovanni, *et al.* “Aromatic Nucleophilic Substitution Reactions of Some 2-L-3-Nitro-5-X-Thiophenes with Piperidine and Aniline in Methanol. Substituent Constants for the Thiophene System.” *Journal of the Chemical Society, Perkin Transactions 2*, no. 10, Jan. 1994, pp. 2187–89. <https://doi.org/10.1039/P29940002187>
152. Galvez, C., & Garcia, F. (1981). Functional derivatives of thiophene. I. Synthesis and <sup>1</sup> H-NMR spectra in the 2-aminothiophene series. *Journal of Heterocyclic Chemistry*, 18(4), 851–853. <https://doi.org/10.1002/jhet.5570180450>
153. Gewald, K. (1976). Methods for the synthesis of 2-aminothiophenes and their reactions (Review). *Chemistry of Heterocyclic Compounds*, 12(10), 1077–1090. <https://doi.org/10.1007/BF00945583>
154. Wardakhan, W., M. Samir, E., & E. El-Arab, E. (2018). Synthesis and cytotoxicity of novel thiophene, pyran and pyridine derivatives. *Bulletin of the Chemical Society of Ethiopia*, 32(2), 259. <https://doi.org/10.4314/bcse.v32i2.7>
155. Mohareb, R. M., Abdallah, A. E. M., & Ahmed, E. A. (2017). Synthesis and cytotoxicity evaluation of thiazole derivatives obtained from 2-amino-4,5,6,7-tetrahydrobenzo[b]thiophene-3-carbonitrile. *Acta Pharmaceutica (Zagreb, Croatia)*, 67(4), 495–510. <https://doi.org/10.1515/acph-2017-0040>
156. Fadda, A. A., Berghot, M. A., Amer, F. A., Badawy, D. S., & Bayoumy, N. M. (2012). Synthesis and antioxidant and antitumor activity of novel pyridine, chromene, thiophene and thiazole derivatives. *Archiv Der Pharmazie*, 345(5), 378–385. <https://doi.org/10.1002/ardp.201100335>
157. Soliman, R. (2009). Synthesis of tetrahydrobenzothieno[2,3-d]pyrimidine and tetrahydrobenzothieno[3,2-e[1,2,4]triazolo[4,3-c]pyrimidine derivatives as potential antimicrobial agents. *Scientia Pharmaceutica*, 77. <https://doi.org/10.3797/scipharm.0904-17>
158. Mohareb, R. M., Abdallah, A. E. M., Helal, M. H. E., & Shaloof, S. M. H. (2016). Synthesis and structure elucidation of some novel thiophene and benzothiophene derivatives as cytotoxic agents. *Acta Pharmaceutica (Zagreb, Croatia)*, 66(1), 53–68. <https://doi.org/10.1515/acph-2016-0005>

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

159. Shams, H. Z., Mohareb, R. M., Helal, M. H., & Mahmoud, A. E. (2010). Novel synthesis and antitumor evaluation of polyfunctionally substituted heterocyclic compounds derived from 2-cyano-N-(3-cyano-4,5,6,7-tetrahydrobenzo[b]thiophen-2-yl)-acetamide. *Molecules (Basel, Switzerland)*, 16(1), 52–73. <https://doi.org/10.3390/molecules16010052>
160. Ali, T. E., & Assiri, M. A. (2021). A convenient one-pot synthesis of novel functionalized thiophene, thieno[2,3-b] thiophene, thiopyran, and thiopyrano[2,3-b]thiopyran bearing phosphonate groups. *Journal of Sulphur Chemistry*, 42(5), 490–498. <https://doi.org/10.1080/17415993.2021.1909027>
161. Masaret, G. S. (2021). Convenient synthesis and anticancer evaluation of novel pyrazolyl-thiophene, thieno[3,2- b ]pyridine, pyrazolo[3,4- d ]thieno[3,2- b ]pyridine and pyrano[2,3- d ]thieno[3,2- b ]pyridine derivatives. *Journal of Heterocyclic Chemistry*, 58(6), 1344–1358. <https://doi.org/10.1002/jhet.4262>
162. Romagnoli, R., Preti, D., Hamel, E., Bortolozzi, R., Viola, G., Brancale, A., Ferla, S., Morciano, G., & Pinton, P. (2021). Concise synthesis and biological evaluation of 2-Aryl-3-Anilinobenzo[b]thiophene derivatives as potent apoptosis-inducing agents. *Bioorganic Chemistry*, 112(104919), 104919. <https://doi.org/10.1016/j.bioorg.2021.104919>
163. An Improved Synthesis of (S)-5-chloro-N-[2-oxo-3-[4-(3-oxomorpholin-4-yl)phenyl]oxazolidin-5-yl]methyl thiophene-2-carboxamide. (2017). *Chemical Science Transactions*, 6(1). <https://doi.org/10.7598/cst2017.1302>
164. Wan, D., Yang, X., Li, J., Hu, M., Mo, L., Che, Z., Guo, Q., An, Z., & Li, J. (2021). Synthesis and properties of 5,6-dihydro-4H-cyclopenta[b]thiophene-based nematic liquid crystals: A new access to mesogens with high birefringence and large dielectric anisotropy. *Journal of Molecular Liquids*, 327(114827), 114827. <https://doi.org/10.1016/j.molliq.2020.114827>
165. Arasavelli, A. M., Raghava, G. S. V., & Vidavalur, S. (2017). Design and synthesis of 4,5-diaryl/heteroarylthiophene-2-carboxylic acid derivatives and evaluation of their biological activities. *Heterocyclic Communications*, 23(1), 9–14. <https://doi.org/10.1515/hc-2016-0131>
166. Abdelmoniem, A. M., Ghozlan, S. A. S., Abdelwahab, H. M., & Abdelhamid, I. A. (2019). 2-cyano- N -(thiophen-2-yl)acetamide in heterocyclic synthesis: Synthesis and antibacterial screening of novel pyrido[1,2- a ]thieno[3,2- e

- ]pyrimidine-2-carboxylate moieties. *Journal of Heterocyclic Chemistry*, 56(9), 2637–2643. <https://doi.org/10.1002/jhet.3676>
167. Alsayari, A., Bin Muhsinah, A., Asiri, Y. I., Venkatesan, K., & Mabkhot, Y. N. (2021). Synthesis and biological screening of thiophene derivatives. *Polycyclic Aromatic Compounds*, 1–12. <https://doi.org/10.1080/10406638.2021.1988998>
168. AbdElhameid, M. K., Labib, M. B., Negmeldin, A. T., Al-Shorbagy, M., & Mohammed, M. R. (2018). Design, synthesis, and screening of ortho-amino thiophene carboxamide derivatives on hepatocellular carcinomaas VEGFR-2Inhibitors. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 33(1), 1472–1493. <https://doi.org/10.1080/14756366.2018.1503654>
169. He, Y., Lou, J., Wu, P., Zhou, Y.-G., & Yu, Z. (2020). Copper-catalyzed annulative coupling of S,S-disubstituted enones with diazo compounds to access highly functionalized thiophene derivatives. *The Journal of Organic Chemistry*, 85(2), 1044–1053. <https://doi.org/10.1021/acs.joc.9b02982>
170. Othman, D. I. A., Selim, K. B., El-Sayed, M. A.-A., Tantawy, A. S., Amen, Y., Shimizu, K., Okauchi, T., & Kitamura, M. (2019). Design, synthesis and anticancer evaluation of new substituted thiophene-quinoline derivatives. *Bioorganic & Medicinal Chemistry*, 27(19), 115026. <https://doi.org/10.1016/j.bmc.2019.07.042>
171. El-Shoukrofy, M. S., Abd El Razik, H. A., AboulWafa, O. M., Bayad, A. E., & El-Ashmawy, I. M. (2019). Pyrazoles containing thiophene, thienopyrimidine and thienotriazolopyrimidine as COX-2 selective inhibitors: Design, synthesis, in vivo anti-inflammatory activity, docking and in silico chemo-informatic studies. *Bioorganic Chemistry*, 85, 541–557. <https://doi.org/10.1016/j.bioorg.2019.02.036>
172. Romagnoli, R., Baraldi, P. G., Lopez-Cara, C., Salvador, M. K., Preti, D., Tabrizi, M. A., Balzarini, J., Nussbaumer, P., Bassetto, M., Brancale, A., Fu, X.-H., Yang-Gao, Li, J., Zhang, S.-Z., Hamel, E., Bortolozzi, R., Basso, G., & Viola, G. (2014). Design, synthesis and biological evaluation of 3,5-disubstituted 2-amino thiophene derivatives as a novel class of antitumor agents. *Bioorganic & Medicinal Chemistry*, 22(18), 5097–5109. <https://doi.org/10.1016/j.bmc.2013.12.030>
173. Yahaya, I., Chemchem, M., Aydiner, B., Seferoğlu, N., Erva Tepe, F., Açık, L., Aytuna Çerçi, N., Türk, M., & Seferoğlu, Z. (2019). Novel fluorescent coumarin-thiophene-derived Schiff bases: Synthesis, effects of substituents, photophysical

Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds

---

- properties, DFT calculations, and biological activities. *Journal of Photochemistry and Photobiology A, Chemistry*, 368, 296–306. <https://doi.org/10.1016/j.jphotochem.2018.09.041>
174. Zhong, Z. J., Hu, X. T., Cheng, L. P., Zhang, X. Y., Zhang, Q., & Zhang, J. (2021). Discovery of novel thiophene derivatives as potent neuraminidase inhibitors. *European Journal of Medicinal Chemistry*, 225(113762), 113762. <https://doi.org/10.1016/j.ejmech.2021.113762>
175. Singla, N., Singh, G., Bhatia, R., Kumar, A., Kaur, R., & Kaur, S. (2020). Design, synthesis and antimicrobial evaluation of 1,3,4-oxadiazole/1,2,4-triazole-substituted thiophenes. *ChemistrySelect*, 5(13), 3835–3842. <https://doi.org/10.1002/slct.202000191>
176. Prabhudeva, M. G., Kumara, K., Dileep Kumar, A., Ningappa, M. B., Lokanath, N. K., & Ajay Kumar, K. (2018). Amberlyst-15 catalyzed synthesis of novel thiophene-pyrazoline derivatives: spectral and crystallographic characterization and anti-inflammatory and antimicrobial evaluation. *Research on Chemical Intermediates*, 44(11), 6453–6468. <https://doi.org/10.1007/s11164-018-3501-2>
177. Khalifa, M. E. (2020). Synthesis and molecular modeling of novel bio-functional moieties derived from 2-cyanoacetamide-3,4,5-substituted thiophene as human carcinoma growth inhibitors. *Journal of Molecular Structure*, 1215(128270), 128270. <https://doi.org/10.1016/j.molstruc.2020.128270>
178. El-Borai, M. A., Rizk, H. F., Ibrahim, S. A., & Fares, A. K. (2019). An Eco-friendly synthesis and biological screening of fused heterocyclic compounds containing a thiophene MoietyviaGewald reaction: Eco-friendly synthesis of fused heterocyclic compounds containing a thiophene moiety. *Journal of Heterocyclic Chemistry*, 56(10), 2787–2795. <https://doi.org/10.1002/jhet.3658>
179. Duddukuri, N. K., Thatikonda, S., Godugu, C., Kumar, R. A., & Doijad., N. (2018). Synthesis of novel thiophene-chalcone derivatives as anticancer- and apoptosis-inducing agents. *ChemistrySelect*, 3(24), 6859–6864. <https://doi.org/10.1002/slct.201800613>
180. Ermış, E. (2018). Synthesis, spectroscopic characterization and DFT calculations of novel Schiff base containing thiophene ring. *Journal of Molecular Structure*, 1156, 91–104. <https://doi.org/10.1016/j.molstruc.2017.11.089>

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

181. Konus, M., Çetin, D., Yılmaz, C., Arslan, S., Mutlu, D., Kurt-Kızıldoğan, A., Otur, Ç., Ozok, O., AS Algso, M., & Kivrak, A. (2020). Synthesis, biological evaluation and molecular docking of novel thiophene-based indole derivatives as potential antibacterial, GST inhibitor and apoptotic anticancer agents. *ChemistrySelect*, 5(19), 5809–5814. <https://doi.org/10.1002/slct.202001523>
182. Akhileshwari, P., Kiran, K. R., Sridhar, M. A., Sadashiva, M. P., & Lokanath, N. K. (2021). Synthesis, crystal structure characterization, Hirshfeld surface analysis, and Quantum chemical computations of Ethyl 5-(thiophene-2-carbonyl)thiazole-4-carboxylate. *Journal of Molecular Structure*, 1242(130747), 130747. <https://doi.org/10.1016/j.molstruc.2021.130747>
183. Piltan, M. (2021). Syntheses of novel tetrasubstituted thiophenes from benzene-1,2-diamines, ethyl bromopyruvate, malononitrile, and aryl isothiocyanates. *Polycyclic Aromatic Compounds*, 41(10), 2103–2109. <https://doi.org/10.1080/10406638.2019.1710854>
184. Giulietti, J. M., Tate, P. M., Cai, A., Cho, B., & Mulcahy, S. P. (2016). DNA-binding studies of the natural  $\beta$ -carboline eudistomin U. *Bioorganic & Medicinal Chemistry Letters*, 26(19), 4705–4708. <https://doi.org/10.1016/j.bmcl.2016.08.047>
185. Bozorov, K., Nie, L. F., Zhao, J., & Aisa, H. A. (2017). 2-Aminothiophene scaffolds: Diverse biological and pharmacological attributes in medicinal chemistry. *European Journal of Medicinal Chemistry*, 140, 465–493. <https://doi.org/10.1016/j.ejmech.2017.09.039>
186. Srđanović, S., Gao, Y.-H., Chen, D.-Y., Yan, Y.-J., Marjetić, D., & Chen, Z.-L. (2018). The photodynamic activity of 131-[2'-(2-pyridyl)ethylamine] chlorin e6 photosensitizer in human esophageal cancer. *Bioorganic & Medicinal Chemistry Letters*, 28(10), 1785–1791. <https://doi.org/10.1016/j.bmcl.2018.04.025>
187. Dato, F. M., Neudörfl, J.-M., Gütschow, M., Goldfuss, B., & Pietsch, M. (2020).  $\alpha$ -Quinazolinonylalkyl aryl ureas as reversible inhibitors of monoacylglycerol lipase. *Bioorganic Chemistry*, 94(103352), 103352. <https://doi.org/10.1016/j.bioorg.2019.103352>
188. Behrouz, S. (2017). Highly efficient one-pot three component synthesis of 2 H -indazoles by consecutive condensation, C–N and N–N bond formations using cu/aminoclay/reduced graphene oxide nanohybrid: One-pot three component

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

- synthesis of 2H-indazoles by cu/aminoclay/reduced graphene oxide nanohybrid. *Journal of Heterocyclic Chemistry*, 54(3), 1863–1871. <https://doi.org/10.1002/jhet.2777>
189. Kashid, B. B., Ghanwat, A. A., Khedkar, V. M., Dongare, B. B., Shaikh, M. H., Deshpande, P. P., & Wakchaure, Y. B. (2019). Design, synthesis, in vitro antimicrobial, antioxidant evaluation, and molecular docking study of novel benzimidazole and benzoxazole derivatives: Design, synthesis, in vitro antimicrobial, antioxidant evaluation, and molecular docking study of novel benzimidazole and benzoxazole derivatives. *Journal of Heterocyclic Chemistry*, 56(3), 895–908. <https://doi.org/10.1002/jhet.3467>
190. Meissner, A., Tanaka, N., Takamura, H., & Kadota, I. (2019). Stereocontrolled synthesis of the macrolactone core of neopeltolide. *Tetrahedron Letters*, 60(5), 432–434. <https://doi.org/10.1016/j.tetlet.2018.12.066>
191. Das, B., Dash, S. K., Mandal, D., Ghosh, T., Chattopadhyay, S., Tripathy, S., Das, S., Dey, S. K., Das, D., & Roy, S. (2017). Green synthesized silver nanoparticles destroy multidrug resistant bacteria via reactive oxygen species mediated membrane damage. *Arabian Journal of Chemistry*, 10(6), 862–876. <https://doi.org/10.1016/j.arabjc.2015.08.008>
192. Karimian, A. (2018). Synthesis of new pyrimido[5',4':5,6][1,4]thiazino[2,3-b]quinoxaline derivatives in one step: Pyrimido[5',4':5,6][1,4]thiazino[2,3-b]quinoxaline. *Journal of Heterocyclic Chemistry*, 55(3), 645–649. <https://doi.org/10.1002/jhet.3082>
193. Cheng, L., Cai, P.-P., Zhang, R.-R., Han, L., Tan, C.-X., Weng, J.-Q., Xu, T.-M., & Liu, X.-H. (2019). Synthesis and insecticidal activity of new quinoline derivatives containing perfluoropropanyl moiety. *Journal of Heterocyclic Chemistry*, 56(4), 1312–1317. <https://doi.org/10.1002/jhet.3502>
194. Yamashkin, S. A., & Zhukova, N. V. (2008). Synthesis of heterocyclic compounds using oxaloacetic ester (review). *Chemistry of Heterocyclic Compounds*, 44(2), 115–135. <https://doi.org/10.1007/s10593-008-0038-0>
195. Nematollahi, D., & Hedayatfar, V. (2011). Diversity in electrochemical oxidation of dihydroxybenzenes in the presence of 1-methylindole. *Journal of Chemical Sciences*, 123(5), 709–717. <https://doi.org/10.1007/s12039-011-0132-1>

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

196. Wang, X., Zhao, C., Gao, L., Zhou, Y., & Xu, L. (2018). Synthesis of 4-methylimidazole-2-carboxylic acid: Synthesis of 4-methylimidazole-2-carboxylic acid. *Journal of Heterocyclic Chemistry*, 55(11), 2619–2622. <https://doi.org/10.1002/jhet.3321>
197. Wang, X., Zhao, W., Wang, B., Ding, W., Guo, H., Zhao, H., Meng, J., Liu, S., Lu, Y., Liu, Y., & Zhang, D. (2021). Identification of inhibitors targeting polyketide synthase 13 of *Mycobacterium tuberculosis* as antituberculosis drug leads. *Bioorganic Chemistry*, 114(105110), 105110. <https://doi.org/10.1016/j.bioorg.2021.105110>
198. Kumar, B. V., Naik, H. S. B., Girija, D., & Kumar, B. V. (2011). ZnO nanoparticle as catalyst for efficient green one-pot synthesis of coumarins through Knoevenagel condensation. *Journal of Chemical Sciences*, 123(5), 615–621. <https://doi.org/10.1007/s12039-011-0133-0>
199. Kopp, N., Civenni, G., Marson, D., Laurini, E., Pricl, S., Catapano, C. V., Humpf, H.-U., Almansa, C., Nieto, F. R., Schepmann, D., & Wünsch, B. (2021). Chemoenzymatic synthesis of 2,6-disubstituted tetrahydropyrans with high σ<sub>1</sub> receptor affinity, antitumor and analgesic activity. *European Journal of Medicinal Chemistry*, 219(113443), 113443. <https://doi.org/10.1016/j.ejmech.2021.113443>
200. Khobragade, C. N., Bodade, R. G., Dawane, B. S., Konda, S. G., & Khandare, N. T. (2010). Synthesis and biological activity of pyrazolo[3,4-d]thiazolo[3,2-a]pyrimidin-4-one derivatives: in silico approach. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 25(5), 615–621. <https://doi.org/10.3109/14756360903389849>
201. Ziyaadini, M., Roudbaraki, S. J., & Ghashang, M. (2020). Ionic-liquid promoted multi-component preparation of pyrazolo[3,4-d]thiazolo[3,2-a]pyrimidines under solvent-free conditions. *Organic Preparations and Procedures International*, 52(4), 311–318. <https://doi.org/10.1080/00304948.2020.1763098>
202. Cai, W.-X., Liu, A.-L., Li, Z.-M., Dong, W.-L., Liu, X.-H., & Sun, N.-B. (2016). Synthesis and anticancer activity of novel thiazole-5-carboxamide derivatives. *Applied Sciences (Basel, Switzerland)*, 6(1), 8. <https://doi.org/10.3390/app6010008>
203. Abdallah, A. E. M., Mohareb, R. M., Helal, M. H. E., & Mofeed, G. J. (2021). Synthesis and anticancer evaluations of novel thiazole derivatives derived from 4-

Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds

---

- phenylthiazol-2-amine. *Acta Chimica Slovenica*, 68(3), 604–616.  
<https://doi.org/10.17344/acsi.2020.6446>
204. Thomae, D., Perspicace, E., Hesse, S., Kirsch, G., & Seck, P. (2008). Synthesis of substituted [1,3]thiazolo[4,5-b]pyridines and [1,3]thiazolo[4,5-d][1,2,3]triazines. *Tetrahedron*, 64(39), 9309–9314.  
<https://doi.org/10.1016/j.tet.2008.07.017>
205. Abd Elhameed, A. A., El-Gohary, N. S., El-Bendary, E. R., Shaaban, M. I., & Bayomi, S. M. (2018). New thiazole and thiazolopyrimidine derivatives: Synthesis, antimicrobial, antiquorum-sensing and antitumor evaluation. *Der Pharmacia Lettre*, 10(5), 55–72. <https://doi.org/10.2240/asj60263208>
206. Liu, Y., Du, Y., Li, Z., Xie, Y., He, P., Qiao, J., & Fan, X. (2017). Efficient One-Pot Synthesis of 2,4-Disubstituted Thiazoles and Dimeric Thiazoles Directly from Acyl Chlorides and  $\beta$ -Azido Disulfides. *Synthesis*, 49(21), 4876–4886. <https://doi.org/10.1055/s-0036-1590810>
207. Borde, R. M., B Jadhav, S., R Dhavse, R., & S Munde, A. (2018). Design, synthesis, and pharmacological evaluation of some novel bis-thiazole derivatives. *Asian Journal of Pharmaceutical and Clinical Research*, 11(4), 164. <https://doi.org/10.22159/ajpcr.2018.v11i4.23413>
208. Arora, P., Narang, R., Nayak, S. K., Singh, S. K., & Judge, V. (2016). 2,4-Disubstituted thiazoles as multitargeted bioactive molecules. *Medicinal Chemistry Research: An International Journal for Rapid Communications on Design and Mechanisms of Action of Biologically Active Agents*, 25(9), 1717–1743. <https://doi.org/10.1007/s00044-016-1610-2>
209. El-Naggar, A. M., El-Hashash, M. A., & Elkaeed, E. B. (2021). Eco-friendly sequential one-pot synthesis, molecular docking, and anticancer evaluation of arylidene-hydrazinyl-thiazole derivatives as CDK2 inhibitors. *Bioorganic Chemistry*, 108(104615), 104615. <https://doi.org/10.1016/j.bioorg.2020.104615>
210. Alqahtani, A. M., & Bayazeed, A. A. (2021). Synthesis and antiproliferative activity studies of new functionalized pyridine linked thiazole derivatives. *Arabian Journal of Chemistry*, 14(1), 102914. <https://doi.org/10.1016/j.arabjc.2020.11.020>
211. Asif, M., Ali, A., Zafar, A., Farhan, M., Khanam, H., Hadi, S. M., & Shamsuzzaman. (2017). Microwave-assisted one pot synthesis, characterization, biological evaluation and molecular docking studies of steroidal thiazoles. *Journal*

**Synthesis, Characterization and Biological Activity of Some Novel Heterocyclic Compounds**

---

- of *Photochemistry and Photobiology.* B, *Biology,* 166, 104–115.  
<https://doi.org/10.1016/j.jphotobiol.2016.11.010>
212. Khose, G., Shinde, S., Panmand, A., Kulkarni, R., Munot, Y., Bandyopadhyay, A., Barawkar, D., & Patil, S. N. (2014). Synthesis of substituted esters of imidazoles, oxazoles, thiazoles, and diethyl pyrazine-2,5-dicarboxylate from a common acyclic precursor employing C-formylation strategy. *Tetrahedron Letters*, 55(16), 2671–2674. <https://doi.org/10.1016/j.tetlet.2014.03.039>

## Plagiarism Report



### Document Information

---

Analyzed document	Thesis_Jaysinh_Jadeja_Chemistry_2019.pdf (D168545933)
Submitted	5/26/2023 12:36:00 PM
Submitted by	Dr. Sheetal Tank
Submitter email	librarian@atmiyauni.ac.in
Similarity	15%
Analysis address	librarian.atmiya@analysis.urkund.com

## Publications

### International Journals

- [1] Jadeja, J., & Savant, M. (2023). **Synthesis of thiazolo[3,2-a]pyrimidine molecules, in vitro cytotoxic evaluation and molecular docking studies.** *Journal of the Iranian Chemical Society.* <https://doi.org/10.1007/s13738-023-02772-3>

SCOPUS Indexed Journal- ISSN: 1735-207X

- [2] Jadeja, J., & Savant, M. (2023). **Design and synthesis of some novel thiazole molecules.** *International Journal of Pharmaceutical Sciences and Research.* 48(1986). [https://doi.org/10.13040/IJPSR.0975-8232.14\(4\).1986-91](https://doi.org/10.13040/IJPSR.0975-8232.14(4).1986-91)

SCOPUS Indexed Journal- ISSN: 0975-8232

- [3] Jadeja, J., & Savant, M. **Synthesis, Type II Diabetes Inhibitory Activity and Docking Studies of Novel Thiazole Molecules.** *The Journal of Chemical Sciences*  
(Minor Revision)

SCOPUS Indexed Journal- ISSN: 0973-7103

### International Conferences

- [1] Paper titled “**Synthesis and Characterization of Novel Highly Functionalized Thiophene Heterocycles**” presented in ICETCP-2022 (International Conference on Emerging Trends & Contemporary Practices) at Atmiya University on 20/05/2022.

### **List of Seminar/Conference Participated**

1. Online course on “Understanding Research Methodology” by Coursera on 4<sup>th</sup> April 2019.
2. Online course on “Introduction to Molecular Spectroscopy” by Coursera on 5<sup>th</sup> June 2020.
3. Online course on “Research Methodology: Research Ethics, Methods, Skills, Writing and Communication” UGC-Stride Program Component I organized by Mizoram University, India on 1<sup>st</sup> September 2020.
4. Online course on “Reaxys Predictive Retrosynthesis - Speed Matters” by Elsevier on 26<sup>th</sup> May 2021.
5. Online course on “Learning fundamentals of publishing in quality journals” by Elsevier on 27<sup>th</sup> May 2021.
6. Workshop on “Chemistry from computational tools for beginners” organized by Sardar Vallabhbhai National Institute of Technology (SVNIT), Surat on 5<sup>th</sup> March 2022.
7. Workshop on “Interpretation of 2D NMR” organized by RK University on 6<sup>th</sup> June 2022.