

CHAPTER: 11

References

- Abad, M. J., Ansuategui, M., & Bermejo, P. (2007). Active antifungal substances from natural sources. *Arkivoc*, 7(11), 6-145.
- Abdel-Ghani, A., Hassan, H., & Elshazly, A. M. (2013). A phytochemical and biological study of Malva parviflora L. grown in Egypt. *Zagazig Journal of Pharmaceutical Sciences*, 22(1), 17-25.
- Abdel-Monaim, M. F., Abo-Elyousr, K. A. M., & Morsy, K. M. (2011). Effectiveness of plant extracts on suppression of damping-off and wilt diseases of lupine (*Lupinus termis* Forsik). *Crop protection*, 30(2), 185-191.
- Abiodun, A. (2017). In vitro evaluation of antimicrobial and antioxidant activities of *Olea Europaea* subsp. *africana* and *Euryops brevipapposus* are used by Cala community folkloric medicine for the management of infections associated with chronic non-communicable diseases volume-9 pg.369.
- Abo-Elyousr, K. A. M., & Asran, M. R. (2009). Antibacterial activity of certain plant extracts against bacterial wilt of tomato. *Archives of Phytopathology and Plant Protection*, 42(6), 573-578.
- Abo-Elyousr, K. A., & Mohamed, H. M. (2009). Note biological control of *Fusarium* wilt in tomato by plant growth-promoting yeasts and rhizobacteria. *The Plant Pathology Journal*, 25(2), 199-204.
- Abo-Elyousr, K. A., Ibrahim, Y. E., & Balabel, N. M. (2012). Induction of Disease Defensive Enzymes in Response to Treatment with acibenzolar-S-methyl (ASM) and *Pseudomonas fluorescens* Pf2 and Inoculation with *Ralstonia solanacearum* race 3, biovar 2 (phylotype II). *Journal of Phytopathology*, 160(7-8), 382-389.
- Adhikari, P., Oh, Y., & Panthee, D. R. (2017). Current status of early blight resistance in tomato: an update. *International journal of molecular sciences*, 18(10), 2019.
- Agrios, G. N. (2005). Plant pathology 5th edition: Elsevier academic press. *Burlington, Ma. USA*, 79-103.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Ahmed, M., Hossain, M., Hassan, K., & Dash, C. K. (2013). Efficacy of different plant extracts on reducing seed-borne infection and increasing germination of collected rice seed sample. *Universal Journal of Plant Science*, 1(3), 66-73.
- Al Jabre, S., Al Akloby, O. M., & Al Qurashi, A. R. (2003). Thymoquinone, an active principle of Nigella sativa, inhibited Aspergillus niger.
- Alabouvette, C., Schippers, B., Lemanceau, P., & Bakker, P. A. (1998). Biological control of Fusarium wilts. Toward development of commercial products. *Agriculture journal of plant science* pg. 291.
- Alam, S., Alam, M. S., & Mahal, F. (1999). Growth inhibition () of chilly fruit rot pathogen. *J Asiat Soc Bangladesh Sci*, 25, 211-216.
- Al-Askar, A. A. (2012). In vitro antifungal activity of three Saudi plant extracts against some phytopathogenic fungi. *Journal of Agricultural Chemistry and Biotechnology*, 3(8), 277-284.
- Ali, E. F., Al-Yasi, H. M., Issa, A. A., Hessini, K., & Hassan, F. A. (2022). Ginger extract and fulvic acid foliar applications as novel practical approaches to improve the growth and productivity of Damask Rose. *Plants*, 11(3), 412.
- Al-Lami, H. F. D., You, M. P., & Barbetti, M. J. (2019). Incidence, pathogenicity and diversity of Alternaria spp. associated with Alternaria leaf spot of canola (*Brassica napus*) in Australia. *Plant Pathology*, 68(3), 492-503.
- Al-Rahmah, A. N., Mostafa, A. A., Abdel-Megeed, A., Yakout, S. M., & Hussein, S. A. (2013). Fungicidal activities of certain methanolic plant extracts against tomato phytopathogenic fungi. *African Journal of Microbiology Research*, 7(6), 517-524.
- Al-Sadi, A. M., Al-Jabri, A. H., Al-Mazroui, S. S., & Al-Mahmooli, I. H. (2012). Characterization and pathogenicity of fungi and oomycetes associated with root diseases of date palms in Oman. *Crop Protection*, 37, 1-6.
- Altinok, H. H., Can, C., & Altinok, M. A. (2018). Characterization of *Fusarium oxysporum* f. sp. *melongenae* isolates from Turkey with ISSR markers and DNA sequence analyses. *European Journal of Plant Pathology*, 150(3), 609-621.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Amadioha, A. C. (2000). Controlling rice blast in vitro and in vivo with extracts of *Azadirachta indica*. *Crop Protection*, 19(5), 287-290.
- Ame, S. N., Shigrenaga, M. K., & Hagen, T. M. (1993). Oxidants, antioxidants and degenerative diseases of ageing. *Proceedings of the National Academy of Sciences of the United States of America*, 90(17), 7915-7922.
- Ampsonah, N. T., Jones, E. E., Ridgway, H. J., & Jaspers, M. V. (2011). Identification, potential inoculum sources and pathogenicity of botryosphaeriaceous species associated with grapevine dieback disease in New Zealand. *European Journal of Plant Pathology*, 131, 467-482.
- Andersen, B., Sørensen, J. L., Nielsen, K. F., van den Ende, B. G., & de Hoog, S. (2009). A polyphasic approach to the taxonomy of the *Alternaria* species-group. *Fungal Genetics and Biology*, 46(9), 642-656.
- Aneja, J. K., Agarwal, A., & Agnihotri, A. (2016). Inter and intra-specific diversity in *Alternaria* species infecting oilseed Brassicas in India. *Journal of Oilseed Brassica*, 1(2), 102-117.
- Anil Kumar, R., & Raj Kumar, H. G. (2015). In vitro antifungal activity of some plant extracts against *Fusarium oxysporum* f. sp. *lycopersici*. *Asian Journal of Plant Science and Research*, 5(1), 22-27.
- Aregeore, E. M. (2012). Nutritive value and inherent anti-nutritive factors in four indigenous edible leafy vegetables in human nutrition in Nigeria: a review. *J. Food Res. Sci*, 1, 1-14.
- Arnon, D. I. (1949). Copper enzymes in isolated chloroplasts. Polyphenoloxidase in *Beta vulgaris*. *Plant physiology*, 24(1), 1.
- Ashwell, G. (1957). Colorimetric determination of sugars. *Methods Enzymol*, 3, 73-105.
- Baka, Z. A., Nour El-Din, M. M., Abodobara, M. I., & El-Menyer, F. E. Y. (2016). In vitro, evaluation of some medicinal plants extracts against *Fusarium oxysporum* f. sp. *lycopersici*. *Scientific Journal for Damietta Faculty of Science*, 6(1), 20-27.
- Balandrin, M. F., Klocke, J. A., Wurtele, E. S., & Bollinger, W. H. (1985). Natural plant chemicals: sources of industrial and medicinal materials. *Science*, 228(4704), 1154-1160.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Bansal, R. K., & Gupta, R. K. (2000). Evaluation of plant extracts against *Fusarium oxysporum*, wilt pathogen of fenugreek. *Indian Phytopathology*, 53(1), 107-108.
- Bansal, R. K., & Gupta, R. K. (2000). Evaluation of plant extracts against *Fusarium oxysporum*, wilt pathogen of fenugreek. *Indian Phytopathology*, 53(1), 107-108.
- Baraka, M. A., Fatma, M. R., Shaban, W. I., & Arafat, K. H. (2011). Efficiency of some plant extracts, natural oils, bio fungicides and fungicides against root rot disease of date palm. *J. Biol. Chem. Environ. Sci*, 6(2), 405-429.
- Barna, B., Fodor, J., Harrach, B. D., Pogány, M., & Király, Z. (2012). The Janus face of reactive oxygen species in resistance and susceptibility of plants to necrotrophic and biotrophic pathogens. *Plant Physiology and Biochemistry*, 59, 37-43.
- Barnard, C., Padgett, M., & Uri, N. D. (1997). Pesticide use and its measurement. *International pest control*, 39(5), 161-164.
- Bartíková, M., Brand, T., Beltz, H., & Šafránková, I. (2020). Host susceptibility and microclimatic conditions influencing the development of blight diseases caused by *Calonectria henricotiae*. *European journal of plant pathology*, 157, 103-117.
- Bayona, L. G., Grajales, A., Cárdenas, M. E., Sierra, R., Lozano, G., Garavito, M. F., ... & Restrepo, S. (2011). Isolation and characterization of two strains of *Fusarium oxysporum* causing potato dry rot in *Solanum tuberosum* in Colombia. *Revista Iberoamericana de Micología*, 28(4), 166-172.
- Bhunjun, C. S., Dong, Y., Jayawardena, R. S., Jeewon, R., Phukhamsakda, C., Bundhun, D., ... & Sheng, J. (2020). A polyphasic approach to delineate species in *Bipolaris*. *Fungal Diversity*, 102, 225-256.
- Bhunjun, C. S., Jayawardena, R. S., Wei, D. P., Huanraluek, N., Abeywickrama, P. D., Jeewon, R., ... & HYDE, K. (2019). Multigene phylogenetic characterisation of *Colletotrichum artocarpicola* sp. nov. from *Artocarpus heterophyllus* in northern Thailand. *Phytotaxa*, 418(3), 273-286.
- Blancard, D. (2012). *Tomato diseases: identification, biology and control: a colour handbook*. CRC Press.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Block, G., Patterson, B., & Subar, A. (1992). Fruit, vegetables, and cancer prevention: a review of the epidemiological evidence. *Nutrition and cancer*, 18(1), 1-29.
- Blok, W. J., & Bollen, G. J. (1995). Fungi on roots and stem bases of asparagus in the Netherlands: species and pathogenicity. *European Journal of Plant Pathology*, 101, 15-24.
- Blunden, C. A., & Wilson, M. F. (1985). A specific method for the determination of soluble sugars in plant extracts using enzymatic analysis and its application to the sugar content of developing pear fruit buds. *Analytical biochemistry*, 151(2), 403-408.
- Bock, C. H., & Nutter, F. J. (2011). Detection and measurement of plant disease symptoms using visible-wavelength photography and image analysis. *CABI Reviews*, (2011), 1-15.
- Borguini, R. G., & Ferraz da Silva Torres, E. A. (2009). Tomatoes and tomato products as dietary sources of antioxidants. *Food Reviews International*, 25(4), 313-325.
- Bowers, J. H., & Locke, J. C. (2000). Effect of botanical extracts on the population density of *Fusarium oxysporum* in soil and control of Fusarium wilt in the greenhouse. *Plant disease*, 84(3), 300-305.
- Brooks, T. M., Cuttelod, A., Faith, D. P., Garcia-Moreno, J., Langhammer, P., & Pérez-España, S. (2015). *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370(1662), 20140019.
- Burckhardt, J. (1881). Über das wissenschaftliche Verdienst der Griechen. *Jacob Burckhardt Gesamtausgabe*, 14, 244e60.
- Burgess, L. W., Nelson, P. E., Toussoun, T. A., & Marasas, W. F. O. (1985). *Fusarium* script: emended description and notes on geographic distribution. *Mycologia*, 77(2), 212-218.
- Buysse, J. A. N., & Merckx, R. (1993). An improved colorimetric method to quantify the sugar content of plant tissue. *Journal of Experimental Botany*, 44(10), 1627-1629.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Cai, L., Hyde, K. D., Taylor, P. W. J., Weir, B., Waller, J., Abang, M. M., ... & Shivas, R. G. (2009). A polyphasic approach for studying *Colletotrichum*. *Fungal Diversity*, 39(1), 183-204.
 - Calabrese, E. J., & Blain, R. B. (2011). The hormesis database: the occurrence of hormetic dose responses in the toxicological literature. *Regulatory Toxicology and Pharmacology*, 61(1), 73-81.
 - Cambau, E., & Drancourt, M. (2014). Steps towards the discovery of *Mycobacterium tuberculosis* by Robert Koch, 1882. *Clinical Microbiology and Infection*, 20(3), 196-201.
 - Cantor, D. (2017). Introduction: the uses and meanings of Hippocrates. In *Reinventing Hippocrates* (pp. 11-28). Routledge.
 - Carlsson, N. G., Karlsson, H., & Sandberg, A. S. (1992). Determination of oligosaccharides in foods, diets, and intestinal contents by high-temperature gas chromatography and gas chromatography/mass spectrometry. *Journal of agricultural and food chemistry*, 40(12), 2404-2412.
 - Carpenter, J. B. (1941). *A toximetric study of some eradicant fungicides*. University of Wisconsin--Madison.
 - Carter, K. C. (2017). *The decline of therapeutic bloodletting and the collapse of traditional medicine*. Routledge.
 - Carvalho, F. P. (2017). Pesticides, environment, and food safety. *Food and energy security*, 6(2), 48-60.
 - Casadevall, A., & Pirofski, L. A. (2002). What is a pathogen? *Annals of Medicine*, 34(1), 2-4.
 - Casterline Jr, J. L., Oles, C. J., & Ku, Y. (1999). Measurement of sugars and starches in foods by a modification of the AOAC total dietary fiber method. *Journal of AOAC International*, 82(3), 759-765.
 - Chandola, R. P., Mathur, S. C., & Anwer, M. (1970). A serious weed of the cumin crop "zeera"(*Plantago pumila* Willd.). *Science and Culture*, 36, 168-9.
 - Chattopadhyay, C., Meena, P. D., & Kumar, S. (2002). Management of Sclerotinia rot of Indian mustard using eco-friendly strategies. *J. Mycol. Plant Pathol*, 32(194), e200.
 - Chester, K. S. (1959). How sick is the plant? *Plant pathology*, 1, 99-142.
-

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Cheynier, V. (2012). Phenolic compounds: from plants to foods. *Phytochemistry reviews*, 11(2-3), 153-177.
- Cohen, Y., & Kuc, J. (1981). Evaluation of systemic resistance to blue mold-induced in tobacco leaves by prior stem inoculation with *Peronospora hyoscyami* f. sp. *tabacina*. *Phytopathology*, 71(8), 783-787.
- Cooke, B. M. (2006). Disease assessment and yield loss. In *The epidemiology of plant diseases* (pp. 43-80). Dordrecht: Springer Netherlands.
- Coombs, J. T., & Franco, C. M. (2003). Isolation and identification of actinobacteria from surface-sterilized wheat roots. *Applied and environmental microbiology*, 69(9), 5603-5608.
- Cowan, M. M. (1999). Plant products as antimicrobial agents. *Clinical microbiology reviews*, 12(4), 564-582.
- Crous, P. W., Hawksworth, D. L., & Wingfield, M. J. (2015). Identifying and naming plant-pathogenic fungi: past, present, and future. *Annual Review of Phytopathology*, 53, 247-267.
- Cucuzza, J. (1994). Crucifer diseases: a practical guide for seedsmen, growers & agricultural advisors.
- Dago, K. (2011). *Alternaria jacinthicola*, a new fungal species causing blight leaf disease on water hyacinth [Eichhornia]. *Journal of Yeast and Fungal Research*, 2(7).
- Damoiseaux, J. G., & Tervaert, J. W. (2002). The definition of autoimmune disease: are Koch's postulates applicable? *Neth J Med*, 60(7), 266-8.
- Dange, S. R. S., Pandey, R. N., & Savalia, R. L. (1992). Diseases of cumin and their management. *Agricultural Reviews-Agricultural Research Communications Centre India*, 13, 219-219.
- Dayarathne, M. C., Mridha, A. U., & Wang, Y. (2020). Diagnosis of fungal plant pathogens using conventional and molecular approaches. *Diagnostics of Plant Diseases*.
- Denman, S., Kirk, S. A., Brasier, C. M., & Webber, J. F. (2005). In vitro leaf inoculation studies as an indication of tree foliage susceptibility to *Phytophthora ramorum* in the UK. *Plant Pathology*, 54(4), 512-521.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- DICKSON, R. E. (1979). Analytical procedures for the sequential extraction of ¹⁴C-labeled constituents from leaves, bark, and wood of cottonwood plants. *Physiologia Plantarum*, 45(4), 480-488.
 - Diepgen, P. (1926). Krankheitswesen und Krankheitsursache in der spekulativen Pathologie des 19. Jahrhunderts. *Archiv für Geschichte der Medizin*, (H. 4), 302-327.
 - Dietrichs, H. H., & Schaich, E. (1964). Type, proportion and distribution of low-molecular carbohydrates in *Fagus sylvatica*. *Forstwiss. Centralbl*, 83, 212-222.
 - Dixit, S. N. (1975). Fungistatic properties of some seedling extracts.
 - Dobbs, J. T., Kim, M. S., Dudley, N. S., Klopfenstein, N. B., Yeh, A., Hauff, R. D., & Stewart, J. E. (2020). Whole genome analysis of the koa wilt pathogen (*Fusarium oxysporum* f. sp. koa) and the development of molecular tools for early detection and monitoring. *BMC genomics*, 21(1), 1-15.
 - Dorrance, A. E., Berry, S. A., Anderson, T. R., & Meharg, C. (2008). Isolation, storage, pathotype characterization, and evaluation of resistance for *Phytophthora sojae* in soybean. *Plant health progress*, 9(1), 35.
 - Doshi, H., Satodiya, H., Thakur, M. C., Parabia, F., & Khan, A. (2011). Phytochemical screening and biological activity of *Calotropis Procera* (Ait). R. Br. (Asclepiadaceae) against selected bacteria and *Anopheles Stephanie* Larvae. *Proteins*, 3(15), 22.
 - Edel-Hermann, V., & Lecomte, C. (2019). Current status of *Fusarium oxysporum formae speciales* and races. *Phytopathology*, 109(4), 512-530.
 - El-Maradny, Y. A., El-Fakharany, E. M., & Abouakkada, A. S. Polysaccharides from mushroom as potential prebiotics with their antioxidant activities.
 - El-Shami, M. A., Fadl, F. A., Sirry, A. R., & El-Zayat, M. M. (1985). Antifungal properties of garlic, and clove juice compared with fungicidal treatment against *Fusarium* with watermelon. *Egyptian Journal of Phytopathology*, 17, 55-62.
 - Enikuomehin, O. A., & Oyedele, E. O. (2010). Fungitoxic effect of some plant extracts against tomato fruit rot pathogens. *Archives of Phytopathology and Plant Protection*, 43(3), 233-240.
 - Evans, A. S. (1976). Causation and disease: the Henle-Koch postulates revisited. *The Yale journal of biology and medicine*, 49(2), 175.
-

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Evans, A. S. (1993). *Causation and disease: a chronological journey*. Springer Science & Business Media.
 - Evans, A. S., & Evans, A. S. (1993). Limitations of the Henle—Koch Postulates: Effect of New Concepts and of Technology. *Causation and Disease: A Chronological Journey*, 123-146.
 - Falkow, S. (2004). Molecular Koch's postulates applied to bacterial pathogenicity—a personal recollection 15 years later. *Nature Reviews Microbiology*, 2(1), 67-72.
 - Farnsworth, N. R., Akerele, O., Bingel, A. S., Soejarto, D. D., & Guo, Z. (1985). Medicinal plants in therapy. *Bulletin of the world health organization*, 63(6), 965.
 - Farr, D. F., Aime, M. C., Rossman, A. Y., & Palm, M. E. (2006). Species of *Colletotrichum* on Agavaceae. *Mycological Research*, 110(12), 1395-1408.
 - Fawzi, E. M., Khalil, A. A., & Afifi, A. F. (2009). Antifungal effect of some plant extracts on *Alternaria alternata* and *Fusarium oxysporum*. *African Journal of Biotechnology*, 8(11).
 - Fawzi, E. M., Khalil, A. A., & Afifi, A. F. (2009). Antifungal effect of some plant extracts on *Alternaria alternata* and *Fusarium oxysporum*. *African Journal of Biotechnology*, 8(11).
 - Fay, M. F. (2018). Orchid conservation: how can we meet the challenges in the twenty-first century? *Botanical studies*, 59, 1-6.
 - Fedak, K. M., Bernal, A., Capshaw, Z. A., & Gross, S. (2015). Applying the Bradford Hill criteria in the 21st century: how data integration has changed causal inference in molecular epidemiology. *Emerging themes in epidemiology*, 12, 1-9.
 - Fege, A. S., & Brown, G. N. (1984). Carbohydrate distribution in dormant *Populus* shoots and hardwood cuttings. *Forest Science*, 30(4), 999-1010.
 - Fisher, N. L., Burgess, L. W., Toussoun, T. A., & Nelson, P. E. (1982). Carnation leaves as a substrate and for preserving cultures of *Fusarium* species. *Phytopathology*, 72(1), 151-153.
 - Fowcett, C. H., & Spenser, D. M. (1970). Plant chemotherapy with the natural products-A review. *Phytopathol*, 8, 403-418.
-

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Fredericks, D. N., & Relman, D. A. (1996). Sequence-based identification of microbial pathogens: a reconsideration of Koch's postulates. *Clinical microbiology reviews*, 9(1), 18-33.
- Freeman, S., & Shabi, E. (1996). Cross-infection of subtropical and temperate fruits by *Colletotrichum* species from various hosts. *Physiological and Molecular Plant Pathology*, 49(6), 395-404.
- Furgal Wegrazyka, H. (1984). Czeka zeszyty Naukowe Akademi, Rolincz, Technizejw. *Olsztytie. Ralnictwo*, 39, 137-153.
- Furst, P. (1989). Amino acid metabolism in uremia. *Journal of the American College of Nutrition*, 8(4), 310-323.
- GANDHI, S., & VARMA, P. K. (2007). Variability among *Alternaria solani* isolates causing early blight of tomato.
- Gangopadhyay, S., Bhakar, B. R., & Godara, S. L. (2010). Effect of botanicals on cumin blight caused by *Alternaria burnsii*. *Journal of Mycology and Plant Pathology*, 40(4), 570.
- Ganie, S. A., Pant, V. R., Ghani, M. Y., Lone, A. H., Anjum, Q., & Razvi, S. M. (2013). In vitro evaluation of plant extracts against *Alternaria brassicae* (Berk.) Sacc. causing leaf spot of mustard and *Fusarium oxysporum f. sp. lycopersici* causing wilt of tomato. *Scientific Research and Essays*, 8(37), 1808-1811.
- Gardner, D. E. (1980). Acacia koa seedling wilt caused by *Fusarium oxysporum f. sp. koae*, f. sp. nov. *Phytopathology*, 70(7), 594-597.
- Garibaldi, A., Bertetti, D., & Gullino, M. L. (2009). Susceptibility of chrysanthemum and Paris daisy varieties to several isolates of *Fusarium oxysporum f. sp. chrysanthemi*. *Communications in agricultural and applied biological sciences*, 74(3), 651-657.
- Gaytán, V. G., Mendoza, M. D. L. N. R., Hernández, M. S., Trejo-Téllez, L. I., Santos, M. E. P., & Ponce, G. V. (2013). Volatile components in the flower, pedicellate ovary, and aqueous residue of cymbidium sp.(ORCHIDACEAE). *Journal of Analytical Sciences, Methods and Instrumentation*, 2013.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Gerretsen, F. C., & Haagsma, N. (1951). Occurrence of antifungal substances in Brassica rapa, Brassica oleracea, and Beta vulgaris. *Nature*, 168(4276), 659-659.
 - Gilman, J. C. (1957). A manual of Soil Fungi Iowa State College Press. *Anes, Iowa USA pp*, 392.
 - Glala, A. A., Hoda, A. M., & Fawzi, Z. F. (2005). Improving tomato plant growth, health, earliness, productivity, and fruit quality by chemically induced systematic resistance. *Journal of Applied Sciences Research*, 1(5), 362-372.
 - Glaze brook, J. (2005). Contrasting mechanisms of defense against biotrophic and necrotrophic pathogens. *Annu. Rev. Phytopathol.*, 43, 205-227.
 - Gordon, T. R. (2017). *Fusarium oxysporum* and the Fusarium wilt syndrome. *Annual review of phytopathology*, 55, 23-39.
 - Gornall, A. G., Bardawill, C. J., & David, M. M. (1949). Determination of serum proteins by means of the biuret reaction. *J. biol. Chem*, 177(2), 751-766.
 - Gottlieb, O. R., de MB Borin, M. R., & de Brito, N. R. S. (2002). Integration of ethnobotany and phytochemistry: dream or Govindachari, T. R., Suresh, G., Gopalakrishnan, G., Banumathy, B., & Masilamani, S. (1998). Identification of antifungal compounds from the seed oil of *Azadirachta indica*. *Phytoparasitica*, 26(2), 109-116. reality? *Phytochemistry*, 60(2), 145-152.
 - Gradmann, C. (2014). A spirit of scientific rigor: Koch's postulates in twentieth-century medicine. *Microbes and infection*, 16(11), 885-892.
 - Grainge, M., & Ahmed, S. (1988). *Handbook of plants with pest-control properties*. John Wiley & Sons Limited.
 - Gramaje, D., Agustí-Brisach, C., Pérez-Sierra, A., Moralejo, E., Olmo, D., Mostert, L. I. Z. E. L., ... & Armengol, J. (2012). Fungal trunk pathogens associated with wood decay of almond trees in Mallorca (Spain). *Persoonia-Molecular Phylogeny and Evolution of Fungi*, 28(1), 1-13.
 - Groenewald, S. (2006). Biology, pathogenicity and diversity of *Fusarium oxysporum* f. sp. *cubense*. The University of Pretoria.
 - Guarnaccia, V., Groenewald, J. Z., Woodhall, J., Armengol, J., Cinelli, T., Eichmeier, A., ... & Crous, P. W. (2018). Diapor the diversity and pathogenicity
-

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- revealed from a broad survey of grapevine diseases in Europe. *Persoonia-Molecular Phylogeny and Evolution of Fungi*, 40(1), 135-153.
- Gull, I., Saeed, M., Shaukat, H., Aslam, S. M., Samra, Z. Q., & Athar, A. M. (2012). Inhibitory effect of *Allium sativum* and *Zingiber officinalis* extracts on clinically important drug resistant pathogenic bacteria. *Annals of clinical microbiology and antimicrobials*, 11(1), 1-6.
 - Hamburger, M. and Hostettmann, K. (1991) Bioactivity in plants: The link between phytochemistry and medicine. *Phytochemistry* 30: 3864-3874.
 - Hammer, K. A., C. F. Carson and T. V. Riley, 1999. Antimicrobial activity of essential oils and other plant extracts. *J. Applied Microbiol.*, 86: 985-990.
 - Harris, C.A., Renfrew, M.J. and Woolridge, M.W. (2001). Assessing the risk of pesticide residues to consumers: recent and future developments. *Food Additives and Contamination* 18: 1124-1129.
 - Haslemere, R.M., and P.G. Roughan. 1976. Rapid chemical analysis of some plant constituents. *J. Sci. Food Agric.* 27:1171–1178.
 - Hassan N.S. and Maswada H.F. (2012). Proximate and phytochemical analyses of *Asparagus stipularis* and *Cyperus capitatus* and their antioxidant activities. Proceedings of the 11th Conference of the Agricultural Development Researches, 27-30, Ain Shams University, Egypt.
 - Hassanein, NM, Abou Zeid MA, Youssef KA, Mahmoud DA (2008). Efficacy of Leaf Extracts of Neem (*Azadirachta indica*) and Chinaberry (*Melia azedrach*) Against Early Blight and Wilt Diseases of Tomato. *Aust. J. Basic Appl. Sci.* 2(3): 763-772.
 - Hayes W.J. and Laws E.R. (1991). *Handbook of Pesticide Toxicology*, Vol.1. Academic Press, India.
 - Hendrix, D.L. 1993. Rapid extraction and analysis of nonstructural carbohydrates in plant tissues. *Crop Sci.* 33:1306–1311.
 - Hirano Y, Arie TJ (2006) PCR-based differentiation of *Fusarium oxysporum* f. sp. *lycopersici* and *radicislycopersici* and races of *F. oxysporum* f. sp. *lycopersici*. *Gen. Plant. Pathol* 72: 273-283.
 - Hofler, M. (2005). The Bradford Hill considerations on causality: a counterfactual perspective. *Emerging themes in epidemiology*, 2, 1-9.
-

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Hussein, M. A., & Batra, A. (1998). In vitro embryogenesis of cumin hypocotyl segments. *Advances in Plant Sciences*, 11, 125-128.
 - Hussein, M. M., Abo-Elyousr, K. A., Hassan, M. A., Hashem, M., Hassan, E. A., & Alamri, S. A. (2018). Induction of defense mechanisms involved in disease resistance of onion blight disease caused by *Botrytis allii*. *Egyptian Journal of Biological Pest Control*, 28, 1-11.
 - Iannelli D, Capparelli R (1982) Serological differentiation among formae speciales and physiological races of *Fusarium oxysporum*. *Mycologia* 74(2): 313-319.
 - Ignjatov M, Milošević D, Nikolić Z, Gvozdanović-Varga J, Jovičić, Zdjelar G (2012) *Fusarium oxysporum* as causal agent of tomato wilt and fruit Rot. *Pestic. Phytomed* 27(1): 25-31.
 - Ismaiel A.A. (2009). Inhibitory effect of Egyptian garlic extract on penicillic acid production. *Egypt. J. Microbiol.*, 44, 1- 14.
 - Jan, R.; Asaf, S.; Numan, M.; Lubna; Kim, K.-M. Plant Secondary Metabolite Biosynthesis and Transcriptional Regulation in Response to Biotic and Abiotic Stress Conditions. *Agronomy* 2021, 11, 968.
 - Janairo, G., Linley, M. S., Yap, L., Llanos-Lazaro, N., & Robles, J. (2015). Determination of the sensitivity range of biuret test for undergraduate biochemistry experiments.
 - Jayawardena, R. S., Hyde, K. D., Chen, Y. J., Papp, V., Palla, B., Papp, D., ... & Wang, Y. (2020). One stop Shop IV: taxonomic update with molecular phylogeny for important phytopathogenic genera: 76–100 (2020). *Fungal Diversity*, 103, 87-218.
 - Jeanes A and Hodge 1975 *Ph physiological Effects of Food Carbohydrates* (Washington DC: ACS Symposium Series, 15).
 - Jespers, A. B. K., & De Waard, M. A. (1993). Natural products in plant protection. *Netherlands Journal of Plant Pathology*, 99, 109-117.
 - Jacob, C.K. and Sivaprakasam, K. 1994. Evaluation of some plant extracts and antagonists for the control of preemergence damping-off of brinjal (*Solanum melongena* L.) In: Crop Disease-innovative Techniques and Management (Sivaprakaasam, K. ed.). Kalayni Publisher, New Dehli, 289-294 PP.
-

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- José Francisco de Carvalho Gonçalves, Ulysses Moreira dos Santos Junior e Emerson Alves da Silva, 2008. Evaluation of a portable chlorophyll meter to estimate chlorophyll concentrations in leaves of tropical wood species from Amazonian forest. *Hoehnea* 35(2): 185- 188.
- José Francisco de Carvalho Gonçalves, Ulysses Moreira dos Santos Junior e Emerson Alves da Silva, 2008. Evaluation of a portable chlorophyll meter to estimate chlorophyll concentrations in leaves of tropical wood species from Amazonian forest. *Hoehnea* 35(2): 185- 188.
- Justin J.S., Milton A. and Natesan G. (2014). Phytochemical evaluation of peel of *Citrus reticulata* Blanco using various solvent extracts. *Intern. J. Pharm. Sci. Bus. Manag.*, 2, 26-35.
- Juvatkar P.V., Kale M.K., Jalalpure S.S., Sandeep W., Pravin N. and Vishal J. (2012). Antimicrobial activity of leaves of *Artemisia vulgaris* L., Ph. D. Thesis, Department of Pharmacognosy and Phytochemistry Konkan Gyanpeeth Rahul Dharkar College of Pharmacy, Karjat, Dist-Raigadh.
- Kafi, M. (2002). Cumin (*Cuminum cyminum*) Production and Processing. Ferdowsi University of Mashhad press. 195
- Kagale, S., T. Marimuthu, B. Thayumanavan, R. Nandakumar and R. Samiyappan, 2004. Antimicrobial activity and induction of systemic resistance in rice by leaf extract of daturametel against *Rhizoctonia solani* and *Xanthomonas oryzae* pv. *Oryza*. *Physiol. Mol. Plant Pathol.*, 65: 91- 100.
- Kahkonen, M. P., Hopia, A. I., Vuorela, H. J., Rauha, J. P., Pihlaja, K., Kujala, T. S., & Heinonen, M. (1999). Antioxidant activity of plant extracts containing phenolic compounds. *Journal of agricultural and food chemistry*, 47(10), 3954-3962.
- Kaladhar, D. S. V. G. K., Duddukuri, G. R., Ramesh, K., Varahalaraao Vadlapudi, V., & Yarla, N. S. (2013). In vitro protease Inhibition, Modulation of PLA2 Activity and Protein Interaction Studies of *Calotropis gigantea*. *J. Clin. Cell. Immunol.*, 4, 1000165.
- Kamlesh M, Gurjar RBS (2002). Evaluation of different fungal antagonist's plant extracts and oil cakes against *Rhizoctonia solani* causing stem rot of chilli. *Annu. Plant Prot. Sci.* 10:319-322.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Kapoor S, Harsh NSK, Sharma SK (2004) A new wilt disease of *Acacia nilotica* caused by *Fusarium oxysporum*. *J Trop for Sci* 16(4):453–462.
- Kareem, S. O., Akpan, I., & Ojo, O. P. (2008). Antimicrobial activities of *Calotropis procera* on selected pathogenic microorganisms. *African journal of biomedical research*, 11(1).
- Katan, J. (2000). Physical and cultural methods for the management of soil-borne pathogens. *Crop Protection*, 19(8-10), 725-731.
- Kaufmann, S. H., & Schaible, U. E. (2005). 100th anniversary of Robert Koch's Nobel Prize for the discovery of the tubercle bacillus. *Trends in microbiology*, 13(10), 469-475.
- Kaushik P. and Goyal P. (2008). In-vitro, evaluation of *Datura innoxia* (thorn-apple) for potential antibacterial activity. *Ind. J. of Microbiol.*, 48, 353- 357.
- Kennelly, M. (2007). Wilt, Nematode, and Virus Diseases. Kansas State University, 723pp.
- Khaleghi. E, Arzani. K, Moallemi.N, Barzegar.M, 2012. Evaluation of chlorophyll content and chlorophyll Fluorescence parameters and Relationships between chlorophyll a, b, and chlorophyll content Index under water stress in *Olea europaea* cv. Dezful, World Academy of Science, Engineering, and Technology 68 1154-1157.
- Khan, M. I., & Rishi, K. (1990). Antifungal activity of leaf extract of neem on seed mycoflora of wheat. *Indian Journal of Applied and Pure Biology*, 5(1), 13-14.
- Kingsley, G. R. (1939). The determination of serum total protein, albumin, and globulin by the biuret reaction. *Journal of Biological Chemistry*, 131, 197-200.
- Kingsley, G. R. (1939). The determination of serum total protein, albumin, and globulin by the biuret reaction. *Journal of Biological Chemistry*, 131, 197-200.
- Kitts D.D., Wijewickreme A.N. and Hu C. (2000). Antioxidant properties of a North American ginseng extract. *Molec. Cell Biochem.*, 203,1-10.
- Koirala, P., Kumar, S., Yadav, B.K., and Premarajan, K.C. (2005) Occurrence of Aflatoxin in some of the food and feed in Nepal. *Indian Journal of Medical Sciences* 59: 331-336.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Kousar M., Suresh Babu. G., Lavanya. GR, Abraham G. 2007. Studies of Chlorophyll by different methods in Black gram (*Vigna mungo*). International Journal of Agricultural Research. 2:651-654.
- Kranz, J. (1988). Measuring plant disease. In *Experimental techniques in plant disease epidemiology* (pp. 35-50). Berlin, Heidelberg: Springer Berlin Heidelberg.
- Kris-Etherton, P. M., Hecker, K. D., Bonanome, A., Coval, S. M., Binkoski, A. E., Hilpert, K. F., ... & Etherton, T. D. (2002). Bioactive compounds in foods: their role in the prevention of cardiovascular disease and cancer. *The American journal of medicine*, 113(9), 71-88.
- Krishna, A., Prasad, A., & Ojha, N. L. (1986). Antifungal evaluation of leaf extracts for the control of some Cucurbitaceae fruit rot diseases. *Indian Phytopathology*, 39, 152-162.
- Krishnaiah, D., Sarbatly, R., & Bono, A. (2007). Phytochemical antioxidants for health and medicine: A move towards nature. *Biotechnol Mol Biol Rev*, 1(4), 97-104.
- Kumar, A., Rahal, A., Chakraborty, S., Tiwari, R., Latheef, S. K., & Dhama, K. (2013). *Ocimum sanctum* (Tulsi): a miracle herb and boon to medical science-A Review. *Int J AgronPlant Prod*, 4(7), 1580-9.
- Kumar, S., Sangwan, M.S., Mehta, N. and Kumar, R. (2003). Pathogenic diversity in isolates of *Alternaria brassicae* infecting rapeseed and mustard. *J. Mycol. Pl. Pathol.*, 33(1): 59-64.
- Kwasna, H. and Bateman, G. L. (2005). Aberrant growth and conidiation in wild-type cultures of *Fusarium* species from wheat. *Journal of Phytopathology*, 153: 1-7.
- Kwon, O. K., Jeong, A. R., Jeong, Y. J., Kim, Y. A., Shim, J., Jang, Y. J., ... & Park, C. J. (2021). Incidence of *Alternaria* species associated with watermelon leaf blight in Korea. *The Plant Pathology Journal*, 37(4), 329.
- Lcoffler F. Untersuchung über die Bedeutung der Mikroorganismen für die Entstehung der Diphtherie beim Menschen, bei der Taube und beim Kalbe. *Mittheilungen aus dem kaiserlichen Gesundheitsamte* 1884; 2:421e99.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Leicach S.R., Garau A.M., Guarnaschelli A.B., Yaber Grass M.A., Sztarker N.D. and Dato, A. (2010). Changes in Eucalyptus Canadensis essential oil composition as a response to drought preconditioning. *J. Plant Interac.*, 5, 205-210.
- Leslie JF, Summerell BA (2006) The Fusarium Laboratory Manual, ed. Blackwell Publishing. USA. 388p.
- Li, Y., Sun, S., Zhong, C., & Zhu, Z. (2017). Detached-petiole inoculation method to evaluate Phytophthora root rot resistance in soybean plants. *Crop and Pasture Science*, 68(6), 555-560.
- Lin, D., Xiao, M., Zhao, J., Li, Z., Xing, B., Li, X., ... & Chen, S. (2016). An overview of plant phenolic compounds and their importance in human nutrition and management of type 2 diabetes. *Molecules*, 21(10), 1374.
- Lin, Q., Kanchana-udomkarn, C., Jaunet, T., & Mongkolporn, O. (2002). Genetic analysis of resistance to pepper anthracnose caused by *Colletotrichum capsici*. *Thai Journal of Agricultural science*, 35(3), 259-264.
- Lindahl, J. F., & Grace, D. (2015). The consequences of human actions on risks for infectious diseases: a review. *Infection ecology & epidemiology*, 5(1), 30048.
- Liu, X., Xie, X., & Duan, J. (2007). *Colletotrichum yunnanense* sp. nov., a new endophytic species from *Buxus* sp. *Mycotaxon*, 100, 137-144.
- Lucking, R., Aime, M. C., Robbertse, B., Miller, A. N., Ariyawansa, H. A., Aoki, T., ... & Schoch, C. L. (2020). Unambiguous identification of fungi: where do we stand and how accurate and precise is fungal DNA barcoding? *IMA fungus*, 11(1), 1-32.
- Luque, J., Parladé, J., & Pera, J. (2000). Pathogenicity of fungi isolated from *Quercus suber* in Catalonia (NE Spain). *Forest Pathology*, 30(5), 247-263.
- MacRae, J.C., D. Smith and R.M. McCready. 1974. Starch estimation in leaf tissue—a comparison of results using six methods. *J. Sci. Food Agric.* 25:1465–1469.
- Manasi, M., & Tewari, S. N. (1992). Toxicity of *Polyalthia longifolia* against fungal pathogens of rice. *Indian Phytopathology*, 45(1), 59-61.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Maoz, M. and I. Neeman, 1998. Antimicrobial effects of aqueous plant extracts on the fungi *Microsporumcanis* and *Trichophytonrubrum* and on three bacterial species. *Lett. Applied Microbiol.*, 26: 61-63.
- Mark, M. (2002). Mechanisms of natural soil suppressiveness to soilborne diseases. Kluwer Academic Publishers., 81: 557–564. Kennelly, M. (2007). *Wilt, Nematode, and Virus Diseases*. Kansas State University, 723pp.
- Markakis, E. A., Kavroulakis, N., Ntougias, S., Koubouris, G. C., Sergentani, C. K., & Ligoxigakis, E. K. (2017). Characterization of fungi associated with wood decay of tree species and grapevine in Greece. *Plant Disease*, 101(11), 1929-1940.
- Maswada H.F. and Elzaawely A.A. (2013). Nutritive value of *Stipa* *gostis* *lanata* (Forssk.) De Winter as a feed for livestock. *Asian J. Crop. Sci.*, 5, 216-221.
- Matsuki M., Foley W.J. and Floyd R.B. (2011). Role of volatile and non-volatile plant secondary metabolites in host tree selection by Christmas beetles. *J. Chem. Ecology*, 37, 286–300.
- Maude RB, Humpherson-Jones FM. 1980. Studies on the seedborne phases of dark leaf spot (*Alternaria brassicicola*) and gray leaf spot (*Alternaria brassicae*) of brassicas. *Annals of Applied Biology* 95: 311–319.
- Maya, C., & Thippanna, M. (2013). In vitro evaluation of ethnobotanical important plant extracts against early blight disease (*Alternaria solani*) of tomato. *Global Journal of Bioscience and Biotechnology*, 2, 248-252.
- Meena RP, Roy S (2020) Morphological and molecular characterization of *Fusarium* sp. causing wilt disease of isabgol (*Plantago ovata* Forsk.) and its management strategies. *J Appl Res Med Aromat Plants* 100244
- Mehrotra RS, Aneja KR (2003). An introduction to Mycology. New Age International (P) Ltd., New Delhi, pp. 594-610.
- Melkmania, N. P. 1980. *Lepidium sativum* Linn - A new host record for *Alternaria alternata*. (Fr.) Keissler. *Curr.Sci.* 49: 27-28
- Merton, R. K. (1957). Priorities in scientific discovery: a chapter in the sociology of science. *American sociological review*, 22(6), 635-659.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Méthot, P. O., & Alizon, S. (2014). What is a pathogen? Toward a process view of host-parasite interactions. *Virulence*, 5(8), 775-785.
- Miller, G.L. 1959. Use of dinitro salicylic acid reagent for determination of reducing sugar. *Anal. Chem.* 31:426– 428.
- Mishra RK, Gupta RP (2012). In vitro evaluation of plant extracts, bioagents, and fungicides against purple blotch and Stemphylium blight of onion. *J. Med. Plants Res.* 6(45):5658-5661.
- Misra SB, Dixit SN (1977). Fungicidal Properties of Clematis gouriana. *Phytopathology* 30:577–579.
- Misra, S.B. and Dixit, S.N. 1976. Fungicidal spectrum of the leaf extract of Allium sativum. *Indian Phytopathology*, 29: 448-449
- Montri, P., Taylor, P. W. J., & Mongkolporn, O. (2009). Pathotypes of *Colletotrichum capsici*, the causal agent of chili anthracnose, in Thailand. *Plant Disease*, 93(1), 17-20.
- Mordue (Luntz), A. J. and A. J. Nisbet, 2000. Azadiractin from the neem tree *Azadiracta indica*: Its action against insects. *Ann. Braz. Soc. Entomol.*, 29: 615-632.
- Mousa, M. A., Abo-Elyousr, K. A., Abdel Alal, A. M., & Alshareef, N. O. (2021). Management of Fusarium wilt disease in tomato by combinations of *Bacillus amyloliquefaciens* and peppermint Oil. *Agronomy*, 11(12), 2536.
- Naidu, A. D., & John, V. T. (1981). In vitro inhibition of rice fungal pathogens by extracts from higher plants. *Int. Rice Res. News*, 6(5), 12-14.
- Naik, M.K., Prasad, Y., Bhat, K.V. and Devika Rani, G.S. (2010). Morphological, physiological, pathogenic and molecular variability among isolates of *Alternaria solani* from tomato. *Indian Phytopath.*, 63(2): 168-173.
- Nakayama K, Waki T, Aoki T, Morishima S, Fukuda M (2010) Pathogenicity of *Fusarium solani* f. sp. *eumartii*, the causal pathogen of foot rot of tomato, on flowers, fruits, and stems of tomato plants. *Jpn. J. Phytopathol* 76: 135-141.
- Nashwa SMA, Abo-Elyousr KAM (2012). Evaluation of Various Plant Extracts against the Early Blight Disease of Tomato Plants under Greenhouse and Field Conditions. *Plant Prot. Sci.* 48(2):74–79.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Nassabadi, H., Armin, M., & MArvi, H. (2019). The effect of weed interference duration on yield and yield components of cumin in irrigated and rainfed conditions. *Journal of Crop Production*, 12(2), 157-170.
- Naz, R., Bano, A., Nosheen, A., Yasmin, H., Keyani, R., Shah, S. T. A., ... & Roberts, T. H. (2021). Induction of defense-related enzymes and enhanced disease resistance in maize against *Fusarium verticillioides* by seed treatment with *Jacaranda mimosifolia* formulations. *Scientific Reports*, 11(1), 59.
- Ncube, N. S., A. J. Afolayan and A. I. Okoh, 2008. Assessment techniques of antimicrobial properties of natural compounds of plant origin: Current methods and future trends. *Afr. J. Biotechnol.*, 7: 1797-1806
- Nees, V. E. 1816. Das System der Pilze und Schwamme. Stahelsche, Wurzberg. pp. 329.
- Nelson, A., De Soyza, A., Perry, J. D., Sutcliffe, I. C., & Cummings, S. P. (2012). Polymicrobial challenges to Koch's postulates: ecological lessons from the bacterial vaginosis and cystic fibrosis microbiomes. *Innate Immunity*, 18(5), 774-783.
- Nene YL, Thapliyal PN (1993). Fungicides in Plant Disease Control. III edition. Oxford and IBH Publishing Company, New Delhi, India, pp 531-532.
- Nikam, P. S., Jagtap, G. P., & Sontakke, P. L. (2007). Management of chickpea wilt caused by *Fusarium oxysporum f. sp. ciceri*. *African Journal of Agricultural Research*, 2(12), 692-697.
- O'Donnell, K. (2000). Molecular phylogeny of the *Nectria haematococca*-*Fusarium solani* species complex. *Mycologia*, 92(5), 919-938.
- Ofunne, J. I. (1999). Bacteriological examination of clinical specimens. Achugo publications, Ama J.K. Recreation Park, Owerri, Nigeria.
- Orole, O.O and Adejumo T.O. (2009). The activity of fungal endophyte against four maize wilt pathogens. *African J. Microbiol. Res.* 3: 969-973.
- Orr R, Nelson PN (2018) Impacts of soil abiotic attributes on *Fusarium* wilt, focusing on bananas. *Appl Soil Ecol* 132:20–33
- Ortoneda, M., Guarro, J., Marta, P. M., Caracuel, Z. M., Roncero, I. G., Mayayo, E. and Antonio, D. P. (2004). *Fusarium oxysporum* as a multihist

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- model for the genetic dissection of fungal virulence in plants and mammals, *Infect Immun.*, 72(3): 1760–1766.
- Osterhaus, A. D. M. E., Fouchier, R. A. M., & Kuiken, T. (2004). A etiology of SARS: Koch's postulates fulfilled. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 359(1447), 1081-1082.
 - Ozer, N., Koyca, D., Chiloni, G., Pizzuolo, P.H., Coskuntuna A. and Magro, P. 2003. Pectolytic isoenzymes by *Fusarium oxysporum* f sp. *cepae* and antifungal compounds in onion cultivars as a response to pathogen infection. *Canadian Journal of Plant Pathology*, 25: 249–257.
 - P. P., Jeewon, R., Hyde, K. D., Pongsupasamit, S., Mongkolporn, O., & Taylor, P. W. J. (2008). Characterization and pathogenicity of *Colletotrichum* species associated with anthracnose on chilli (*Capsicum* spp.) in Thailand. *Plant pathology*, 57(3), 562-572.
 - Paganga, G., Miller, N., & Rice-Evans, C. A. (1999). The polyphenolic content of fruit and vegetables and their antioxidant activities. What does a serving constitute? *Free Radical Research*, 30(2), 153-162.
 - Pandey KK, Kalloo PKPG, Banerjee MK (2003) Resistance to the early blight of tomato with respect to various parameters of disease epidemics. *J Gen Plant Pathol* 69:364-371.
 - Pandey, K.K., Pandey, P.K. and Rai, M. (2005). Molecular characterization, cultural and pathogenic variability of *Alternaria solani* isolates. *J. Mycol. Pl. Pathol.*, 35(3): 483.
 - Parajuli, D. P., Gyanwali, A. R., & Shrestha, B. M. (1998). A manual of the important nontimber forest products in Nepal, Training and Manpower Development in CFM.
 - Parkunan, V., Li, S., Fonsah, E. G., & Ji, P. (2013). First report of Alternaria leaf spot of banana caused by *Alternaria alternata* in the United States. *Plant Disease*, 97(8), 1116-1116.
 - Parsa, S., García-Lemos, A. M., Castillo, K., Ortiz, V., López-Lavalle, L. A. B., Braun, J., & Vega, F. E. (2016). Fungal endophytes in germinated seeds of the common bean, *Phaseolus vulgaris*. *Fungal Biology*, 120(5), 783-790.
 - Pathol 69:364-371. 22. Rodrigues AAC, Menezes M (2006) Identification and

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- pathogenic characterization of endophytic *Fusarium* species from cowpea seeds. *Anais da Academia Pernambucana de Ciéncia Agronómica* 3: 203-215.
- Pedras MS, Chumala PB, Jin W, Islam MS, Hauck DW. 2009. The phytopathogenic fungus *Alternaria brassicicola*: Phytoxin production and phytoalexin elicitation. *Phytochemistry* 70: 394–402
 - Peruch LAM, Michereff SJ, Araújo IB. 2006. Survey of the intensity of *Alternaria* black spot and black rot on brassica species under organic farming systems in Pernambuco and Santa Catarina states, Brazil. *Horticultura Brasileira* 24: 464–469 (in Portuguese).
 - Phillips, A. J., Hyde, K. D., Alves, A., & Liu, J. K. (2019). Families in *Botryosphaerales*: a phylogenetic, morphological and evolutionary perspective. *Fungal diversity*, 94(1), 1-22.
 - Phillips, C. V., & Goodman, K. J. (2004). The missed lessons of sir Austin Bradford Hill. *Epidemiologic Perspectives & Innovations*, 1(1), 1-5.
 - Phukhamsakda, C., McKenzie, E. H., Phillips, A. J., Gareth Jones, E. B., Jayarama Bhat, D., Stadler, M., ... & Hyde, K. D. (2020). Microfungi associated with Clematis (Ranunculaceae) with an integrated approach to delimiting species boundaries. *Fungal diversity*, 102, 1-203.
 - Pipaliya, B. H. and Jadeja, K. B. (2008). Management of cumin blight using fungicide. *J. Mycol. Pl. Pathol.* 38:243-244.
 - Pipaliya, B.H. and Jadeja, K.B. (2008). Cultural variability and mancozeb sensitivity of different isolates of *Alternaria burnsii*. *J. Mycol. Pl. Pathol.*, 38(l): 121-122.
 - Polra, M. H. and Jadeja, K. B. (2011). Evaluation and integration of fungicides, phytoextracts and bioagents against *Alternaria burnsii* causing cumin blight. *J. Mycol. Pl. Pathol.* 41: 126-131.
 - Postic J, Cosic J, Vrandecic K, Jurkovic D, Saleh AA, Leslie JF (2012) Diversity of *Fusarium* species isolated from weeds and plant debris in Croatia. *J Phytopathol* 160:76–81.
 - Pramod Kumar, T., 2007. Biological management of *Alternaria* blight of onion. M.Sc. Thesis, University of Agricultural Science, Dharwad, India.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Prasad A K and Ojha N L. Antifungal evaluatiion of leaf extracts for the control at some cucurbitaceous fruit rot diseases. Abstract, Indian Phytopath., 39 (1986) 153.
 - Prasad SM, Barnwal MK (1994). Evaluation of plant extracts in management of Stemphylium blight of onion. Indian Phytopathol. 57:110-111.
 - Rahimloo T, Ghosta Y. 2015. The occurrence of Alternaria species on cabbage in Iran. ZemdirbysteAgriculture 102: 343–350.
 - Rai, M.K. and Acharya, D. 1999. Screening of some Asteraceous plants for antimycotic activity. Compositae Newsletter, 34: 37–43
 - Rajesh A. and Sharma G.L. (2002). Studies on antimycotic properties of Datura metel. J. Ethnopharmacol., 80, 193-197.
 - Ramakuwela, T., Hatting, J., Bock, C., Vega, F. E., Wells, L., Mbata, G. N., & Shapiro-Ilan, D. (2020). Establishment of Beauveria bassiana as a fungal endophyte in pecan (*Carya illinoiensis*) seedlings and its virulence against pecan insect pests. *Biological Control*, 140, 104102.
 - Ramamoorthy, V., & Samiyappan, R. (2001). Induction of defense-related genes in *Pseudomonas fluorescens* treated chilli plants in response to infection by *Colletotrichum capsici*. *J. Mycol. Plant Pathol*, 31(2), 146-155.
 - Ranawane A., Singh V. and Nimbkar N. (2010). Invitro antifungal study of the efficacy of some plant extracts for inhibition of *Alternaria carthami* fungus. Indian Journal of Natural Products and Resources, 1, 384-386.
 - Rao, M. S. L., 2006. Management of *Alternaria* leaf spot in sunflower. Annual Report 2005-2006, Directorate of Oilseeds Research, India, pp: 54.
 - Ravikumar MC, Rajkumar HG (2013). Antifungal activity of plant extracts against *Alternaria solani*, the causal agent of early blight of tomato. Arch. Phytopathol. Plant Prot. DOI:10.1080/03235408.2013.780350.
 - Rayavarapu, K. A., Kaladhar, D. S. V. G. K., & Kumar, S. (2011). Evaluation of the antimicrobial activity of *Lawsonia inermis* (Henna) on aqua pathogens. *Journal of Pharmaceutical and Biomedical Sciences (JPBMS)*, 7(07).
 - Rayment, G. E., Hill, R., & Greaves, A. (2012). Using interlaboratory proficiency data to guide NIR/MIR calibrations. *Communications in soil*
-

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- science and plant analysis*, 43(1-2), 399-411.
- Reddy, N., Reddy, R., & Jiang, Q. (2015). Crosslinking biopolymers for biomedical applications. *Trends in biotechnology*, 33(6), 362-369.
 - Riaz, T., Khan, S.N. and Javaid A. (2008). Antifungal activity of plant extract against *Fusarium oxysporum* the cause of corm rot of Gladiolus. *Mycopathology* 6: 13-15
 - Rice-Evans, C. A., Miller, N. J., & Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free radical biology and medicine*, 20(7), 933-956.
 - Rice-evans, C. A., Miller, N. J., Bolwell, P. G., Bramley, P. M., & Pridham, J. B. (1995). The relative antioxidant activities of plant-derived polyphenolic flavonoids. *Free radical research*, 22(4), 375-383.
 - Richardson, A.D., Duigan, S.P. & Berlyn, G.P. 2002. An evaluation of noninvasive methods to estimate foliar chlorophyll content. *New Phytologist* 153: 185-194.
 - Riedel, M., Werres, S., Elliott, E., McKeever, K., & Shamoun, S. F. (2012). Histopathological investigations of the infection process and propagule development of *Phytophthora ramorum* on rhododendron leaves. *Forest Phytopthoras*, 2(1).
 - Rivers, T. M. (1937). Viruses and Koch's postulates. *Journal of Bacteriology*, 33(1), 1-12.
 - Rodriguez, I. R., & Miller, G. L. 2000. Using a chlorophyll meter to determine the chlorophyll concentration, nitrogen concentration, and visual quality of St. Augustinegrass. *HortScience*, 35(4), 751
 - Rokayya S, Li CJ, Zhao Y, Li Y, Sun CH. 2013. Cabbage (*Brassica oleracea* L. var. *capitata*) phytochemicals with antioxidant and anti-inflammatory potential. *Asian Pacific Journal of Cancer Prevention* 14: 6657–6662.
 - Romberg MK, Davis RM (2007) Host range and phylogeny of *Fusarium solani* f. sp. *eumartii* from potato and tomato in California. *Plant Dis* 91:585-592.
 - Ross, L. N., & Woodward, J. F. (2016). Koch's postulates: an interventionist perspective. *Studies in History and Philosophy of Science Part C: Studies in History and Philosophy of Biological and Biomedical Sciences*, 59, 35-46.
-

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Saha, U. K., Sonon, L., & Kissel, D. E. (2012). Comparison of conductimetric and colorimetric methods with distillation–titration method of analyzing ammonium nitrogen in total Kjeldahl digests. *Communications in Soil Science and Plant Analysis*, 43(18), 2323-2341.
 - Sahayaraj, K., Namasivayam, S.K.R. and Borgio, J. A. F. 2006. Influence of three plant extracts on *Fusarium oxysporum f. sp. criteria* mycelium growth. *Journal of Plant Protection Research*, 46 (4): 335 – 338.
 - Salinas-Moreno, Y., García-Salinas, C., Ramírez-Díaz, J. L., & Alemán-de la Torre, I. (2017). Phenolic compounds in maize grains and its nixtamalized products. *Phenolic compounds-natural sources, importance and applications*, 8, 215-232.
 - Santos, G. A., dos Santos, A. P., & Korndoerfer, G. H. (2012). System by near infrared (NIR) for analysis of nitrogen foliar. *Bioscience Journal*, 28(1, Suppl. 1), 83-90.
 - Sarandy MM, Novaes RD, da Matta SLP, Mezencio JMDS, da Silva M.B, Zanuncio JC, Gonçalves RV. 2015. Ointment of *Brassica oleracea* var. capital matures the extracellular matrix in skin wounds of Wistar rats. *Evidence-Based Complementary and Alternative Medicine* 2015: 919342.
 - Sarnobat, D. H., Balgude, Y. S., Bhoge, R. S., & Shete, B. T. *Frontiers in Crop Improvement*.
 - Sauter, J.J. 1988. Temperature-induced changes in starch and sugars in the stem of *Populus × canadensis* “Robusta”. *J. Plant Physiol.* 132:608–612.
 - Sayed AKM, Kaiser, Gupta PKS (1976) Serological and Electrophoretic studies of three formae speciales of *Fusarium oxysporum*. *Trans. Br. Mycol. Soc* 67 (1): 33- 37.
 - Schneider, D. J., & Collmer, A. (2010). Studying plant-pathogen interactions in the genomics era: beyond molecular Koch's postulates to systems biology. *Annual Review of Phytopathology*, 48, 457-479.
 - Schoch, C. L., Seifert, K. A., Huhndorf, S., Robert, V., Spouge, J. L., Levesque, C. A., ... & White, M. M. (2012). Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. *Proceedings of the national academy of Sciences*, 109(16), 6241-6246.
-

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Scott, T.A., and E.H. Melvin. 1953. Determination of dextran with anthrone. *Anal. Chem.* 25:1656–1661.
- Segre, J. A. (2013). What does it take to satisfy Koch's postulates two centuries later? Microbial genomics and Propionibacteria acnes. *Journal of Investigative Dermatology*, 133(9), 2141-2142.
- Senanayake, I. C., Rathnayaka, A. R., Marasinghe, D. S., Calabon, M. S., Gentekaki, E., Lee, H. B., ... & Xiang, M. M. (2020). Morphological approaches in studying fungi: Collection, examination, isolation, sporulation and preservation. *Mycosphere*, 11(1), 2678-2754.
- Shahidi, F. (Ed.). (1997). *Natural antioxidants: chemistry, health effects, and applications*. The American Oil Chemists Society.
- Shahnaz, E., Razdan, V.K., Andrabi, M. and Rather T.R. (2013). Variability among *Alternaria porri* isolates. *Indian Phytopath.*, 66(2): 164-167.
- Sharma B., Srivastava K. K., Verma N., Niwas R. and Singh M. (2014). Antifungal potential of leaf extract of *Datura stramonium* L., against some important plant pathogenic fungi. *Acta Biologica Indica*, 3, 659-662.
- Sharma, N. and Trivedi, P.C. (2002). Screening of leaf extracts of some plants for their nematicidal and fungicidal properties against *Meloidogyne incognita* and *Fusarium oxysporum*. *Asian J. Exp. Sci.* 16: 21-28.
- Sharma, V. P., & Jandaik, C. L. (1994). Effect of some plant materials in controlling different molds in *Agaricus bisporus*(Lange) Imbach. *Indian Journal of mycology and Plant Pathology*, 24(3), 183-185.
- Shekhawat PS, Prasada RL (1971). Anti-fungal activities of some plant extracts. Inhibition of spore germination. *Indian Phytopathology*. 24:800–802.
- Shekhawat, N., Trivedi, A., Kumar, A. and Sharma, S. K. (2013). Management of *Alternaria burnsii* causing blight of cumin. *Int. J. Plant Protect.* 6:280-284.
- Shivpuri A, Gupta RBL (2001). Evaluation of different fungicides and plant extracts against *Sclerotinia sclerotiorum* causing stem rot of mustard. *Phytopathology* 52:272-274.
- Shobana S., Vidhya V.G. and Ramya M. (2009). Antibacterial activity of garlic varieties (*ophioscordon* and *sativum*) on enteric pathogens. *Curr. Res. J. of Biol. Sci.*, 1,123–6.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Siciliano, I., Gilardi, G., Ortu, G., Gisi, U., Gullino, M. L., & Garibaldi, A. (2017). Identification and characterization of Alternaria species causing leaf spot on cabbage, cauliflower, wild and cultivated rocket by using molecular and morphological features and mycotoxin production. *European Journal of Plant Pathology*, 149, 401-413.
- Siddiquee S. (2017) Practical handbook of the biology and molecular diversity of Trichoderma species from tropical regions, ed. Springer, Cham. Switzerland.102p.
- Silva, J. C. and Wagner, B. (2005). Potential of non-pathogenic *Fusarium oxysporum* isolates for control of Fusarium wilt of tomato. *Fitopatol. Bras.*, 30: 409-412.
- Simmons EG. 2007. Alternaria: an identification manual, vol 6. CBS Biodiversity, Utrecht, The Netherlands.
- Singh R, Singh SB, Palat R (2003). Management of sclerotinia stem rot of ajowan through fungicides and biopesticides. *Ann. Plant Prot. Sci.* 11:165.
- Singh RP, Gangadarappa HV, Mruthunjaya K. *Cuminum cyminum* – A popular spice: An updated review. *Pharmacognosy Journal* 2017;9(3):1-5
- Singh, J. and V. L. Majumdar, 2001. Efficacy of plant extracts against *Alternaria alternata*, the incitant of fruit rot of pomegranate (*Punica granatum* L.). *Indian J. Mycol. Plant Pathol.*, 31: 346-349.
- Singh, R. K., & Dwivedi, R. S. (1987). Studies on biological control of *Sclerotium rolfsii*Sacc causing foot rot of barley. *Acta Botanica Indica*.
- Siva, N. (2008). Antifungal effect of leaf extract of some medicinal plants against *Fusarium oxysporum* causing wilt disease of *Solanum melena* L. *Ethnobotanical leaflets*, 2008(1), 19.
- Sivakadadcham B. Green manure for the control of soil-borne pathogens. *Tropical Agriculturist* 114 (1988): 163-164.
- Smith D.H. and Littrell R.H. (1980). Management of peanut foliar diseases with fungicides. *Plant Dis.*, 64,356-361.
- Smith F and Montgomery R 1959 *The Chemistry of Plant Gums and Mucilages*; (New Jersey: Van Nostrand-Reinhold).

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Smith SN (2007) An overview of ecological and habitat aspects in the genus *Fusarium* with special emphasis on the soil-borne pathogenic forms. *Pl. Pathol. Bull.* 16: 97-120.
- Snyder, W. and Hanson, H. (1940). The species concept in *Fusarium*. *American Journal of Botany*, 27: 64–67.
- Song W, Zhou L, Yang C, Cao X, Zhang L, Liu X (2004) Tomato Fusarium wilt and its chemical control strategies in a hydroponic system. *Crop Protection* 23: 243-247.
- Srivastava D. K. and Yadav H. L. (2008). Antifungal activity of some medicinal plants against *Fusarium oxysporum f. sp. lycopersici*. *Indian Phytopathology*, 61, 99–102.
- Stewart, R. B. and Dagnalechew Y. 1967. Index of plant diseases in Ethiopia. Exp, Station Bull, No, 30, College of Agriculture, Alenaya, Ethiopia (Spicies, condiments and medicinal plants in Ethiopia, their taxonomy and agricultural significance, Ed. Jansen, P.C.M., Centre for Agricultural Publishing and Documentation, Wageningen, 1981, PP. 216-224).
- Subramanian, C. V. and K. V. Srinivasa Pai, 1953. Relation of nitrogen to growth and sporulation of *Fusarium vasinfectum* ATK. *Proc. Plant Sci.*, 37: 149-157.
- Sugihara, N., Arakawa, T., Ohnishi, M., & Furuno, K. (1999). Anti-and pro-oxidative effects of flavonoids on metal-induced lipid hydroperoxide-dependent lipid peroxidation in cultured hepatocytes loaded with α -linolenic acid. *Free Radical Biology and Medicine*, 27(11-12), 1313-1323.
- Sukran Dere., Tohit Gunes., Ridvan Sivaci. 1998. Spectrophotometric Determination of Chlorophyll - A, B and Total Carotenoid Contents of Some Algae Species Using Different Solvents. *Tr. J. of Botany* 22 13-17.
- Sun FF, Sun SL, Zhu L, Duan CX, Zhu ZD (2019) Confirmation of *Fusarium oxysporum* as a causal agent of mung bean wilt in China. *Crop Prot* 117:77–85.
- Swaen, G., & van Amelsvoort, L. (2009). A weight of evidence approach to causal inference. *Journal of clinical epidemiology*, 62(3), 270-277.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Talgo, V., & Stensvand, A. (2013). A simple and effective inoculation method for P phytophthora and fungal species on woody plants. *EPPO Bulletin*, 43(2), 276-279.
- Tapiero, H., Tew, K. D., Ba, G. N., & Mathe, G. (2002). Polyphenols: do they play a role in the prevention of human pathologies? *Biomedicine & pharmacotherapy*, 56(4), 200-207.
- Taylor, J. W., Jacobson, D. J., Kroken, S., Kasuga, T., Geiser, D. M., Hibbett, D. S., & Fisher, M. C. (2000). Phylogenetic species recognition and species concepts in fungi. *Fungal genetics and biology*, 31(1), 21-32.
- Taylor, J. W., Jacobson, D. J., Kroken, S., Kasuga, T., Geiser, D. M., Hibbett, D. S., & Fisher, M. C. (2000). Phylogenetic species recognition and species concepts in fungi. *Fungal genetics and biology*, 31(1), 21-32.
- Tetarwal, M. L., Rai, P. K., & Shekhawat, K. S. (2008). Morphological and pathogenic variability of *Alternaria alternata* infecting senna (*Cassia angustifolia*). *J. Mycol. Plant Pathol*, 38, 375-377.
- Tetarwal, M. L., Rai, P. K., & Shekhawat, K. S. (2008). Morphological and pathogenic variability of *Alternaria alternata* infecting senna (*Cassia angustifolia*). *J. Mycol. Plant Pathol*, 38, 375-377.
- Úrbez-Torres, J. R., Adams, P., Kamas, J., & Gubler, W. D. (2009). Identification, incidence, and pathogenicity of fungal species associated with grapevine dieback in Texas. *American Journal of Enology and Viticulture*, 60(4), 497-507.
- Urbez-Torres, J. R., Peduto, F., Striegler, R. K., Urrea-Romero, K. E., Rupe, J. C., Cartwright, R. D., & Gubler, W. D. (2012). Characterization of fungal pathogens associated with grapevine trunk diseases in Arkansas and Missouri. *Fungal diversity*, 52, 169-189.
- Utikar, P. G., & Padule, D. N. (1980). A virulent species of *Alternaria* causing leaf blight of onion. *Indian Phytopathology*, 33(2), 335-336.
- Van Helvoort, T. (1993). A bacteriological paradigm in influenza research in the first half of the twentieth century. *History and philosophy of the life sciences*, 3-21.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Van Reekum, R., Streiner, D. L., & Conn, D. K. (2001). Applying Bradford Hill's criteria for causation to neuropsychiatry: challenges and opportunities. *The Journal of neuropsychiatry and clinical neurosciences*, 13(3), 318-325.
- Varma, J., & Dubey, N. K. (1999). Prospectives of botanical and microbial products as pesticides of tomorrow. *Current science*, 172-179.
- Varma, P. K., Singh, S., & Gandhi, S. K. (2007). Variability among *Alternaria solani* isolates causing early blight of tomato. *Indian Phytopathology*, 60(2), 180.
- Vawdrey, L. L., & Peterson, R. A. (1988). *Fusarium solani*, the cause of foot rot of tomatoes in Central Queensland. *Australasian Plant Pathology*, 17(1), 24-25.
- Velarde-Félix, S., Garzón-Tiznado, J. A., Hernández-Verdugo, S., López-Orona, C. A., & Retes-Manjarrez, J. E. (2018). Occurrence of *Fusarium oxysporum* causing wilt on pepper in Mexico. *Canadian Journal of Plant Pathology*, 40(2), 238-247.
- Verma, P. R., & Saharan, G. S. (1994). Saskatoon Research Station Technical Bulletin 1994-6E. Monograph on *Alternaria* diseases of crucifers. *Saskatoon Research Station Technical Bulletin 1994-6E. Monograph on Alternaria diseases of crucifers*.
- Vijayan M (1989). Studies on early blight of tomato caused by *Alternaria solani* (Ellis and Martin) Jones and Grout. M.Sc. (Ag.) Thesis, Tamil Nadu Agricultural University, Coimbatore, India, p. 106.
- Vijayan, M. (1989). Studies on early blight of tomato caused by *Alternaria solani* (Ellis and Martin) Jones and Grout. *M. Sc.(Ag.) Thesis, Tamil Nadu Agricultural University, Coimbatore, India*, 106.
- Vohník, M., Borovec, O., Kolaříková, Z., Sudová, R., & Réblová, M. (2019). Extensive sampling and high-throughput sequencing reveal *Posidoniomycesatricolor* gen. et sp. nov. (Aigialaceae, Pleosporales) as the dominant root mycobiont of the dominant Mediterranean seagrass *Posidoniaoceanica*. *MycoKeys*, 55, 59.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- VR, Y. (1992). Protein and amino acid requirements in humans: metabolic basis and current recommendation. *Scandinavian J Nutr/Naringsforskning*, 36, 47-56.
- Vyas, R. K., & Mathur, K. (2002). Distribution of Trichoderma spp. in cumin rhizosphere and their potential in suppression of wilt. *Indian Phytopathology*, 55(4), 451-457.
- Walker, L., Levine, H., & Jucker, M. (2006). Koch's postulates and infectious proteins. *Acta neuropathologica*, 112, 1-4.
- Wang, B., Zhang, Y., Liu, J., Sheng, O., Liu, F., Qiu, D., ... & Cheng, C. (2021). A new leaf blight disease caused by *Alternaria jacinthicola* on banana in China. *Horticulturae*, 8(1), 12.
- Widyastuti SM, Tasik S, Harjono, (2013) Infection process of *Fusarium oxysporum* fungus: a cause of damping-off on *Acacia mangium*'s seedlings. *Agrivita* 35(2):110c118
- Wikipedia. Koch's postulates. 2014. en.wikipedia.org/wiki/Koch%27s_postulates. Accessed 14.01.14
- Wildman, H.G. and D. Parkinson. 1979. Seasonal changes in water-soluble carbohydrates of *Populus tremuloides* leaves. *Can. J. Bot.* 59:862–869.
- Williams R.J. (1984). Downy mildew of tropical cereals. *Advances in Plant Pathology*, 2, 1-103.
- Willis, K.J. State of the World's Fungi 2018. In *Royal Botanic Gardens*. Kew; Royal Botanic Gardens: London, UK, 2018.
- Wilson C.L., Faklin J.D. and Otto B.E. (1987). Fruit volatiles inhibitory to *Monilinia fruticola* and *Botrytis cinerea*. *Plant Disease*, 71,316-319.
- Wink, M., Ashour, M. L., & El-Readi, M. Z. (2012). Secondary metabolites from plants inhibit ABC transporters and reverse resistance of cancer cells and microbes to cytotoxic and antimicrobial agents. *Frontiers in microbiology*, 3, 130.
- Wood, C. W., Tracy, P. W., Reeves, D. W., & Edmisten, K. L. (1992). Determination of cotton nitrogen status with a handheld chlorophyll meter. *Journal of plant nutrition*, 15(9), 1435-1448.

Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and Alternaria blight (*Alternaria burnsii*) diseases through different botanicals

- Wood, C. W., Tracy, P. W., Reeves, D. W., & Edmisten, K. L. (1992). Determination of cotton nitrogen status with a handheld chlorophyll meter. *Journal of plant nutrition*, 15(9), 1435-1448.
- Yaber Grass M.A. and Leicach S.R. (2011). Changes in Senecio grisebachii pyrrolizidine alkaloids abundances and profiles as response to soil quality. *Journal of Plant Interactions*, 7, 175-182.
- Yadav, R. N. S., & Agarwala, M. (2011). Phytochemical analysis of some medicinal plants. *Journal of phytology*, 3(12).
- Yang, Y. L., Liu, Z. Y., Cai, L., Hyde, K. D., Yu, Z. N., & McKenzie, E. H. C. (2009). Colletotrichum anthracnose of Amaryllidaceae. *Fungal Diversity*, 39(2), 123-146.
- Young, V. R. (1991). Soy protein in relation to human protein and amino acid nutrition. *Journal of the American Dietetic Association*, 91(7), 828-835.
- Yu SH, Yun HK, Park CH, Lee HB. 1991. Three species of Alternaria are associated with Alternaria
- Yu, S. H., Yun, H. K., Park, C. H., & Lee, H. B. (1991). Three species of Alternaria associated with Alternaria leaf spot of radish in Korea. *Korean Journal of Plant Pathology (Korea Republic)*.
- Yu, Y., Gui, Y., Li, Z., Jiang, C., Guo, J., & Niu, D. (2022). Induced systemic resistance for improving plant immunity by beneficial microbes. *Plants*, 11(3), 386.
- Yuan, B., Lv, Y., Ma, Y., Liu, C., Zeng, L., & Yi, Y. (2010). Study on the interference of urea, ammonium chloride and ammonium carbonate in the detection of milk samples by Micro-Kjeldahl method. *Journal of Natural Science of Hunan Normal University*, 33(1), 66-128.
- Yuan, Z., Ata-Ul-Karim, S. T., Cao, Q., Lu, Z., Cao, W., Zhu, Y., & Liu, X. (2016). Indicators for diagnosing nitrogen status of rice based on chlorophyll meter readings. *Field crops research*, 185, 12-20.
- Zahra, N., Jahan, N., Nosheen, S., & Khalil-ur-Rehman. (2011). Antimicrobial activity of aqueous, ethanolic extracts and crude extracted phytoconstituents of Nigella sativa seeds. *Bioscience Research*, 8(1), 19-25.

**Management of Cumin (*Cuminum cyminum* L) Wilt (*Fusarium oxysporum*) and
Alternaria blight (*Alternaria burnsii*) diseases through different botanicals**

- Zhang, H. Y., Zheng, X. D., & Xi, Y. F. (2005). Biological control of postharvest blue mold of oranges by *Cryptococcus laurentii* (Kufferath) Skinner. *BioControl*, 50, 331-342.