



Reference

Chapter 7

References

- Aarabi, A., Honarvar, M., Mizani, M., Faghihian, H., & Gerami, A. (2016). Extraction and purification of ferulic acid as an antioxidant from sugar beet pulp by alkaline hydrolysis. *Italian Journal of Food Science*, 28, 362-375.
- Abdulmalik, O., Safo, M. K., Chen, Q., Yang, J., Brugnara, C., Ohene-Frempong, K., Abraham, D. J., & Asakura, T. (2005). 5-hydroxymethyl-2-furfural modifies intracellular sickle haemoglobin and inhibits sickling of red blood cells. *British journal of haematology*, 128(4), 552–561. <https://doi.org/10.1111/j.1365-2141.2004.05332.x>
- Abhishek, S., Ujwala, P., Shivani, K., & Meeta, B. (2013). Evaluation of Antibacterial Activity of *Tecomella undulata* leaves crude Extracts. *International Research Journal of Biological Sciences*, 2(6), 60-62.
- Aboaba, S. A., Ogunwande, I. A., Walker, T. M., Setzer, W. N., Oladosu, I. A., & Ekundayo, O. (2009). Essential oil composition, antibacterial activity and toxicity of the leaves of *Tetrapleura tetraptera* (Schum. & Thonn.) Taubert from Nigeria. *Natural Product Communications*, 4(2). <https://doi.org/10.1177/1934578X09004002>
- Aboutabla, E.A., El-Tantawy, M.E., Shamsb, M.M. (2023). Chemical composition and antimicrobial activity of volatile constituents from the roots, leaves, and seeds of *Arctium lappa* L. (Asteraceae) grown in Egypt. *Egyptian Pharmaceutical Journal*, 12:173–176. DOI:10.4103/1687-4315.124036
- Achneck, H. E., Sileshi, B., Parikh, A., Milano, C. A., Welsby, I. J., & Lawson, J. H. (2010). Pathophysiology of bleeding and clotting in the cardiac surgery patient: from vascular endothelium to circulatory assist device surface. *Circulation*, 122(20), 2068–2077. <https://doi.org/10.1161/CIRCULATIONAHA.110.936773>
- Agati, G., Azzarello, E., Pollastri, S., & Tattini, M. (2012). Flavonoids as antioxidants in plants: location and functional significance. *Plant science : an international journal of experimental plant biology*, 196, 67–76. <https://doi.org/10.1016/j.plantsci.2012.07.014>
- Ahmad, F., Khan, R. A., & Rasheed, S. (1994). Preliminary screening of methanolic extracts of *Celastrus paniculatus* and *Tecomella undulata* for analgesic and anti-inflammatory activities. *Journal of ethnopharmacology*, 42(3), 193–198. [https://doi.org/10.1016/0378-8741\(94\)90085-x](https://doi.org/10.1016/0378-8741(94)90085-x)

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

Ahn, H., Lee, G., Han, B. C., Lee, S. H., & Lee, G. S. (2022). Maltol, a Natural Flavor Enhancer, Inhibits NLRP3 and Non-Canonical Inflammasome Activation. *Antioxidants (Basel, Switzerland)*, 11(10), 1923. <https://doi.org/10.3390/antiox11101923>

Akter, S., Sultana, S., Akter, T., & Begum, S. (2019). Oviposition deterrent and ovicidal activity of three edible oils (black seed, sesame and soybean oils) against puls beetle, *Callosobruchus chinensis* (Lin.) (Coleoptera: Bruchidae) on green gram, *Vigna radiata*. *Bangladesh Journal of Zoology*. 47(1), 59–65.

<https://doi.org/10.3329/bjz.v47i1.42021>

Albaqami, J.J. (2024). Phytochemical Composition, *In Vitro* Antioxidant, and Anticancer Activities of Cold Pressed Oil from Sesame (*Sesamum indicum* L.) from the Kingdom of Saudi Arabia. *Journal of Biobased Materials and Bioenergy*.

Aliberti, L., Caputo, L., De Feo, V., De Martino, L., Nazzaro, F., Souza, L.F. (2016). Chemical composition and in vitro antimicrobial, cytotoxic, and central nervous system activities of the essential oils of *Citrus medica* L. cv.'Liscia'and *C. medica* cv.'Rugosa'cultivated in Southern Italy. *Molecules*. 21, 1244.

Alizadeh, M., Khodaei, H., Mesgari Abbasi, M., & Saleh-Ghadimi, S. (2017). Assessing the effect of 5-hydroxymethylfurfural on selected components of immune responses in mice immunised with ovalbumin. *Journal of the science of food and agriculture*, 97(12), 3979–3984. <https://doi.org/10.1002/jsfa.8261>

Almeida, R. N., Navarro, D. S., & Barbosa-Filho, J. M. (2001). Plants with central analgesic activity. *Phytomedicine: international journal of phytotherapy and phytopharmacology*, 8(4), 310–322. <https://doi.org/10.1078/0944-7113-00050>

Al-Yahya, M. A., Mothana, R. A., Al-Said, M. S., El-Tahir, K. E., Al-Sohaibani, M., & Rafatullah, S. (2013). *Citrus medica* "Otroy": attenuates oxidative stress and cardiac dysrhythmia in isoproterenol-induced cardiomyopathy in rats. *Nutrients*, 5(11), 4269–4283. <https://doi.org/10.3390/nu5114269>

Amlabu, W. E., Nock, I. H., Kaushik, N. K., Mohanakrishnan, D., Tiwary, J., Audu, P. A., Abubakar, M. S., & Sahal, D. (2018). Exploration of antiplasmodial activity in *Acalypha wilkesiana* Müller Argoviensis, 1866 (family: Euphorbiaceae) and its GC-MS fingerprint. *Parasitology research*, 117(5), 1473–1484. <https://doi.org/10.1007/s00436-018-5802-1>

Anonymous. (2001). The Ayurvedic Pharmacopoeia of India, Part I, Vol III. Govt of India, New Delhi, p. 27-28.

ANSES. Ciqual Table, the nutritional composition of sesame seeds 2022. Source: <https://ciqual.anses.fr/>, accessed on 14 April 2022.

Aoshima, K., Asakura, H., Yamazaki, M., Saito, M., Kumabashiri, I., Morishita, E., Ontachi, Y., Mizutani, T., Ichino, T., & Matsuda, T. (1998). Treatment of disseminated intravascular coagulation (DIC) with all-trans retinoic acid in an endotoxin-induced rat model. *Seminars in thrombosis and hemostasis*, 24(3), 227–231. <https://doi.org/10.1055/s-2007-995846>

Aragao, G. F., Carneiro, L. M., Júnior, A. P., Bandeira, P. N., Lemos, T. L., & Viana, G. S. D. B. (2007). Antiplatelet Activity of α -and β -Amyrin, Isomeric Mixture from Protium heptaphyllum. *Pharmaceutical biology*, 45(5), 343-349.

Aragão, G.F, MV Carneiro, L., PF Juniora, A., N Bandeira, P., LG Lemos, T., & S de B Viana, G. (2009). Evidence for excitatory and inhibitory amino acids participation in the neuropharmacological activity of alpha-and beta-amyrin acetate. *The Open Pharmacology Journal*, 3(1).

Ariyaratna, R. A. Y. K., Amarasinghe, N. R., Gunawardena, D. C., & Jayasinghe, U. L. B. (2007). Antioxidant phenolic constituents from the fruits of Careya arborea. *PERADENIYA UNIVERSITY RESEARCH SESSIONS PURSE 2007 Volume 12 Part I-Agricultural, Biological and Medical Sciences Editorial Board*, 103.

Arsalan, M.A., Azhar, I., Muhammad, S., Imam, S., Razzaque, G., Jabbar, A., Qadir, A., Khan, N.S., Younis, M., Shahwani, N.A., Mustafa, G., & Ahmed, T. (2023). Evaluation of Anti-Ulcer, Laxative and Anti-Inflammatory activities of *Tecomella Undulata* (Roxb.). *Journal of Population Therapeutics and Clinical Pharmacology*. 30(19), 1136–1146. <https://doi.org/10.53555/jptcp.v30i19.3866>

Askander, N.Z., Mostafa, H., Mohamed, A., Kenawi, M.A., & Abdelsalam, R.R. (2023). Phytochemical Profile And Antioxidant Activity Of Sesame Seed (*Sesamum Indicum*) By-Products. *Minia Journal of Agricultural Research and Development*.

Baheti, D. G., & Kadam, S. S. (2013). Antiurolithiatic Activity Of Some Traditional Medicinal Plants Against Calcium Oxalate Induced Urolithiasis In Rats. *International Journal of Pharmaceutical, Chemical & Biological Sciences*, 3(4), 1276-1285.

Bairagi, G.B., Kabra, A.O., Mandade, R.J. (2011). Anthelmintic activity of *Citrus medica* L. leaves in Indian Adult Earthworm. *Int J PharmTech Res*, 3(2): 664-667.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

Balamurugan, P., Rajkumar, A. R., & Prasad, M. P. (2014). Comparative phytochemical analysis of Rutaceae family (Citrus Species) extracts. *International Journal of Sciences*, 3(4), 148-150.

Ban, J. O., Hwang, I. G., Kim, T. M., Hwang, B. Y., Lee, U. S., Jeong, H. S., Yoon, Y. W., Kimz, D. J., & Hong, J. T. (2007). Anti-proliferate and pro-apoptotic effects of 2,3-dihydro-3,5-dihydroxy-6-methyl-4H-pyranone through inactivation of NF-kappaB in human colon cancer cells. *Archives of pharmacal research*, 30(11), 1455–1463.
<https://doi.org/10.1007/BF02977371>

Beckman, M. G., Hooper, W. C., Critchley, S. E., & Ortel, T. L. (2010). Venous thromboembolism: a public health concern. *American journal of preventive medicine*, 38(4), S495-S501.

Beg, M.A., & Ali, R. (2023). Chemical characterization and antimicrobial activity of *Sesamum indicum* (Sesame oil). *Universities' Journal of Phytochemistry and Ayurvedic Heights*.2(35), 1-6. DOI 10.51129/ujpah-2023-35-2(7)

Benelli, G., Pavela, R., Drenaggi, E., & Maggi, F. (2019). Insecticidal efficacy of the essential oil of jambú (*Acmella oleracea* (L.) RK Jansen) cultivated in central Italy against filariasis mosquito vectors, houseflies and moth pests. *Journal of Ethnopharmacology*, 229, 272-279. <https://doi.org/10.1016/j.jep.2018.08.030>

Berhow, M. A., Wagner, E. D., Vaughn, S. F., & Plewa, M. J. (2000). Characterization and antimutagenic activity of soybean saponins. *Mutation research*, 448(1), 11–22.

[https://doi.org/10.1016/s0027-5107\(99\)00225-0](https://doi.org/10.1016/s0027-5107(99)00225-0)

Bhau, B.S., Negi, M.S., Jindal, S.K., Singh, M.R., & Lakshmikumaran, M. (2007). Assessing genetic diversity of *Tecomella undulata* (Sm.) - An endangered tree species using amplified fragment length polymorphisms- based molecular markers. *Curr. Sci.* 93, 67.

Bhuiyan, I.N.M., Begum, J., Sardar, K.P., Rahman, S.M. (2009). Constituents of peel and leaf essential oils of *Citrus medica* L. *J Sci Res*, 1(2):387-392.

Blann, A. D., & Khoo, C. W. (2009). The prevention and treatment of venous thromboembolism with LMWHs and new anticoagulants. *Vascular health and risk management*, 5, 693–704. <https://doi.org/10.2147/vhrm.s4621>

Bojić, M., Maleš, Ž., Antolić, A., Babić, I., & Tomičić, M. (2019). Antithrombotic activity of flavonoids and polyphenols rich plant species. *Acta Pharmaceutica*, 69(4), 483-495.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Bojić, M., Maleš, Ž., Antolić, A., Babić, I., & Tomičić, M. (2019). Antithrombotic activity of flavonoids and polyphenols rich plant species. *Acta pharmaceutica (Zagreb, Croatia)*, 69(4), 483–495. <https://doi.org/10.2478/acph-2019-0050>
- Bopitiya, D., & Madhujith, T. (2015). Antioxidant activity and total phenolic content of sesame (*Sesamum indicum* L.) seed oil. *Tropical agricultural research*, 24, 296-302.
- Bryan, J. (2013). Short acting and reversible effects made heparin a great anticoagulant. *Pharm J*. 290:188. doi:10.1211/PJ.2013.11116881
- Chakraborty, G. S., Sharma, G., & Kaushik, K. N. (2008). *Sesamum indicum*: a review. *Journal of Herbal Medicine and Toxicology*, 2(2), 15-19.
- Chan, Y. Y., Hwang, T. L., Kuo, P. C., Hung, H. Y., & Wu, T. S. (2017). Constituents of the Fruits of *Citrus medica* L. var. sarcodactylis and the Effect of 6,7-Dimethoxy-coumarin on Superoxide Anion Formation and Elastase Release. *Molecules (Basel, Switzerland)*, 22(9), 1454. <https://doi.org/10.3390/molecules22091454>
- Chan, Y. Y., Hwang, T. L., Kuo, P. C., Hung, H. Y., & Wu, T. S. (2017). Constituents of the Fruits of *Citrus medica* L. var. sarcodactylis and the Effect of 6,7-Dimethoxy-coumarin on Superoxide Anion Formation and Elastase Release. *Molecules (Basel, Switzerland)*, 22(9), 1454. <https://doi.org/10.3390/molecules22091454>
- Chan, Y. Y., Li, C. H., Shen, Y. C., & Wu, T. S. (2010). Anti-inflammatory principles from the stem and root barks of *Citrus medica*. *Chemical & pharmaceutical bulletin*, 58(1), 61–65. <https://doi.org/10.1248/cpb.58.61>
- Chang, S. S., Lee, V. S., Tseng, Y. L., Chang, K. C., Chen, K. B., Chen, Y. L., & Li, C. Y. (2012). Gallic Acid Attenuates Platelet Activation and Platelet-Leukocyte Aggregation: Involving Pathways of Akt and GSK3β. *Evidence-based complementary and alternative medicine : eCAM*, 2012, 683872. <https://doi.org/10.1155/2012/683872>
- Chen, H., Yang, Y., Xue, J., Wei, J., Zhang, Z., & Chen, H. (2011). Comparison of compositions and antimicrobial activities of essential oils from chemically stimulated agarwood, wild agarwood and healthy *Aquilaria sinensis* (Lour.) Gilg trees. *Molecules*, 16(6), 4884-4896. doi:10.3390/molecules16064884
- Chen, Y., Qiu, X., & Yang, J. (2021). Comparing the In Vitro Antitumor, Antioxidant and Anti-Inflammatory Activities between Two New Very Long Chain Polyunsaturated Fatty Acids, Docosadienoic Acid (DDA) and Docosatrienoic Acid (DTA), and Docosahexaenoic Acid (DHA). *Nutrition and cancer*, 73(9), 1697–1707. <https://doi.org/10.1080/01635581.2020.1804949>

- Chhikara N, K. R. (2018). *Citrus medica*: nutritional, phytochemical composition and health benefits - a review. *Food Funct.* , 1978-1992.
- Choi, H. Y., Jhun, E. J., Lim, B. O., Chung, I. M., Kyung, S. H., & Park, D. K. (2000). Application of flow injection--chemiluminescence to the study of radical scavenging activity in plants. *Phytotherapy research: PTR*, 14(4), 250–253.
[https://doi.org/10.1002/1099-1573\(200006\)14:4<250::aid-ptr587>3.0.co;2-j](https://doi.org/10.1002/1099-1573(200006)14:4<250::aid-ptr587>3.0.co;2-j)
- Choi, J. H., & Kim, S. (2017). Investigation of the anticoagulant and antithrombotic effects of chlorogenic acid. *Journal of biochemical and molecular toxicology*, 31(3), 10.1002/jbt.21865. <https://doi.org/10.1002/jbt.21865>
- Choi, J. H., Kim, D. W., Park, S. E., Lee, H. J., Kim, K. M., Kim, K. J., ... & Kim, S. (2015). Anti-thrombotic effect of rutin isolated from *Dendropanax morbifera* Leveille. *Journal of bioscience and bioengineering*, 120(2), 181-186.
- Choi, J. H., Park, J. K., Kim, K. M., Lee, H. J., & Kim, S. (2018). In vitro and in vivo antithrombotic and cytotoxicity effects of ferulic acid. *Journal of biochemical and molecular toxicology*, 32(1), 10.1002/jbt.22004. <https://doi.org/10.1002/jbt.22004>
- Choi, J. H., Park, J. K., Kim, K. M., Lee, H. J., & Kim, S. (2018). In vitro and in vivo antithrombotic and cytotoxicity effects of ferulic acid. *Journal of biochemical and molecular toxicology*, 32(1), e22004. <https://doi.org/10.1002/jbt.22004>
- Choi, J. H., Park, S. E., Kim, S. J., & Kim, S. (2015). Kaempferol inhibits thrombosis and platelet activation. *Biochimie*, 115, 177–186. <https://doi.org/10.1016/j.biochi.2015.06.001>
- Choudhary, G. P. (2011). Immunomodulatory activity of alcoholic extract of *Tecoma undulata* Linn. in mice. *Asian J Pharm Biol Res*, 1(1), 67-70.
- Chowdhury, S., Ghosh, S., Das, A. K., & Sil, P. C. (2019). Ferulic Acid Protects Hyperglycemia-Induced Kidney Damage by Regulating Oxidative Insult, Inflammation and Autophagy. *Frontiers in pharmacology*, 10, 27.
<https://doi.org/10.3389/fphar.2019.00027>
- Chu, J., Li, S. L., Yin, Z. Q., Ye, W. C., & Zhang, Q. W. (2012). Simultaneous quantification of coumarins, flavonoids and limonoids in *Fructus Citri Sarcodactylis* by high performance liquid chromatography coupled with diode array detector. *Journal of pharmaceutical and biomedical analysis*, 66, 170–175.
<https://doi.org/10.1016/j.jpba.2012.03.041>

- Chuluunbaatar, E., Buyantogtokh, D., & Begzsuren, D. (2021). Total Phenolic, Flavonoid and Carotinoid Content and Anticoagulation Activities of Sapparin Tablet. *Journal of Pharmaceutical Research International*, 33(44B), 268-278.
- Chun, O.K., Kim, D., & Lee, C. (2003). Superoxide radical scavenging activity of the major polyphenols in fresh plums. *Journal of agricultural and food chemistry*, 51 27, 8067-72. <https://doi.org/10.1021/jf034740d>
- Cirmi, S., Maugeri, A., Ferlazzo, N., Gangemi, S., Calapai, G., Schumacher, U., & Navarra, M. (2017). Anticancer Potential of *Citrus* Juices and Their Extracts: A Systematic Review of Both Preclinical and Clinical Studies. *Frontiers in pharmacology*, 8, 420. <https://doi.org/10.3389/fphar.2017.00420>
- Coêlho, M. L., Islam, M. T., Laylson da Silva Oliveira, G., Oliveira Barros de Alencar, M. V., Victor de Oliveira Santos, J., Campinho dos Reis, A., ... & Amélia de Carvalho Melo-Cavalcante, A. (2022). Cytotoxic and antioxidant properties of natural bioactive monoterpenes nerol, estragole, and 3, 7-dimethyl-1-octanol. *Advances in Pharmacological and Pharmaceutical Sciences*, 2022. <https://doi.org/10.1155/2022/8002766>
- Cragg, G. M., Newman, D. J., & Snader, K. M. (1997). Natural products in drug discovery and development. *Journal of natural products*, 60(1), 52-60.
- Dadwal, V., Joshi, R., & Gupta, M. (2022). A comparative metabolomic investigation in fruit sections of *Citrus medica* L. and *Citrus maxima* L. detecting potential bioactive metabolites using UHPLC-QTOF-IMS. *Food research international (Ottawa, Ont.)*, 157, 111486. <https://doi.org/10.1016/j.foodres.2022.111486>
- Dadwal, V., Joshi, R., Gupta, M. A. (2022). comparative metabolomic investigation in fruit sections of *Citrus medica* L. and *Citrus maxima* L. detecting potential bioactive metabolites using UHPLC-QTOF-IMS. *Food Res. Int.* 157, 111486. DOI: 10.1016/j.foodres.2022.111486
- Dadwal, V.; Joshi, R.; Gupta, M (2022). A comparative metabolomic investigation in fruit sections of *Citrus medica* L. and Citrus maxima L. detecting potential bioactive metabolites using UHPLC-QTOF-IMS. *Food Res. Int.* 157, 111486. DOI: 10.1016/j.foodres.2022.111486
- Dar, A.A.; Kancharla, P.K.; Chandra, K.; Sodhi, Y.S.; Arumugam, N. (2019) Assessment of Variability in Lignan and Fatty Acid Content in the Germplasm of *Sesamum indicum* L. *J. Food Sci. Technol.* 56, 976–986.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Davison, C. (2011). A biochemical study of the antidiabetic and anticoagulant effects of *Tulbaghia violacea*, in Biochemistry and Microbiology. Nelson Mandela Metropolitan University.
- Desborough, M.J.R. and Keeling, D.M. (2017), The aspirin story – from willow to wonder drug. *Br J Haematol*, 177: 674-683. <https://doi.org/10.1111/bjh.14520>
- Devi, P. N., Kaleeswari, S., & Poonkothai, M. (2014). Antimicrobial activity and phytochemical analysis of fruit extracts of *Terminalia bellerica*. *Int J Pharm Pharm Sci*, 6(5), 639-642.
- Devi, R., & Sharma, D. (2004). Hypolipidemic effect of different extracts of *Clerodendron colebrookianum* Walp in normal and high-fat diet fed rats. *Journal of Ethnopharmacology*, 90(1), 63-68.
- Dhingra, D., & Deepak, D. (2019). Antidepressant-Like Activity of Flowers Of *Tecomella Undulata* In Mice Subjected To Chronic Unpredictable Mild Stress. *Asian Journal of Pharmaceutical and Clinical Research*. 12(1):130-8, doi:10.22159/ajpcr.2019.v12i1.28981
- Diamond, B. J., Shiflett, S. C., Feiwel, N., Matheis, R. J., Noskin, O., Richards, J. A., & Schoenberger, N. E. (2000). Ginkgo biloba extract: mechanisms and clinical indications. *Archives of physical medicine and rehabilitation*, 81(5), 668-678. doi: 10.1016/S0003-9993(00)90044-2
- Ding, X., Wang, M. Y., Yao, Y. X., Li, G. Y., & Cai, B. C. (2010). Protective effect of 5-hydroxymethylfurfural derived from processed *Fructus Corni* on human hepatocyte LO2 injured by hydrogen peroxide and its mechanism. *Journal of ethnopharmacology*, 128(2), 373–376. <https://doi.org/10.1016/j.jep.2010.01.043>
- Du, T., Huang, J., Xiong, S., Zhang, L., Xu, X., Xu, Y., Peng, F., Huang, T., Xiao, M., & Xiong, T. (2023). Effects of enzyme treatment on the antihypertensive activity and protein structure of black sesame seed (*Sesamum indicum* L.) after fermentation pretreatment. *Food chemistry*, 428, 136781.
- Elhanafi, L., Houhou, M., Rais, C., Mansouri, I., Elghadraoui, L., & Greche, H. (2019). Impact of Excessive Nitrogen Fertilization on the Biochemical Quality, Phenolic Compounds, and Antioxidant Power of *Sesamum indicum* L Seeds. *Journal of Food Quality*.
- Encyclopedia Britannica. (2012). Available in: <http://global.Britannica.com/EBchecked/topic/536043/sesame>

- Entezari, M.A., Majd, F., Falahian, S., Mehrabian, M., Hashemi, A., Lajimi, A. (2009). Antimutagenicity and anticancer effects of *Citrus medica* L. fruit juice. *Acta Med Iran*, 47(5): 373-377.
- Ertas, A., Gören, A. C., Boga, M., Demirci, S., & Kolak, U. (2014). Chemical composition of the essential oils of three *Centaurea* species growing wild in Anatolia and their anticholinesterase activities. *Journal of Essential Oil Bearing Plants*, 17(5), 922-926.DOI: 10.1080/0972060X.2014.88616
- Fasuan, T.O.; Gbadamosi, S.O.; Omobuwajo, T.O. (2018) Characterization of Protein Isolate from Sesamum indicum Seed: In Vitro Protein Digestibility, Amino Acid Profile, and Some Functional Properties. *Food Sci. Nutr.* 6, 1715–1723.
- Fazal, H., Akram, M., Ahmad, N., Qaisar, M., Kanwal, F., Rehman, G., & Ullah, I. (2023). Nutritionally rich biochemical profile in essential oil of various *Mentha* species and their antimicrobial activities. *Protoplasma*, 260(2), 557-570. <https://doi.org/10.1007/s00709-022-01799-2>.
- Feng, X., Lu, J., Xin, H., Zhang, L., Wang, Y., & Tang, K. (2011). Anti-arthritis active fraction of *Capparis spinosa* L. fruits and its chemical constituents. *Yakugaku zasshi : Journal of the Pharmaceutical Society of Japan*, 131(3), 423–429. <https://doi.org/10.1248/yakushi.131.423>
- Filomena, C., Giancarlo, A.S., Rosa, T., Monica, R.L., Francesco, M. (2007). In vitro activities of *Citrus medica* L. cv. Diamante (Diamante citron) relevant to the treatment of diabetes and Alzheimer's disease. *Phytotherapy Res*, 21(5): 427.
- Fleisher, Z., Fleisher, A. (1991). Aromatic plants of the Holy Land and the Sinai. The essential oil of etrogen. *J Essent Oil Res*, 3(5):377-379.
- Fomani, M., Happi, E.N., Kouam, Francois-Hugues, P., Lallemand, M., Kamdem Waffo, A.F., & Wansi, J.D. (2014). A prenylated acridone alkaloid and ferulate xanthone from barks of *Citrus medica* (Rutaceae). *Zeitschrift für Naturforschung B*, 70, 71 - 75.
- Frankel, E.N., Meyer, A.S., (2000). The problems of using one dimensional methods to evaluate multifunctional food and biological antioxidants. *Journal of Science Food Agriculture*, 80, 1925-1941.
- Fratianni, F.; Cozzolino, A.; De Feo, V.; Coppola, R.; Ombra, M.N.; Nazzaro, F. (2019). Polyphenols, antioxidant, antibacterial, and biofilm inhibitory activities of peel and pulp of *Citrus medica* L., Citrus bergamia, and Citrus medica cv. Salò cultivated in southern Italy. *Molecules*. 24, 4577. <https://doi.org/10.3390/molecules24244577>

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Freedman, J. E., & Loscalzo, J. (2003). Nitric oxide and its relationship to thrombotic disorders. *Journal of thrombosis and haemostasis* : *JTH*, 1(6), 1183–1188. <https://doi.org/10.1046/j.1538-7836.2003.00180.x>
- Fridovich I. (1995). Superoxide radical and superoxide dismutases. *Annual review of biochemistry*, 64, 97–112. <https://doi.org/10.1146/annurev.bi.64.070195.000525>
- Fukuda, Y., & Namiki, M. (1988). Recent Studies on Sesame Seed and Oil. *Journal of Food Science and Technology-Mysore*, 35, 552-562.
- Gale A. J. (2011). Continuing education course #2: current understanding of hemostasis. *Toxicologic pathology*, 39(1), 273–280. <https://doi.org/10.1177/0192623310389474>
- Ganesan, T., Subban, M., Christopher, L.D.B. (2022). Structural characterization of n-hexadecanoic acid from the leaves of Ipomoea eriocarpa and its antioxidant and antibacterial activities. *Biomass Conv.*
- Ganeshpurkar, A., & Saluja, A. K. (2017). The pharmacological potential of rutin. *Saudi pharmaceutical journal*, 25(2), 149-164.
- Gao, B., Huang, L., Liu, H., Wu, H., Zhang, E., Yang, L., Wu, X., & Wang, Z. (2014). Platelet P2Y₁₂ receptors are involved in the haemostatic effect of notoginsenoside Ft1, a saponin isolated from Panax notoginseng. *British journal of pharmacology*, 171(1), 214–223. <https://doi.org/10.1111/bph.12435>
- Gauthaman, K., & Saleem, T. M. (2009). Nutraceutical value of sesame oil. *Pharmacognosy Reviews*, 3(6), 264.
- Geerts, W. H., Bergqvist, D., Pineo, G. F., Heit, J. A., Samama, C. M., Lassen, M. R., & Colwell, C. W. (2008). Prevention of venous thromboembolism: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th Edition). *Chest*, 133(6 Suppl), 381S–453S. <https://doi.org/10.1378/chest.08-0656>
- Ghaffari, H., Varner, J. D., & Petzold, L. R. (2019). Analysis of the role of thrombomodulin in all-trans retinoic acid treatment of coagulation disorders in cancer patients. *Theoretical biology & medical modelling*, 16(1), 3. <https://doi.org/10.1186/s12976-019-0099-z>
- Gilani, F., Raftani Amiri, Z., Esmaeilzadeh Kenari, R., & Ghaffari Khaligh, N. (2023). Investigation of extraction yield, chemical composition, bioactive compounds, antioxidant and antimicrobial characteristics of citron (*Citrus medica* L.) peel essential oils produced by hydrodistillation and supercritical carbon dioxide. *Journal of Food Measurement and Characterization*, 17, 4332-4344.

- Gogoi, D., Pal, A., Chattopadhyay, P., Paul, S., Deka, R. C., & Mukherjee, A. K. (2018). First report of plant-derived β -sitosterol with antithrombotic, *in vivo* anticoagulant, and thrombus-preventing activities in a mouse model. *Journal of natural products*, 81(11), 2521-2530. DOI: 10.1021/acs.jnatprod.8b00574
- Golan, D. E. (2008). "Principles of Pharmacology: The Pathophysiologic Basis of Drug Therapy". LWW 2nd edition.
- Goyal, L., & Purohit, A. (2022). Antispermatogenic effect of *Tecomella undulata* root extract in male albino rats. *Journal of Experimental Zoology India*. 26(1), 919-927. <https://doi.org/10.51470/jez.2023.26.1.919>
- Guglielmone, H. A., Agnese, A. M., Montoya, S. C. N., & Cabrera, J. L. (2002). Anticoagulant effect and action mechanism of sulphated flavonoids from Flaveria bidentis. *Thrombosis Research*, 105(2), 183-188.
- Guglielmone, H. A., Agnese, A. M., Montoya, S. C. N., & Cabrera, J. L. (2002). Anticoagulant effect and action mechanism of sulphated flavonoids from Flaveria bidentis. *Thrombosis Research*, 105(2), 183-188. DOI: 10.1016/s0049-3848(01)00419-4
- Guglielmone, H. A., Agnese, A. M., Núñez Montoya, S. C., & Cabrera, J. L. (2002). Anticoagulant effect and action mechanism of sulphated flavonoids from Flaveria bidentis. *Thrombosis research*, 105(2), 183–188. [https://doi.org/10.1016/s0049-3848\(01\)00419-4](https://doi.org/10.1016/s0049-3848(01)00419-4)
- Gülçin I. (2006). Antioxidant and antiradical activities of L-carnitine. *Life sciences*, 78(8), 803–811. <https://doi.org/10.1016/j.lfs.2005.05.103>
- Güneş, F. E. (2013). Medical Use of Squalene as a Natural Antioxidant. *Journal of Marmara University Institute of Health Sciences*, 3(4).
- Gunjan, M., Naing, T. W., Saini, R. S., Ahmad, A., Naidu, J. R., & Kumar, I. (2015). Marketing trends & future prospects of herbal medicine in the treatment of various diseases. *World Journal of Pharmaceutical Research*, 4(9), 132-155.
- Guo, N., Li, C., Liu, Q., Liu, S., Huan, Y., Wang, X., Bai, G., Yang, M., Sun, S., Xu, C., & Shen, Z., (2018). Maltol, a food flavor enhancer, attenuates diabetic peripheral neuropathy in streptozotocin-induced diabetic rats. *Food & function*, 9(12), 6287–6297. <https://doi.org/10.1039/c8fo01964a>
- Gyawali, R., Jeon, D. H., Moon, J., Kim, H., Song, Y. W., Hyun, H. B., ... & Cho, S. K. (2012). Chemical composition and antiproliferative activity of supercritical extract of

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

Citrus grandis (L.) Osbeck fruits from Korea. *Journal of Essential Oil Bearing Plants*, 15(6), 915-925. DOI: 10.1080/0972060X.2012.10662594

Halliwell B. (1991). Reactive oxygen species in living systems: source, biochemistry, and role in human disease. *The American journal of medicine*, 91(3C), 14S–22S. [https://doi.org/10.1016/0002-9343\(91\)90279-7](https://doi.org/10.1016/0002-9343(91)90279-7)

Hamid, A. A., Oguntoye, S. O., Alli, S. O., Akomolafe, G. A., Aderinto, A., Otitigbe, A., ... & Aminu, R. O. (2016). Chemical composition, antimicrobial and free radical scavenging activities of Grewia pubescens. *Chem Int*, 2(4), 254-261.

Han, Y., Xu, Q., Hu, J. N., Han, X. Y., Li, W., & Zhao, L. C. (2015). Maltol, a food flavoring agent, attenuates acute alcohol-induced oxidative damage in mice. *Nutrients*, 7(1), 682–696. <https://doi.org/10.3390/nu7010682>

Hanafy, S.M., Abd El-Shafea, Y.M., Saleh, W.D., Fathy, H.M. (2021). Chemical profiling, in vitro antimicrobial and antioxidant activities of pomegranate, orange and banana peel-extracts against pathogenic microorganisms. *J. Genet. Eng. Biotechnol.*, 19, 80.

Harrabi, S., Ferchichi, A., Sakhri, H., Feki, M., & Hossaineian, F. (2021). Phospholipid and n-alkane composition, anti- α -glucosidase and anti-cyclooxygenase activities of milk thistle oil. *European Food Research and Technology*, 247, 1557-1567. <https://doi.org/10.1007/s00217-021-03732-y>

Harris, E. D. (1992). Copper as a cofactor and regulator of copper, zinc superoxide dismutase. *The Journal of nutrition*, 122, 636-640.

Hartwell, J.L. (1982). Plants Used Against Cancer, a Survey; Quarterman Publications, Inc.: Lawrence, MA, USA, p. 154.

Hasan, A.F., Begum, S., Furumoto, T., Fukui, H. (2000). A new chlorinated red naphthoquinone from roots of *Sesamum indicum*. *Biosci Biotechnol Biochem*. 64(4): 873-874.

Hashim, F.J., Hussain, S.M., & Shawkat, M.S. (2017). Separation, Characterization and Anticoagulant Activity of Coumarin and its Derivatives Extracted from Melilotus officinalis. *Biosci Biotech Res Asia* 2017;14(1). Available from: <https://www.biotech-asia.org/?p=22719>

He, N., Yang, X., Jiao, Y., Tian, L., & Zhao, Y. (2012). Characterisation of antioxidant and antiproliferative acidic polysaccharides from Chinese wolfberry fruits. *Food Chemistry*, 133(3), 978-989.

- Hegde, D.M. (2012). Sesame. In *Handbook of Herbs and Spices*, 2nd ed.; Elsevier: Amsterdam, The Netherlands, Volume 2, 449–486.
- Hegde, D.M. (2012). Sesame. In *Handbook of Herbs and Spices*, 2nd ed.; Elsevier: Amsterdam, The Netherlands, Volume 2, 449–486.
- Heit J. A. (2015). Epidemiology of venous thromboembolism. *Nature reviews. Cardiology*, 12(8), 464–474. <https://doi.org/10.1038/nrcardio.2015.83>
- Henry, G. E., Momin, R. A., Nair, M. G., & Dewitt, D. L. (2002). Antioxidant and cyclooxygenase activities of fatty acids found in food. *Journal of agricultural and food chemistry*, 50(8), 2231–2234. <https://doi.org/10.1021/jf0114381>
- Hetta M., H., El-AlfyT., S., YassinN., Z., Abdel-RahmanR., F., & KadryE., M. (2013). Phytochemical and Antihyperglycemic Studies on *Citrus medica* l. Leaves (Etrog) Growing in Egypt. *Int. J. Pharmacogn. Phytochem. Res.*, 5, 271–277.
- Hirata, F., Fujita, K., Ishikura, Y., Hosoda, K., Ishikawa, T., & Nakamura, H. (1996). Hypocholesterolemic effect of sesame lignan in humans. *Atherosclerosis*, 122(1), 135–136.
- Hood, J. L., & Eby, C. S. (2008). Evaluation of a prolonged prothrombin time. *Clinical chemistry*, 54(4), 765–769. <https://doi.org/10.1373/clinchem.2007.100818>
- Huang, L., Qi, Z.Y., Zhang, M. (2000). Effect of Bergamot polysaccharide on cytokine of mice induced by cyclophosphamide. *Mod J Integr Tradit Chin Western Med*, 9:871–872. CNKI:SUN:XDJH.0.2000-10-000
- Huang, M., Deng, M., Nie, W., Zou, D., Wu, H., & Xu, D. (2021). Naringenin Inhibits Platelet Activation and Arterial Thrombosis Through Inhibition of Phosphoinositide 3-Kinase and Cyclic Nucleotide Signaling. *Frontiers in pharmacology*, 12, 722257. <https://doi.org/10.3389/fphar.2021.722257>
- Huang, S. T., Yang, R. C., Yang, L. J., Lee, P. N., & Pang, J. H. (2003). Inhibitory effects of resveratrol on monocyte adhesion to TNF-alpha-activated endothelial cells. *American Journal of Physiology-Heart and Circulatory Physiology*, 285(6), H1258-H1267. doi: 10.1152/ajpheart.01244.2002
- Hussein, H. A., Mohamad, H., Ghazaly, M. M., Laith, A. A., & Abdullah, M. A. (2020). Cytotoxic effects of *Tetraselmis suecica* chloroform extracts with silver nanoparticle co-application on MCF-7, 4 T1, and Vero cell lines. *Journal of applied phycology*, 32, 127-143. <https://doi.org/10.1007/s10811-019-01905-7>

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

Ibrahim, N., Fairus, S., Zulfarina, M. S., & Naina Mohamed, I. (2020). The Efficacy of Squalene in Cardiovascular Disease Risk-A Systematic Review. *Nutrients*, 12(2), 414. <https://doi.org/10.3390/nu12020414>

IMPPAT 2.0: An Enhanced and Expanded Phytochemical Atlas of Indian Medicinal Plants, R. P. Vivek-Ananth, Karthikeyan Mohanraj, Ajaya Kumar Sahoo and Areejit Samal*, ACS Omega 8:8827-8845 (2023).

IMPPAT: A curated database of Indian Medicinal Plants, Phytochemistry And Therapeutics, Karthikeyan Mohanraj#, Bagavathy Shanmugam Karthikeyan#, R.P. Vivek-Ananth#, R.P. Bharath Chand, S.R. Aparna, P. Mangalapandi and Areejit Samal*, Scientific Reports 8:4329 (2018).

Indrayan, A. K., Tyagi, P. K., & Agrawal, N. K. (2010). Chemical composition and antimicrobial activity of the essential oil of Alpinia speciosa K. Schum. rhizome from India. *Journal of Essential Oil Research*, 22(2), 179-182. DOI: 10.1080/10412905.2010.9700297.

International Council for Harmonization of Technical Requirements for Pharmaceuticals for Human Use (ICH). Impurities: Guideline for Residual Solvents Q3C(R8). 2021. Available online: https://database.ich.org/sites/default/files/ICH_Q3C_R8_Guideline_Step4_2021_0422_1.pdf (accessed on 23 March 2023).

Isha, D., Milind, P., & Divis, P. (2012). EAT TIL AND PROTECT DIL. (2012). *International Research Journal of Pharmacy*, 3(11): 54-57.

Jayaprakasha, G. K., Jaganmohan Rao, L., & Sakariah, K. K. (2004). Antioxidant activities of flavidin in different in vitro model systems. *Bioorganic & medicinal chemistry*, 12(19), 5141–5146. <https://doi.org/10.1016/j.bmc.2004.07.028>

Joshi, K.C., Singh, P. and Pardasani, R.T. (1977). Quinones and other constituents from the roots of *Tecomella undulata*. *Planta Med*.31, 14-16.

Joshi, R., Kumar, M. S., Satyamoorthy, K., Unnikrisnan, M. K., & Mukherjee, T. (2005). Free radical reactions and antioxidant activities of sesamol: pulse radiolytic and biochemical studies. *Journal of agricultural and food chemistry*, 53(7), 2696-2703.

Kabra, A.O., Bairagi, G.B., Mahamuni, A.S. and Wanare, R.S. (2012). *In vitro* antimicrobial activity and phytochemical analysis of the peels of *Citrus medica* L. *International Journal of Research in Pharmaceutical and Biomedical Sciences*, 3(1): 34-37.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Kahn S. R. (2006). The post-thrombotic syndrome: the forgotten morbidity of deep venous thrombosis. *Journal of thrombosis and thrombolysis*, 21(1), 41–48. <https://doi.org/10.1007/s11239-006-5574-9>
- Kalpana Devi, V., Shanmugasundaram, R., & Mohan, V. R. (2012). GC–MS analysis of ethanol extract of *Entada pursaetha* DC seed. *Biosci Discov*, 3(1), 30-33.
- Kamal, A. M., Chowdhury, K. A. A., Chy, M. M. H., Shill, L. K., Chowdhury, S., Chy, M. A. H., & Habib, M. Z. (2015). Evaluation of anthelmintic activity of seeds of *Sesamum indicum* L. and fruits of *Capsicum frutescens* L. *Journal of Pharmacognosy and Phytochemistry*, 3(6), 256-259.
- Kamboj, V. P. (2000). Herbal medicine. *Current Science*, 78(1), 35–39. <http://www.jstor.org/stable/24103844>
- Kanakam, V. (2014). Antidiabetic activity of methanolic extracts from the root bark of *citrus medica* linn in streptozotocin-induced diabetic rats. *International journal of inventions in pharmaceutical sciences*, 607-610.
- Kang, K. S., Yamabe, N., Kim, H. Y., & Yokozawa, T. (2008). Role of maltol in advanced glycation end products and free radicals: in-vitro and in-vivo studies. *The Journal of pharmacy and pharmacology*, 60(4), 445–452. <https://doi.org/10.1211/jpp.60.4.0006>
- Kapadia, G.J., Azuine, M.A., Tokuda, H., Takasaki, M., Mukainaka, T., Konoshima, T., Nishino, H. (2002). Chemopreventive effect of resveratrol, sesamol, sesame oil and sunflower oil in the epsteinbarr virus early antigen activation assay and the mouse skin two-stage carcinogenesis. *Pharmacol Res.* 45:499-505.
- Kayode, R. M., Azubuike, C. U., Laba, S. A., Dauda, A. O., Balogun, M. A., & Ajala, S. A. (2018). Chemical composition and anti-microbial activities of the essential oil of *Adansonia digitata* stem-bark and leaf on post-harvest control of tomato spoilage. *Lwt*, 93, 58-63. doi: 10.1016/j.lwt.2018.03.014.
- Khan, M. S. A., & Ahmad, I. (2019). Herbal medicine: current trends and future prospects. In New look to phytomedicine (pp. 3-13). Academic Press.
- Khan, M.A., Shah, A.H., Maqbol, A., Khan, S.B., Sadique, U., & Idress, M. (2013). Study of *Tecomella undulata* G. Don. methanolic extract against *Sarcoptes scabiei* L. in vivo and in vitro. *Journal of Animal and Plant Sciences*, 23, 47-53.
- Khandelwal, K.R. (2009). *Practical Pharmacognosy*. 19th ed. Pune, India:Nirali prakashan. 149-56.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Khandelwal, P., Tiwari, H., Sharma, V., Mali, D.S., Vyas, P., & Wadhwani, B.D. (2022). Study of potent CDK7 inhibitor secondary metabolites from *Tecomella undulata*. *Natural Product Research*, 36, 5793 - 5797. <https://doi.org/10.1080/14786419.2021.2016748>
- Khare C.P. (2007). Indian medicinal plants, An illustrated dictionary, p. 649, Springer, Berlin.
- Khare, C.P. (2007). Indian Medicinal Plants: An Illustrated Dictionary. *Indian Medicinal Plants*.
- Khatri, A., Garg, A., & Agrawal, S. S. (2009). Evaluation of hepatoprotective activity of aerial parts of *Tephrosia purpurea* L. and stem bark of *Tecomella undulata*. *Journal of ethnopharmacology*, 122(1), 1–5. <https://doi.org/10.1016/j.jep.2008.10.043>
- Khodaie, L., Esnaashari, S., & Moghaddam, S. B. (2015). Essential oil of arial parts of *Adiantum capillus-veneris*: Chemical composition and antioxidant activity. *Jundishapur Journal of Natural Pharmaceutical Products*, 10(4). Doi: 10.17795/jjnpp-21968
- Kim, H., Moon, J. Y., Kim, H., Lee, D. S., Cho, M., & Choi, H. K. (2015). Antioxidant and antiproliferative activities of mango (*Mangifera indica* L.) flesh and peel. *Food Chemistry*, 172, 6–12. <https://doi.org/10.1016/j.foodchem.2014.09.075>
- Kim, Y., Kim, M. J., Oh, W. Y., & Lee, J. (2022). Antioxidant effects and reaction volatiles from heated mixture of soy protein hydrolysates and coconut oil. *Food science and biotechnology*, 32(3), 309–317. <https://doi.org/10.1007/s10068-022-01189-7>
- Kiran, K., & Asad, M. (2008). Wound healing activity of *Sesamum indicum* L seed and oil in rats. *Indian J Exp Biol.* , 777-782.
- Kirtikar, K.R., & Basu, B.D. (2005). *Indian Medicinal Plants* (2nd ed., Vol. III). International Book Distributors.
- Klabunde, R. E. (2011). *Cardiovascular Pharmacology Concepts* (2nd ed.). Lippincott Williams & Wilkins.
- Kodali, G., Ganapaty, S. (2013). Studies on anti-hyper lipidemic and anti-atherosclerotic activities of selected Indian medicinal plants [Doctoral Dissertation, Andhra University]. <http://hdl.handle.net/10603/14119>
- Kokane, C. K., Purohit, A. P., & Gokhale, S. B. (2002). *Pharmacognosy*. In *Terpenoids* (21st ed., pp. 377-378). Nirali Prakashan.
- Koyama, T., Hirosawa, S., Kawamata, N., Tohda, S., & Aoki, N. (1994). All-trans retinoic acid upregulates thrombomodulin and downregulates tissue-factor expression in acute

promyelocytic leukemia cells: distinct expression of thrombomodulin and tissue factor in human leukemic cells. *Blood*, 84(9), 3001–3009.

Kumar, S., Sharma, S., Vasudeva, N., & Ranga, V. (2012). In vivo anti-hyperglycemic and antioxidant potentials of ethanolic extract from *Tecomella undulate*. *Diabetology & metabolic syndrome*, 4(1), 33. <https://doi.org/10.1186/1758-5996-4-33>

Kuntić, V., Filipović, I., & Vujić, Z. (2011). Effects of rutin and hesperidin and their Al(III) and Cu(II) complexes on in vitro plasma coagulation assays. *Molecules (Basel, Switzerland)*, 16(2), 1378–1388. <https://doi.org/10.3390/molecules16021378>

Laghari, A.Q., Memon, S., Nelofar, A.Q., & Laghari, A.H. (2014). Structurally diverse alkaloids from *Tecomella undulata* G. Don flowers. *Journal of King Saud University - Science*, 26, 300-304.

Laghari, A.Q., Memon, S., Nelofar, A.Q., & Laghari, A.H. (2014). Structurally diverse alkaloids from *Tecomella undulata* G. Don flowers. *Journal of King Saud University - Science*, 26, 300-304. <https://doi.org/10.1016/j.jksus.2014.02.005>

Lantz, R. C., Chen, G. J., Sari, Y., & Sólyom, A. M. (2012). Inhibition of the oxidative bursts in human neutrophils by aliphatic aldehydes, an alpha,beta-unsaturated aldehyde, and aliphatic alcohols. *Alcohol*, 46(3), 207-217. doi: 10.1016/j.alcohol.2011.08.003

LaPelusa, A., & Dave, H. D. (2023). Physiology, Hemostasis. In *StatPearls*. StatPearls Publishing.

Lazreg-Aref, H., Mars, M., Fekih, A., Aouni, M., & Said, K. (2012). Chemical composition and antibacterial activity of a hexane extract of Tunisian caprifig latex from the unripe fruit of *Ficus carica*. *Pharmaceutical biology*, 50(4), 407–412.

<https://doi.org/10.3109/13880209.2011.608192>

Lee, M. H., Son, Y. K., & Han, Y. N. (2004). Tissue factor inhibitory sesquiterpene glycoside from *Eriobotrya japonica*. *Archives of pharmacal research*, 27(6), 619–623. <https://doi.org/10.1007/BF02980160>

Lei, L., Xue, Y. B., Liu, Z., Peng, S. S., He, Y., Zhang, Y., Fang, R., Wang, J. P., Luo, Z. W., Yao, G. M., Zhang, J. W., Zhang, G., Song, H. P., & Zhang, Y. H. (2015). Coumarin derivatives from *Ainsliaea fragrans* and their anticoagulant activity. *Scientific reports*, 5, 13544. <https://doi.org/10.1038/srep13544>

Li, B., Zhang, H., Makhoul, M., Chen, J., Zhou, X., & Xing, G. (2015). Hemostatic agents from herbal medicine. *Thrombosis Research*, 136(1), 1-8. doi: 10.1016/j.thromres.2015.03.008.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

Li, D., Rui, Y. X., Guo, S. D., Luan, F., Liu, R., & Zeng, N. (2021). Ferulic acid: A review of its pharmacology, pharmacokinetics and derivatives. *Life sciences*, 284, 119921. <https://doi.org/10.1016/j.lfs.2021.119921>

Li, J., Yu, G., & Fan, J. (2014). Alditols and monosaccharides from sorghum vinegar can attenuate platelet aggregation by inhibiting cyclooxygenase-1 and thromboxane-A2 synthase. *Journal of ethnopharmacology*, 155(1), 285-292. DOI: 10.1016/j.jep.2014.05.018

Li, J., Yu, G., & Fan, J. (2014). Alditols and monosaccharides from sorghum vinegar can attenuate platelet aggregation by inhibiting cyclooxygenase-1 and thromboxane-A2 synthase. *Journal of ethnopharmacology*, 155(1), 285–292.

<https://doi.org/10.1016/j.jep.2014.05.018>

Li, M. M., Wu, L. Y., Zhao, T., Xiong, L., Huang, X., Liu, Z. H., Fan, X. L., Xiao, C. R., Gao, Y., Ma, Y. B., Chen, J. J., Zhu, L. L., & Fan, M. (2011). The protective role of 5-HMF against hypoxic injury. *Cell stress & chaperones*, 16(3), 267–273.

<https://doi.org/10.1007/s12192-010-0238-2>

Li, X. J., Yang, Y. J., Li, Y. S., Zhang, W. K., & Tang, H. B. (2016). α -Pinene, linalool, and 1-octanol contribute to the topical anti-inflammatory and analgesic activities of frankincense by inhibiting COX-2. *Journal of ethnopharmacology*, 179, 22-26.

Lim, J. S., Adachi, Y., Takahashi, Y., & Ide, T. (2007). Comparative analysis of sesame lignans (sesamin and sesamolin) in affecting hepatic fatty acid metabolism in rats. *The British journal of nutrition*, 97(1), 85–95. <https://doi.org/10.1017/S0007114507252699>

Liogier, A. H. (1988). *Descriptive flora of Puerto Rico and adjacent islands: Spermatophyta* (Vol. 2). Editorial de la Universidad de Puerto Rico. Río Piedras, PR

Little, E. L. Jr., & Wadsworth, F. L. (1964). *Common trees of Puerto Rico and the Virgin Islands* (Agriculture Handbook No. 249). Washington, DC: U.S. Department of Agriculture, Forest Service

Liu, Q. & Yao, H., (2007). Antioxidant activities of barley seeds extracts. *Food Chemistry*, 102(3):732-737.

Lou-Bonafonte, J. M., Martínez-Beamonte, R., Sanclemente, T., Surra, J. C., Herrera-Marcos, L. V., Sanchez-Marco, J., Arnal, C., & Osada, J. (2018). Current Insights into the Biological Action of Squalene. *Molecular nutrition & food research*, 62(15), e1800136.

<https://doi.org/10.1002/mnfr.201800136>

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Lu, H., Wu, Y.X., Yang, L.J., Li, J.C., Zhang, W., Liu, N. (2011). Anti-depressant effects of *Citrus medica* L. var. sarcodactylis swingle from Sichuan province. *J. Zhengzhou Univ (Med Sci)*, 46:220–222. <https://doi.org/10.13705/j.issn.1671-6825.2011.02.007>
- Luceri, C., Giannini, L., Lodovici, M., Antonucci, E., Abbate, R., Masini, E., & Dolara, P. (2007). p-Coumaric acid, a common dietary phenol, inhibits platelet activity in vitro and in vivo. *The British journal of nutrition*, 97(3), 458–463. <https://doi.org/10.1017/S0007114507657882>
- Luo, X., Wang, J., Chen, H., Zhou, A., Song, M., Zhong, Q., Chen, H., & Cao, Y. (2020). Identification of Flavonoids From Finger Citron and Evaluation on Their Antioxidative and Antiaging Activities. *Frontiers in nutrition*, 7, 584900. <https://doi.org/10.3389/fnut.2020.584900>
- Ma, Q. G., Wei, R. R., Yang, M., Huang, X. Y., Wang, F., Dong, J. H., & Sang, Z. P. (2021). Isolation and characterization of neolignan derivatives with hepatoprotective and neuroprotective activities from the fruits of *Citrus medica* L. var. Sarcodactylis Swingle. *Bioorganic Chemistry*, 107, 104622. <https://doi.org/10.1016/j.bioorg.2020.104622>
- Mackman N. (2008). Triggers, targets and treatments for thrombosis. *Nature*, 451(7181), 914–918. <https://doi.org/10.1038/nature06797>
- Mahdi, A.A., Al-Ansi, W., Ahmed, M.I., Chen, X., Mohammed, J.K., Sulieman, A.A., Mushtaq, B.S., Harimana, Y., & Wang, H. (2019). Microwave-assisted extraction of the bioactive compounds from peel/pulp of *Citrus medica* L. var. sarcodactylis swingle along with its nutritional profiling. *Journal of Food Measurement and Characterization*, 14, 283 - 292.
- Mahe M, D. J. (1978). Pharmacological Properties of Several Indigenous Plants on the Nervous System. *Plant Med Phytotherapy*, 12: 248-58.
- Majdalawieh, A.F., Farraj, J., & Carr, R.I. (2020). *Sesamum indicum* (sesame) enhances NK anti-cancer activity, modulates Th1/Th2 balance, and suppresses macrophage inflammatory response. *Asian Pacific Journal of Tropical Biomedicine*, 10, 316 - 324.
- Malinski T. (2007). Nitric oxide and nitroxidative stress in Alzheimer's disease. *Journal of Alzheimer's disease : JAD*, 11(2), 207–218. <https://doi.org/10.3233/jad-2007-11208>
- Manjunath, S. H., & Thimmulappa, R. K. (2022). Antiviral, immunomodulatory, and anticoagulant effects of quercetin and its derivatives: Potential role in prevention and

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

management of COVID-19. *Journal of pharmaceutical analysis*, 12(1), 29–34.
<https://doi.org/10.1016/j.jpha.2021.09.009>

Manner, H. I., Baker, R. S., Smith, V. E., Ward, D., & Elevitch, C. R. (2006). *Species profile for Pacific Island agroforestry: Citrus species (Citrus)* (Ver. 2.1). Retrieved from TraditionalTree.org

Mannucci, P. M., & Tuddenham, E. G. (2001). The hemophilias—from royal genes to gene therapy. *New England Journal of Medicine*, 344(23), 1773–1779.

Mao, W., Li, H., Li, Y., Zhang, H., Qi, X., Sun, H., Chen, Y., & Guo, S. (2009). Chemical characteristic and anticoagulant activity of the sulfated polysaccharide isolated from *Monostroma latissimum* (Chlorophyta). *International journal of biological macromolecules*, 44(1), 70–74. <https://doi.org/10.1016/j.ijbiomac.2008.10.003>

Matsubara, K., Matsuura, Y., Bacic, A., Liao, M. L., Hori, K., & Miyazawa, K. (2001). Anticoagulant properties of a sulfated galactan preparation from a marine green alga, *Codium cylindricum*. *International Journal of Biological Macromolecules*, 28(5), 395–399.

Meghwal, M., & Goswami, T. K. (2012). Chemical composition, functional properties and processing of sesame seed: A review. *International Journal of Food Science & Technology*, 47(3), 447–457.

Melo, K. R., Camara, R. B., Queiroz, M. F., Vidal, A. A., Lima, C. R., Melo-Silveira, R. F., Almeida-Lima, J., & Rocha, H. A. (2013). Evaluation of sulfated polysaccharides from the brown seaweed *Dictyopteris justii* as antioxidant agents and as inhibitors of the formation of calcium oxalate crystals. *Molecules (Basel, Switzerland)*, 18(12), 14543–14563. <https://doi.org/10.3390/molecules181214543>

Menichini, F., Tundis, R., Loizzo, M. R., Bonesi, M., D'Angelo, D., Lombardi, P., & Mastellone, V. (2016). *Citrus medica* L. cv Diamante (Rutaceae) peel extract improves glycaemic status of Zucker diabetic fatty (ZDF) rats and protects against oxidative stress. *Journal of enzyme inhibition and medicinal chemistry*, 31(6), 1270–1276.
<https://doi.org/10.3109/14756366.2015.1115400>

Merlin, N.J., Parthasarathy, V., Manavalan, R. and Kumaravel, S. (2009). Chemical Investigation of Aerial Parts of *Gmelina asiatica* Linn by GC-MS. *Pharmacog Res.*, 1:152-6.

Miller, M. J., Sadowska-Krowicka, H., Chotinaruemol, S., Kakkis, J. L., & Clark, D. A. (1993). Amelioration of chronic ileitis by nitric oxide synthase inhibition. *The Journal of pharmacology and experimental therapeutics*, 264(1), 11–16.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

Mira, A., Alkhiary, W., & Shimizu, K. (2017). Antiplatelet and anticoagulant activities of Angelica shikokiana extract and its isolated compounds. *Clinical and Applied Thrombosis/Hemostasis*, 23(1), 91-99. DOI: 10.1177/1076029615595879

Mira, A., Alkhiary, W., & Shimizu, K. (2017). Antiplatelet and Anticoagulant Activities of Angelica shikokiana Extract and Its Isolated Compounds. *Clinical and applied thrombosis/hemostasis : official journal of the International Academy of Clinical and Applied Thrombosis/Hemostasis*, 23(1), 91–99.

<https://doi.org/10.1177/1076029615595879>

Mishra, S., Balaji, O., Rao, V., & Adiga, S. (2019). Gastroprotective activity of sesame (*Sesamum indicum*) seeds extract in alendronate-induced gastric ulcer in rats. *Asian Journal of Pharmaceutical and Clinical Research*.

Mohibb-e-A.M., Ghanim A.: *Biochem. Syst. Ecol.* 28, 803 (2000).

Mohibb-e-A.M., Ghanim A.: *Biochem. Syst. Ecol.* 28, 803 (2000).

Mohibb-E-Azam. (1999). Anti-HIV agents and other compounds from *Tecomella undulata*. *Orient. J. Chem.*, 375–377.

Møller, J.K., Madsen, H.L., Aaltonen, T.M., & Skibsted, L.H. (1999). Dittany (*Origanum dictamnus*) as a source of water-extractable antioxidants. *Food Chemistry*, 64, 215-219. [https://doi.org/10.1016/S0308-8146\(98\)00143-5](https://doi.org/10.1016/S0308-8146(98)00143-5)

Molyneux, P. (2004). THE USE OF THE STABLE FREE RADICAL DIPHENYLPICRYLHYDRAZYL (DPPH) FOR ESTIMATING ANTIOXIDANT ACTIVITY. *Songklanakarin Journal of Science and Technology (SJST)*, 26, 211-219.

Mondal, M., Saha, S., Sarkar, C., Hossen, M. S., Hossain, M. S., Khalipha, A. B. R., Islam, M. F., Wahed, T. B., Islam, M. T., Rauf, A., Mubarak, M. S., & Kundu, S. K. (2021). Role of *Citrus medica* L. Fruits Extract in Combatting the Hematological and Hepatic Toxic Effects of Carbofuran. *Chemical research in toxicology*, 34(8), 1890–1902. <https://doi.org/10.1021/acs.chemrestox.1c00166>

Mosa, R. A. (2011). In vitro anti-platelet aggregation activity of the extracts of *Protorhus longifolia* (Doctoral dissertation).

Mosa, R.A. (2011). In vitro anti-platelet aggregation activity of the extracts of *protorhus longifolia*.

Mucci, A., Parenti, F., Righi, V., Schenetti, L. (2013). Citron and lemon under the lens of HR-MAS NMR spectroscopy. *Food Chem.* 141, 3167–3176.

<https://doi.org/10.1016/j.foodchem.2013.05.151>

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Munwar, S., Roy, H., & Rahaman, S. A. (2015). Antioxidant and free radical scavenging activity of *Citrus medica*. *International Journal of Pharmaceutical Research and Health Sciences*, 3(4), 810-816.
- Muzalevskaya, E. N., Miroshnichenko, L. A., Nikolaevskii, V. A., Ushakov, I. B., Chernov, Y. N., Alabovskii, V. V., Batishcheva, G. A., & Buzlama, A. V. (2015). *Eksperimental'naia i klinicheskaiia farmakologiia*, 78(6), 30–36.
- Nagaraju, B., Anand, S.C., Ahmed, N., Chandra, J.N., Ahmed, F. and Padmavathi, G.V. (2012). Antiulcer activity of aqueous extract of *Citrus medica* Linn. fruit against ethanol-induced ulcer in rats. *Advances in Biological Research*, 6 (1): 24-29.
- Nagulendran, K., Velavan, S., Mahesh, R., & Begum, V.M. (2007). in vitro Antioxidant Activity and Total Polyphenolic Content of *Cyperus rotundus* Rhizomes. *Journal of Chemistry*, 4, 440-449.
- Nagy, M.M., Al-Mahdy, D.A., Abd El Aziz, O.M., Kandil, A.M., Tantawy, M.A., El Alfyl, T.S. (2018). Chemical composition and antiviral activity of essential oils from Citrus reshni hort. ex Tanaka (Cleopatra mandarin) cultivated in Egypt. *J. Essent. Oil-Bear. Plants*, 21, 264–272.
- Nam, G. S., Park, H. J., & Nam, K. S. (2020). The antithrombotic effect of caffeic acid is associated with a cAMP-dependent pathway and clot retraction in human platelets. *Thrombosis research*, 195, 87–94.
<https://doi.org/10.1016/j.thromres.2020.07.024>
- Nawaz, H., Shad, M.A., Rehman, N., Andaleeb, H., & Ullah, N. (2020). Effect of solvent polarity on extraction yield and antioxidant properties of phytochemicals from bean (*Phaseolus vulgaris*) seeds. *Brazilian Journal of Pharmaceutical Sciences*, 56.
- Ogawa, H., Sasagawam S., Murakami, T., Yoshizumi, H. (1995). Sesame lignans modulate cholesterol metabolism in the stroke-prone spontaneously hypertensive rat. *Clin Exp Pharmacol Physiol Suppl*. 1:10-12.
- Okoye, N. N., Ajaghaku, D. L., Okeke, H. N., Ilodigwe, E. E., Nworu, C. S., & Okoye, F. B. (2014). beta-Amyrin and alpha-amyrin acetate isolated from the stem bark of *Alstonia boonei* display profound anti-inflammatory activity. *Pharmaceutical biology*, 52(11), 1478–1486. <https://doi.org/10.3109/13880209.2014.898078>
- Oladosu, I. A., Zubair, M. F., Ali, M. S., & Olawore, N. O. (2009). Anticandidal activity of volatile compounds from the root bark of *Ficus exasperata* Vahl-Holl

(Moraceae). *Journal of Essential Oil Bearing Plants*, 12(5), 562-568. DOI:10.1080/0972060X.2009.10643758.

Oliveira, F. A., Lima-Junior, R. C., Cordeiro, W. M., Vieira-Júnior, G. M., Chaves, M. H., Almeida, F. R., Silva, R. M., Santos, F. A., & Rao, V. S. (2004). Pentacyclic triterpenoids, alpha,beta-amyrins, suppress the scratching behavior in a mouse model of pruritus. *Pharmacology, biochemistry, and behavior*, 78(4), 719–725.
<https://doi.org/10.1016/j.pbb.2004.05.013>

Ordoñez, A. A. L., Gomez, J. D., Vattuone, M. A., & Isla, M. I. (2006). Antioxidant activities of *Sechium edule* (Jacq.) Swartz extracts. *Food Chemistry*, 97, 452–458.

Osoniyi, O., & Onajobi, F. (2003). Coagulant and anticoagulant activities in *Jatropha curcas* latex. *Journal of ethnopharmacology*, 89(1), 101–105.
[https://doi.org/10.1016/s0378-8741\(03\)00263-0](https://doi.org/10.1016/s0378-8741(03)00263-0)

Palta, S., Saroa, R., & Palta, A. (2014). Overview of the coagulation system. *Indian journal of anaesthesia*, 58(5), 515–523. <https://doi.org/10.4103/0019-5049.144643>

Pandey, V.B., & Dasgupta, B. (1970). A new ester glucoside from the bark of *Tecomella undulata*. *Experientia*, 26, 1187-1188.

Parekh, J., Jadeja, D., & Chanda, S.V. (2005). Efficacy of Aqueous and Methanol Extracts of Some Medicinal Plants for Potential Antibacterial Activity. *Turkish Journal of Biology*, 29, 203-210.

Parveen, T., & Sharma, K. (2014). Phytochemical Profiling of Leaves and Stem Bark of *Terminalia arjuna* and *Tecomella undulata*. *International Journal of Pharmacy & Bio-Sciences*.

Parvez, M. K., Alam, P., Arbab, A. H., Al-Dosari, M. S., Alhowiriny, T. A., & Alqasoumi, S. I. (2018). Analysis of antioxidative and antiviral biomarkers β-amyrin, β-sitosterol, lupeol, ursolic acid in *Guiera senegalensis* leaves extract by validated HPTLC methods. *Saudi pharmaceutical journal : SPJ : the official publication of the Saudi Pharmaceutical Society*, 26(5), 685–693. <https://doi.org/10.1016/j.jsps.2018.02.022>

Patel, K., Patel, D. K., & Gandhi, T. R. (2017). Phytochemical investigation and standardization of *Sesamum indicum* L. seeds. *International Journal of Green Pharmacy*, 11(3), S574–S579.

Patel, K.N., Gupta, G., Goyal, M.K., & Nagori, B.P. (2011). Assessment of hepatoprotective effect of *Tecomella undulata* (Sm.) Seem., Bignoniaceae, on paracetamol-

- induced hepatotoxicity in rats. *Revista Brasileira De Farmacognosia-brazilian Journal of Pharmacognosy*, 21, 133-138.
- Patil, S.J. (2009). Efficacy of *citrus medica* seeds extracts on reproductive activities in female albino rats. *Pharmacologyonline* 2: 803-817.
- Patil, S.J. (2009). Efficacy of *citrus medica* seeds extracts on reproductive activities in female albino rats. *Pharmacologyonline* 2: 803-817.
- Pendurthi, U. R., Williams, J. T., & Rao, L. V. M. (1999). Resveratrol, a polyphenolic compound found in wine, inhibits tissue factor expression in vascular cells: a possible mechanism for the cardiovascular benefits associated with moderate consumption of wine. *Arteriosclerosis, thrombosis, and vascular biology*, 19(2), 419-426.
- Peng, C. H., Ker, Y. B., Weng, C. F., Peng, C. C., Huang, C. N., Lin, L. Y., & Peng, R. Y. (2009). Insulin secretagogue bioactivity of finger citron fruit (*Citrus medica* L. var. *Sarcodactylis* Hort, Rutaceae). *Journal of agricultural and food chemistry*, 57(19), 8812–8819. <https://doi.org/10.1021/jf902143x>
- Piao, X., Sun, M., & Yi, F. (2020). Evaluation of nematocidal action against *caenorhabditis elegans* of essential oil of flesh fingered citron and its mechanism. *Journal of Chemistry*, 1-9. <https://doi.org/10.27801/d.cnki.gshyy.2020.000020>
- Pietta P. G. (2000). Flavonoids as antioxidants. *Journal of natural products*, 63(7), 1035–1042. <https://doi.org/10.1021/np9904509>
- Pouyfung, P., & Sukati, S. (2021). Anti-coagulant properties of flavonoid compounds: potential structure-functional relationship. *International Journal of Applied Pharmaceutics*, 9-12.
- Prasad, D., Chandiran, R., Kavimani, S., and Suba V. (2013). “Neuropharmacological Profile of Ethanolic Extract of *Dalbergia Latifolia Roxb* in Swiss Albino Mice.” *Journal of Global Trends in Pharmaceutical Sciences*. 4(3): 1193-99.
- Preusch, P. C., & Smalley, D. M. (1990). Vitamin K1 2,3-epoxide and quinone reduction: mechanism and inhibition. *Free radical research communications*, 8(4-6), 401–415. <https://doi.org/10.3109/10715769009053374>
- Preusch, P. C., & Suttie, J. W. (1984). Lapachol inhibition of vitamin K epoxide reductase and vitamin K quinone reductase. *Archives of biochemistry and biophysics*, 234(2), 405-412. doi: 10.1016/0003-9861(84)90286-8.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Prieto, P., Pineda, M., & Aguilar, M. (1999). Spectrophotometric quantitation of antioxidant capacity through the formation of a phosphomolybdenum complex: specific application to the determination of vitamin E. *Analytical biochemistry*, 269(2), 337-41.
- Quintero-Soto, M.F., Espinoza-Moreno, R.J., Félix-Medina, J.V., Salas-López, F., López-Carrera, C.F., Argüelles-López, O.D., Vazquez-Ontiveros, M.E., & Gómez-Favela, M.A. (2022). Comparison of Phytochemical Profile and In Vitro Bioactivity of Beverages Based on the Unprocessed and Extruded Sesame (*Sesamum indicum* L.) Seed Byproduct. *Foods*, 11, 3175. <https://doi.org/10.3390/foods11203175>
- Rahman, M. M., Ahmad, S. H., Mohamed, M. T., & Ab Rahman, M. Z. (2014). Antimicrobial compounds from leaf extracts of *Jatropha curcas*, *Psidium guajava*, and *Andrographis paniculata*. *TheScientificWorldJournal*, 2014, 635240. <https://doi.org/10.1155/2014/635240>
- Rajesh, K.J. (2011). Terpene composition of *Crassocephalum crepidioides* from Western Ghats region of India. *Int J Nat Prod Res.* 1(2), 19–22.
- Rana, M.G., Katbamna, R.V., Dudhrejiya, A.V., & Sheth, N.R. (2008). Hepatoprotection of *Tecomella undulata* against experimentally induced liver injury in rats. *Pharmacologyonline*, 674-82.
- Rashid, A., Ahmed, M. S., Rakib, M. A., Rony, K. A., Haque, M., Islam, M. S., & Ahmed, M. U. (2014). In-vitro anticoagulant activity and cytotoxicity of *Allium sativum*. *International Journal of Pharmaceutical Sciences and Research*, 5(9), 3751-3758.
- Ravi, A., Mallika, A., Sama, V., Begum, A. S., Khan, R. S., & Reddy, B. M. (2011). Antiproliferative activity and standardization of *Tecomella undulata* bark extract on K562 cells. *Journal of ethnopharmacology*, 137(3), 1353–1359. <https://doi.org/10.1016/j.jep.2011.07.067>
- Rice-Evans, C. A., Miller, N. J., Bolwell, P. G., Bramley, P. M., & Pridham, J. B. (1995). The relative antioxidant activities of plant-derived polyphenolic flavonoids. *Free radical research*, 22(4), 375–383. <https://doi.org/10.3109/10715769509145649>
- Rickles, F. R., & Falanga, A. (2001). Molecular basis for the relationship between thrombosis and cancer. *Thrombosis research*, 102(6), V215–V224. [https://doi.org/10.1016/s0049-3848\(01\)00285-7](https://doi.org/10.1016/s0049-3848(01)00285-7)
- Robinson, M. M., & Zhang, X. (2011). Traditional medicines: global situation, issues, and challenges. *The world medicines situation*, 3.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Roghani, M., Kalantari, H., Khodayar, M. J., Khorsandi, L., Kalantar, M., Goudarzi, M., & Kalantar, H. (2020). Alleviation of Liver Dysfunction, Oxidative Stress and Inflammation Underlies the Protective Effect of Ferulic Acid in Methotrexate-Induced Hepatotoxicity. *Drug design, development and therapy*, 14, 1933–1941. <https://doi.org/10.2147/DDDT.S237107>
- Rohilla, R., & Garg, M. (2014). Phytochemistry and pharmacology of *Tecomella undulata*. *International Journal of Green Pharmacy*, 8.
- Rohilla, R., & Garg, M. (2014). Phytochemistry and pharmacology of *Tecomella undulata*. *International Journal of Green Pharmacy*, 8.
- Roncaglioni, M. C., Reyers, I., Cerletti, C., Donati, M. B., & de Gaetano, G. (1988). Moderate anticoagulation by salicylate prevents thrombosis without bleeding complications. An experimental study in rats. *Biochemical pharmacology*, 37(24), 4743–4745. [https://doi.org/10.1016/0006-2952\(88\)90346-2](https://doi.org/10.1016/0006-2952(88)90346-2)
- Ross, A. C., Caballero, B. H., Cousins, R. J., Tucker, K. L., & Ziegler, T. R. (2012). *Modern nutrition in health and disease: Eleventh edition*. Wolters Kluwer Health Adis (ESP), 305–316.
- Saeidnia, S., Gohari, A., Mokhber-Dezfuli, N., & Kiuchi, F. (2011). A review on phytochemistry and medicinal properties of the genus Achillea. *Daru : journal of Faculty of Pharmacy, Tehran University of Medical Sciences*, 19(3), 173–186.
- Sah, A.N., Joshi, A., Juyal, V., & Kumar, T. (2011). Antidiabetic and Hypolipidemic Activity of *Citrus medica* Linn. Seed Extract in Streptozotocin Induced Diabetic Rats. *Polymer Journal*, 3, 80-84.
- Sahagun, M. V. B., Macadangdang Jr, R. R., Abogadie, C. C., Asi, R. M. C., Boncodin, A. H., Julian, C. F., & Pedersen, K. D. (2021). Anti-coagulant Activity of Flavonoids in Medicinal Plants from Philippine Flora: A Narrative Review. *Asian Journal of Biological and Life Sciences*, 10(2), 239. DOI:10.5530/ajbls.2021.10.34
- Saleem, T.S., Basha, S.D., Mahesh, G., Rani, P.V., Kumar, N.S., & Chetty, C.M. (2011). Analgesic, Anti-pyretic and Anti-inflammatory Activity of Dietary Sesame Oil in Experimental Animal Models. *Pharmacologia*, 172-177.
- Salunkhe, D. K., Chavan, J. K., Adsule, R. N., Kadam, S.S. (1991). Sesame. In: Van Nostrand R. (ed.) *World Oil Seeds: History, Technology, and Utilization*. Spring: New York, 371-402.

Salunkhe, P. S., Patil, S. D., & Dhande, S. R. (2018). Anti-thrombotic activity of isolated β -sitosterol from roots of *Hemidesmus indicus* Linn in rat model. *Journal of Pharmacognosy and Phytochemistry*, 7(6S), 10-14. DOI: <https://doi.org/10.22271/phyto.2018.v7.isp6.1.03>

Saputri, F. C., & Jantan, I. (2012). Inhibitory activities of compounds from the twigs of *Garcinia hombroniana* Pierre on human low-density lipoprotein (LDL) oxidation and platelet aggregation. *Phytotherapy research : PTR*, 26(12), 1845–1850. <https://doi.org/10.1002/ptr.4667>

Saraf, A. and Sankhla, S. (2013). Evaluation of Elemental Profile of *Tecomella undulata* (Seem): An Endangered Medicinal Plant. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 4(4): 600-607.

Selim, Y. A., & Sakeran, M. I. (2014). Effect of Time Distillation on Chemical Constituents and Anti-Diabetic Activity of the Essential Oil from Dark Green Parts of Egyptian Allium ampeloprasum L. *Journal of Essential Oil Bearing Plants*, 17(5), 838-846. <https://doi.org/10.1080/0972060X.2014.935064>

Serrat, J., Becerro-Recio, D., Torres-Valle, M., Simón, F., Valero, M.A., Bargues, M.D., Mas-Coma, S., Siles-Lucas, M., & González-Miguel, J. (2022). *Fasciola hepatica* juveniles interact with the host fibrinolytic system as a potential early-stage invasion mechanism. *PLOS Neglected Tropical Diseases*, 17.

Sha, J. Y., Li, J. H., Zhou, Y. D., Yang, J. Y., Liu, W., Jiang, S., Wang, Y. P., Zhang, R., Di, P., & Li, W. (2021). The p53/p21/p16 and PI3K/Akt signaling pathways are involved in the ameliorative effects of maltol on D-galactose-induced liver and kidney aging and injury. *Phytotherapy research : PTR*, 35(8), 4411–4424. <https://doi.org/10.1002/ptr.7142>

Shah, B. H., Nawaz, Z., Pertani, S. A., Roomi, A., Mahmood, H., Saeed, S. A., & Gilani, A. H. (1999). Inhibitory effect of curcumin, a food spice from turmeric, on platelet-activating factor- and arachidonic acid-mediated platelet aggregation through inhibition of thromboxane formation and Ca²⁺ signaling. *Biochemical pharmacology*, 58(7), 1167–1172. [https://doi.org/10.1016/s0006-2952\(99\)00206-3](https://doi.org/10.1016/s0006-2952(99)00206-3)

Shah, B. H., Nawaz, Z., Pertani, S. A., Roomi, A., Mahmood, H., Saeed, S. A., & Gilani, A. H. (1999). Inhibitory effect of curcumin, a food spice from turmeric, on platelet-activating factor- and arachidonic acid-mediated platelet aggregation through inhibition of thromboxane formation and Ca²⁺ signaling. *Biochemical pharmacology*, 58(7), 1167–1172. [https://doi.org/10.1016/s0006-2952\(99\)00206-3](https://doi.org/10.1016/s0006-2952(99)00206-3)

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Shahriar M, T. A. (2014). In Vitro Antioxidant Activities and In Vivo Anti-Nociceptive And Neuropharmacological Activities of Mimosa Pudica. *International Journal of Pharmaceutics*, 4(2): 70-78.
- Shao, Q., Deng, Y., Liu, H., Zhang, A., Huang, Y., Xu, G., & Li, M. (2014). Essential oils extraction from Anoectochilus roxburghii using supercritical carbon dioxide and their antioxidant activity. *Industrial Crops and Products*, 60, 104-112.
- Sharma, N., Palia, P., Chaudhary, A., Verma, K., & Kumar, I. (2020). A review on pharmacological activities of lupeol and its triterpene derivatives. *Journal of Drug Delivery and Therapeutics*, 10(5), 325-332.
- Sharma, R.A., Bhardwaj, R., & Yadav, A.S. (2013). Antioxidant Activity of Total Phenolic Compounds of *Tecomella undulata*. *Journal of Pharmacy and Pharmaceutical Sciences*, 5(4):96-100.
- Sharma, R.A., Bhardwaj, R., & Yadav, A.S. (2013). Antioxidant activity of total phenolic compounds of *Tecomella undulata*. International Journal of Pharmacy and Pharmaceutical Sciences. 5(4); 96-100.
- Sheth, A.K., & Mitaliya, K.D. (2005). *The Herbs of Ayurveda* (1st ed., Vol. III). Hi Scan Pvt Ltd.
- Shuai, S., & Yue, G. (2018). Ferulic acid, a potential antithrombotic drug. *Journal of Lung Health and Diseases*, 2(2).
- Shukla, S., Hegde, S., Kumar, A., Chaudhary, G., Tewari, S.K., Upreti, D.K., & Pal, M.C. (2017). Chemical Composition and Antibacterial Activity of Essential Oil from Leaves of *Justicia adhatoda* Against Methicillian Resistant and Sensitive Strain Along with Their Clinical Isolates. *Journal of Essential Oil Bearing Plants*, 20, 116 - 122. DOI:10.1080/0972060X.2016.1260061
- Shyu, Y.S. and Hwang, L.S. (2002). Antioxidative activity of the crude extract of lignin glycosides from unroasted Burma black sesame meal. *Food Res Int*. 35: 357365.
- Silverstein, R. M., Webster, F. X., Kiemle, D. J., & Bryce, D. L. (2014). *Spectrometric Identification of Organic Compounds*. John Wiley & Sons.
- Singh P, K. P. (2008). *Indian J Chem* 1865-1870.
- Skorik, Y. A., Kritchenkov, A. S., Moskalenko, Y. E., Golyshev, A. A., Raik, S. V., Whaley, A. K., Vasina, L. V., & Sonin, D. L. (2017). Synthesis of N-succinyl- and N-glutaryl-chitosan derivatives and their antioxidant, antiplatelet, and anticoagulant

- activity. *Carbohydrate polymers*, 166, 166–172.
<https://doi.org/10.1016/j.carbpol.2017.02.097>
- Soleha, M.; Pratiwi, D.E.; Sari, I.D.; Hermiyanti, E.; Yunarto, N.; Setyorini, H.A. Antioxidant Activity of Methanol Extract Tetracera scandens L Merr Predicted Active Compound of Methanol Extract with GCMS NIST Library. *J. Phys. Conf. Ser.* **2020**, 1665, 012028.
- Somesh Mehra, S. M., Swati Shukla, S. S., Rupali Srivastava, R. S., Jose Mathew, J. M., & Manish Mehra, M. M. (2015). Evaluation of antimicrobial activity of peel and pulp extracts of *C. paradise*, *C. medica* & *C. limon* against *B. cereus* & *M. luteus*. *African journal of basic and applied sciences*, 174–82.
- Soobrattee, M. A., Neergheen, V. S., Luximon-Ramma, A., Aruoma, O. I., & Bahorun, T. (2005). Phenolics as potential antioxidant therapeutic agents: mechanism and actions. *Mutation research*, 579(1-2), 200–213.
<https://doi.org/10.1016/j.mrfmmm.2005.03.023>
- Sood S, Bansal S, Muthuraman A, Gill NS, Bali M. (2009). Therapeutic potential of *Citrus medica* L. peel extract in carrageenan induced inflammatory pain in rat. *Res J Med Plant*, 3: 123–133.
- Sori, R.K., Balaji, O., Adiga, S., & Thomas, H. (2018). Evaluation of the antipeptic ulcer activity of the seed extract of sesame (*Sesamum indicum*) in stress-induced peptic ulcers in rats. *International journal of basic and clinical pharmacology*, 7, 1131.
- Sreejayan, N., & Rao, M. N. (1994). Nitric oxide scavenging by curcuminoids. *The Journal of Pharmacy and Pharmacology*, 46(10), 1013-1016. doi: 10.1111/j.2042-7158.1994.tb03243.x
- Srinivas, A. N., Suresh, D., Suvarna, D., Pathak, P., Giri, S., Suman, Satish, S., Chidambaram, S. B., & Kumar, D. P. (2023). Unraveling the Potential Role of *Tecomella undulata* in Experimental NASH. *International journal of molecular sciences*, 24(4), 3244.
<https://doi.org/10.3390/ijms24043244>
- Srivastava, K. C., & Mustafa, T. (1984). Platelet-activating factor (PAF) induced aggregation in washed human platelets: inhibition by ‘natural’ anti-inflammatory agents. *Thrombosis Research*, 36(4), 407-421. doi: 10.1016/0049-3848(84)90156-9
- Taghvaeefard, N., Ghani, A. & Hosseini farahi, M. (2021) Comparative study of phytochemical profile and antioxidant activity of flavedo from two Iranian citron fruit

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

(*Citrus medica* L.). *Food Measure* 15, 2821–2830. <https://doi.org/10.1007/s11694-021-00859-0>

Taira, J., Tsuchida, E., Katoh, M. C., Uehara, M., & Ogi, T. (2015). Antioxidant capacity of betacyanins as radical scavengers for peroxy radical and nitric oxide. *Food chemistry*, 166, 531–536. <https://doi.org/10.1016/j.foodchem.2014.05.102>

Tapson V. F. (2008). Acute pulmonary embolism. *The New England journal of medicine*, 358(10), 1037–1052. <https://doi.org/10.1056/NEJMra072753>

Tatiana de Sousa Fiúza, L. M. (2015). Chemical composition and variability of essential oils from the fruit peels of *Citrus medica* L. and mineral analysis of the fruit peels and soils. *Research & Reviews: Journal of Pharmacognosy and Phytochemistry*, 43-49.

Teodosio Melo, K. R., Gomes Camara, R. B., Queiroz, M. F., Jacome Vidal, A. A., Machado Lima, C. R., Melo-Silveira, R. F., ... & Oliveira Rocha, H. A. (2013). Evaluation of sulfated polysaccharides from the brown seaweed *Dictyopteris justii* as antioxidant agents and as inhibitors of the formation of calcium oxalate crystals. *Molecules*, 18(12), 14543-14563.

Thapliyal, S., Singh, T., Handu, S., Bisht, M., Kumari, P., Arya, P., Srivastava, P., & Gandham, R. (2021). A Review on Potential Footprints of Ferulic Acid for Treatment of Neurological Disorders. *Neurochemical research*, 46(5), 1043–1057. <https://doi.org/10.1007/s11064-021-03257-6>

Tilburt, J. C., & Kaptchuk, T. J. (2008). Herbal medicine research and global health: an ethical analysis. *Bulletin of the World Health Organization*, 86, 594-599.

Toh, S. C., Lihan, S., Bunya, S. R., & Leong, S. S. (2023). In vitro antimicrobial efficacy of *Cassia alata* (Linn.) leaves, stem, and root extracts against cellulitis causative agent *Staphylococcus aureus*. *BMC complementary medicine and therapies*, 23(1), 85. <https://doi.org/10.1186/s12906-023-03914-z>

Tortora, G. J., & Tortora, G. S. (2000). *Principles of Anatomy and Physiology* (7th ed.). New York: Harper Collins College Publishers.

Truong, J. T., & Booth, S. L. (2011). Emerging issues in vitamin K research. *Journal of Evidence-Based Complementary & Alternative Medicine*, 16(1), 73-79. doi: 10.1177/1533210110392953.

Tupe, R.S., Kemse, N.G., Khaire, A.A., (2013) Evaluation of antioxidant potentials and total phenolic contents of selected Indian herbs powder extracts. *International Food Research Journal*, 20(3), 1053-1063.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

- Turpie, A. G., & Esmon, C. (2011). Venous and arterial thrombosis--pathogenesis and the rationale for anticoagulation. *Thrombosis and haemostasis*, 105(4), 586–596. <https://doi.org/10.1160/TH10-10-0683>
- Turpie, A. G., Chin, B. S., & Lip, G. Y. (2002). Venous thromboembolism: pathophysiology, clinical features, and prevention. *BMJ (Clinical research ed.)*, 325(7369), 887–890. <https://doi.org/10.1136/bmj.325.7369.887>
- Umesh Talekar, D. D. (2013). Characterization of Volatile Organic Compounds from Peel of *Citrus medica* L. by Headspace Trap (HS-Trap) Sampling Technique Coupled with GCMS. *Indo American Journal of Pharmaceutical Research*, 9330-9336.
- Valizadeh, M., Beigomi, M., & Fazeli-Nasab, B. (2020). Antibacterial and Anti biofilm effects of ethanol and aceton leaf extract of *Momordica charantia* and *Tecomella undulata* against *Acinetobacter baumannii*. *International journal of Advanced Biological and Biomedical Research*, 8, 403-418. <https://doi.org/10.22034/ijabbr.2020.40523>
- Van Chen, T., Cuong, T. D., Quy, P. T., Bui, T. Q., Van Tuan, L., Van Hue, N., Triet, N. T., Ho, D. V., Bao, N. C., & Nhung, N. T. A. (2022). Antioxidant activity and α -glucosidase inhibitability of *Distichochlamys citrea* M.F. Newman rhizome fractionated extracts: in vitro and *in silico* screenings. *Chemicke zvesti*, 76(9), 5655–5675. <https://doi.org/10.1007/s11696-022-02273-2>
- Vanwagenen, B.C., Larsen, R.D., Cardellina, J., Randazzo, D., Lidert, Z., & Swithenbank, C. (1993). Ulosantoin, a potent insecticide from the sponge *Ulosa ruetzleri*. *Journal of Organic Chemistry*, 58, 335-337.
- Wang, K.-H.; Li, S.-F.; Zhao, Y.; Li, H.-X.; Zhang, L.-W. In Vitro Anticoagulant Activity and Active Components of Safflower Injection. *Molecules* **2018**, 23, 170. <https://doi.org/10.3390/molecules23010170>
- Wang, R.; Lu, X.; Sun, Q.; Gao, J.; Ma, L.; Huang, J. (2020) Novel ACE Inhibitory Peptides Derived from Simulated Gastrointestinal Digestion in Vitro of Sesame (*Sesamum indicum* L.) Protein and Molecular Docking Study. *Int. J. Mol. Sci.* 21, 1059.
- Wang, R.; Lu, X.; Sun, Q.; Gao, J.; Ma, L.; Huang, J. (2020). Novel ACE Inhibitory Peptides Derived from Simulated Gastrointestinal Digestion in Vitro of Sesame (*Sesamum indicum* L.) Protein and Molecular Docking Study. *Int. J. Mol. Sci.* 21, 1059.
- Wang, S. F., Ju, Y., Chen, X. G., & Hu, Z. D. (2003). Separation and determination of coumarins in the root bark of three citrus plants by micellar electrokinetic capillary chromatography. *Planta medica*, 69(5), 483–486. <https://doi.org/10.1055/s-2003-39697>

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

Wendelboe, A. M., & Raskob, G. E. (2016). Global Burden of Thrombosis: Epidemiologic Aspects. *Circulation research*, 118(9), 1340–1347.

<https://doi.org/10.1161/CIRCRESAHA.115.306841>

Whang, W. K., Park, H. S., Ham, I., Oh, M., Namkoong, H., Kim, H. K., Hwang, D. W., Hur, S. Y., Kim, T. E., Park, Y. G., Kim, J. R., & Kim, J. W. (2005). Natural compounds,fraxin and chemicals structurally related to fraxin protect cells from oxidative stress. *Experimental & molecular medicine*, 37(5), 436–446.

<https://doi.org/10.1038/emm.2005.54>

Wichitsranoi, J., Weerapreeyakul, N., Boonsiri, P., Settasatian, C., Settasatian, N., Komanasin, N., Sirijaichingkul, S., Teerajetgul, Y., Rangkadilok, N., & Leelayuwat, N. (2011). Antihypertensive and antioxidant effects of dietary black sesame meal in pre-hypertensive humans. *Nutrition Journal*, 10, 82. <https://doi.org/10.1186/1475-2891-10-82>

Widyawati, T., Syahputra, R. A., Syarifah, S., & Sumantri, I. B. (2023). Analysis of Antidiabetic Activity of Squalene via In Silico and In Vivo Assay. *Molecules (Basel, Switzerland)*, 28(9), 3783. <https://doi.org/10.3390/molecules28093783>

Wolfe, K.L., Wu, X., & Liu, R.H. (2003). Antioxidant activity of apple peels. *Journal of agricultural and food chemistry*, 51 3, 609-14.

Wołosik, K., Knaś, M., Zalewska, A., Niczyporuk, M., & Przystupa, A. W. (2013). The importance and perspective of plant-based squalene in cosmetology. *Journal of cosmetic science*, 64(1), 59–66.

Wong, P., & Baglin, T. (2012). Epidemiology, risk factors and sequelae of venous thromboembolism. *Phlebology*, 27 Suppl 2, 2–11.

<https://doi.org/10.1258/phleb.2012.012s31>

World Health Organization (WHO). (1998). Quality control methods for medicinal plant materials. *WHO Library Cataloguing in Publication Data*. (NLM Classification: QV 766). ISBN 92 4 154510 0

Wu, K.; Wen-Xiong, W.U.; Yang, M.M.; Liu, H.Y.; Zhao, Y.Z. (2017). QTL Mapping for Oil, Protein, and Sesamin Contents in Seeds of White Sesame. *ACTA Agron. Sin.* 43, 1003–1011.

Xu, K., Liu, X., Li, Y., Wang, Y., Zang, H., Guo, L., ... & Han, Y. (2016). Safety and efficacy of policosanol in patients with high on-treatment platelet reactivity after drug-eluting stent implantation: two-year follow-up results. *Cardiovascular Therapeutics*, 34(5), 337-342.

Yamada, P., Nemoto, M., Shigemori, H., Yokota, S., & Isoda, H. (2011). Isolation of 5-(hydroxymethyl)furfural from *Lycium chinense* and its inhibitory effect on the chemical mediator release by basophilic cells. *Planta medica*, 77(5), 434–440.

<https://doi.org/10.1055/s-0030-1250402>

Yamaguchi, T., Takamura, H., Matoba, T., & Terao, J. (1998). HPLC method for evaluation of the free radical-scavenging activity of foods by using 1,1-diphenyl-2-picrylhydrazyl. *Bioscience, biotechnology, and biochemistry*, 62(6), 1201–1204.

<https://doi.org/10.1271/bbb.62.1201>

Yun-Choi, H.S., Kim, M.H. & Jung, K.H. (1996). Esters of substituted benzoic acids as anti-thrombotic agents. *Arch. Pharm. Res.* **19**, 66–70 (1996).

<https://doi.org/10.1007/BF02976823>

Zagulyaeva, A. A., Yusubov, M. S., & Zhdankin, V. V. (2010). A general and convenient preparation of [Bis (trifluoroacetoxy) iodo] perfluoroalkanes and [Bis (trifluoroacetoxy) iodo] arenes by oxidation of organic iodides using oxone and trifluoroacetic acid. *The Journal of organic chemistry*, 75(6), 2119-2122.doi: 10.1021/jo902733f

Zahoor, M., Zafar, R., & Rahman, N. U. (2018). Isolation and identification of phenolic antioxidants from *Pistacia integerrima* gall and their anticholine esterase activities. *Heliyon*, 4(12), e01007. <https://doi.org/10.1016/j.heliyon.2018.e01007>

Zhang, L., & Lv, J. (2018). A new ferulic acid derivative and other anticoagulant compounds from *Angelica sinensis*. *Chemistry of natural compounds*, 54, 13-17.DOI 10.1007/s10600-018-2248-8.

Zhang, Z., Han, X. M., Wei, J. H., Xue, J., Yang, Y., Liang, L., ... & Gao, Z. H. (2014). Compositions and antifungal activities of essential oils from agarwood of *Aquilaria sinensis* (Lour.) Gilg induced by *Lasiodiplodia theobromae* (Pat.) Griffon. & Maubl. *Journal of the Brazilian Chemical Society*, 25, 20-26. <https://doi.org/10.5935/0103-5053.20130263>

Zhao, L., Chen, J., Su, J., Li, L., Hu, S., Li, B., Zhang, X., Xu, Z., & Chen, T. (2013). In vitro antioxidant and antiproliferative activities of 5-hydroxymethylfurfural. *Journal of agricultural and food chemistry*, 61(44), 10604–10611. <https://doi.org/10.1021/jf403098y>

Zhao, P.; Duan, L.; Guo, L.; Dou, L.-L.; Dong, X.; Zhou, P.; Li, P.; Liu, E.-H. (2015). Chemical and biological comparison of the fruit extracts of *Citrus wilsonii* Tanaka and *Citrus medica* L. *Food Chem*, 173, 54–60. DOI: 10.1016/j.foodchem.2014.10.010

Ningombam, D., Deliza, H., Debkumari, B., & Devi, M.D. (2021). Phytochemical, Antimicrobial and Acute Toxicity Studies on Methanolic Extracts of *Citrus medica* L. and

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

Citrus hystrix D. C. Fruits. *Journal of Pharmaceutical Research International*. 33(47B), 52-67. DOI: [10.9734/jpri/2021/v33i47B33096](https://doi.org/10.9734/jpri/2021/v33i47B33096)

Goyal R., Sharma R. G., P. L., & Manjeet Singh, M. S. (2010). Pharmacological potential of Tecomella undulate in acute and chronic inflammation in rat. *International Journal of Pharmaceutical Sciences and Research (IJPSR)*. 1(5), 108-114.

Yusuf, M. K., Ibegbu, A. O., Agbon, A. N., & Evang, A. (2017). Determination of median lethal dose of ethanolic extract of Sesamum Indicum seeds in adult wistar rats. *African Journal of Cellular Pathology*, 9(2), 73-76.

Cui, Z. Y., Liu, C. L., Li, D. D., Wang, Y. Z., & Xu, F. R. (2022). Anticoagulant activity analysis and origin identification of Panax notoginseng using HPLC and ATR-FTIR spectroscopy. *Phytochemical analysis : PCA*, 33(6), 971–981. <https://doi.org/10.1002/pca.3152>

Li, T., Ma, H., Li, H., Tang, H., Huang, J., Wei, S., Yuan, Q., Shi, X., Gao, C., Mi, S., Zhao, L., Zhong, S., & Liu, Y. (2022). Physicochemical Properties and Anticoagulant Activity of Purified Heteropolysaccharides from *Laminaria japonica*. *Molecules (Basel, Switzerland)*, 27(9), 3027. <https://doi.org/10.3390/molecules27093027>

Lan, D., Zhang, J., Shang, X., Yu, L., Xu, C., Wang, P., Cui, L., Cheng, N., Sun, H., Ran, J., Sha, L., Yin, R., Gao, N., & Zhao, J. (2023). Branch distribution pattern and anticoagulant activity of a fucosylated chondroitin sulfate from Phyllophorella kohkutiensis. *Carbohydrate polymers*, 321, 121304. <https://doi.org/10.1016/j.carbpol.2023.121304>

Quach, T. T. M., Nguyen, N. T., Yuguchi, Y., Dang, L. V., Van Ngo, Q., & Thanh, T. T. T. (2024). Structure, anticoagulant and cytotoxic activity of a sulfated polysaccharide from green seaweed *Chaetomorpha linum*. *Natural product research*, 38(4), 555–562. <https://doi.org/10.1080/14786419.2023.2180506>

Al-Rajhi, A. M. H., Bakri, M. M., Qanash, H., Alzahrani, H. Y., Halawani, H., Algaydi, M. A., & Abdelghany, T. M. (2023). Antimicrobial, Antidiabetic, Antioxidant, and Anticoagulant Activities of *Cupressus sempervirens* In Vitro and In Silico. *Molecules (Basel, Switzerland)*, 28(21), 7402. <https://doi.org/10.3390/molecules28217402>

Drioiche, A., Ailli, A., Remok, F., Saidi, S., Gourich, A. A., Asbabou, A., Kamaly, O. A., Saleh, A., Bouhrim, M., Tarik, R., Kchibale, A., & Zair, T. (2023). Analysis of the Chemical Composition and Evaluation of the Antioxidant, Antimicrobial, Anticoagulant, and Antidiabetic Properties of *Pistacia lentiscus* from Boulemane as a Natural Nutraceutical Preservative. *Biomedicines*, 11(9), 2372. <https://doi.org/10.3390/biomedicines11092372>

Huang, S., He, X., Huang, C., He, W., Zhao, H., Dai, J., & Xu, G. (2024). Thrombin-targeted screening of anticoagulant active components from *Polygonum amplexicaule* D.

Screening of indigenous plants for anticoagulant activity and isolation of active constituent there from

Don var. sinense Forb by affinity ultrafiltration coupled with UPLC-Q-TOF-MS. *Phytochemical analysis : PCA*, 35(5), 1112–1122. <https://doi.org/10.1002/pca.3346>

Marakhova, A., Zhilkina, V. Y., Elapov, A., Sachivkina, N., Samorodov, A., Pupykina, K., Krylova, I., Kezimana, P., Stoynova, A. M., Venkatesan, R., & Vetcher, A. A. (2024). The Development of a Method for Obtaining *Tripleurospermum inodorum* (L.) Sch. Bip. Herb Extract Enriched with Flavonoids and an Evaluation of Its Biological Activity. *Plants (Basel, Switzerland)*, 13(12), 1629. <https://doi.org/10.3390/plants13121629>

Sawetaji, Jindal, S., Kant, R., Saluja, D., & Aggarwal, K. K. (2023). Identification of thrombin inhibiting antithrombin-III like protein from *Punica granatum* using *in silico* approach and in vitro validation of thrombin inhibition activity in crude protein. *Natural product research*, 37(24), 4131–4143. <https://doi.org/10.1080/14786419.2023.2169919>